MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

ANANTAPURAMU -03/2009-10 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad January-2021

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND WATERSHED MONITORING DIVISION

Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

CONTENTS

EXECUTIVE SUMMARY


- O1. STUDY AREA
- O2. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA: Site wise changes in the project
- O4. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-03/2009-10, Anantapuram District of Andhra Pradesh. The total geographical area of the project is 4,846.17 ha. It comprises of 04 micro watersheds.
- In the project area only 1 Drishti photos were uploaded showing as a Dugout pit/Farm ponds.
- Project area as per image analysis has witnessed distinguishable increase in farm ponds, showing 1 new farm pond or dug out pond with 14.32 ha increase in the area.
- Major percentage i.e. 34.74% is covered by the agriculture, 32.61% is covered by scrub land, 26.85% by Forest and remaining by other land use classes.

PROJECT: ANANTAPURAM - IWMP-03/2009-10 DISTRICT: Anantapuramu, STATE: ANDHRA PRADESH

• The study area falls in Kanaganapalle Mandal of Anantapuramu district of Andhra Pradesh state. The total geographical area of the project is 4,846.17 ha. It comprises of 04 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2009-10 (T0) period (*Batch -1*) projects taking 2017-18 (T5) period satellite images.



- Anantapuram has a semi-arid climate, with hot and dry conditions for most of the year. Summers start in late
 February and peak in May with average high temperatures around the 37 °C range and it reaches around 44 °C to 45
 °C.
- Anantapuram gets pre-monsoon showers starting as early as March, mainly through north-easterly winds blowing in from Kerala. Monsoon arrives in September and lasts until early November with about 250 mm (9.8 in) of precipitation. A dry and mild winter starts in late November and lasts until early February; with little humidity and average temperatures in the 22–23 °C (72–73 °F) range. Total annual rainfall is about 22 in (560 mm).
- Anantapuram district receives moderate to good rainfall from July to October month.


Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2009-10	2011-12	2017-18
LISS IV	2009-10		
SCENE 1			1-Apr-18
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2009-10		
SCENE 1			1-Apr-18
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	1
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend








Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	0	0
2	Horticulture	0	0
3	Agriculture	0	0
4	Pasture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Terrace	0	0
8	Checks & Plugs	0	0
9	Gabion structure	0	0
10	Farm ponds /Dugout pit	5	5
11	Check dams	0	0
12	Nallah Bunds	0	0
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities	0	0
16	Capacity Building Activities	0	0
17	Entry Point Activity	0	0
18	Others	0	0
	TOTAL	5	5

MONITORING IN THE PROJECT AREA


Site Wise Changes in the Project


- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures
- To is the baseline period before implementation (2009-10) and T5 is 2017-18 period for monitoring
- Captures are also provided wherever changes are observed in satellite images,
 that may match expected activity related impact, even though they don't have
 Drishti report yet.


Natural Color Composite — 2009-10 to 2017-18













Changes in Vegetation Cover







NDVI (2009-10)

NDVI (12 October 2015)


Changes in Vegetation Cover





NDVI (2013-14) NDVI (2014-15)

Changes in Vegetation Cover



Monitoring of activities in Anantapuramu District Andhra Pradesh. IWMP-03/2009-10





MONITORING IN THE PROJECT AREA

Land use and Land cover Changes in the Project


- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody-ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2009-10) and row represents the T5 (2017-18)

Scale: 1:10000







Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2013-14 to 2014-15) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16) Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17) Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18) Scale: 1:10000






Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Plantation




T0: 2009-10



T1: 27 March 2013

Scrub to Plantation




T0: 2009-10




T1: 27 March 2013

Land Use and Land Cover changes for Pre and Post treatment dates

Scrub land to Agriculture




T0: 2009-10



T1: 27 March 2013

Scrub land to Agriculture



T0: 2009-10



T1: 27 March 2013

Table showing change matrix depicting Land cover transitions during study period- 2009-10 to 2013-14

Land cover	Monitor	ing peri	od (T1)						Uı	nits in Hectares	
Т0		Mining / dump		Plantation Horticulture		Forest Plantation			Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	53.20										53.20
Mining/dump		5.31									5.31
Agriculture	1.39		1597.74	40.03				20.55			1659.72
Plantation Horticulture			5.35	9.83							15.18
Forest			0.14		1292.08					0.57	1292.79
Forest Plantation											
Barren Rocky							51.30				51.30
Scrub	0.48	3.23	82.45	30.75				1559.83		5.14	1681.90
Waterbody- Streams/River											
Waterbody – Ponds										86.77	86.77
Grand Total	55.08	8.54	1685.68	80.62	1292.08		51.30	1580.38		92.49	4846.17

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In TO 61.98 ha of the agriculture area has decreased and it is converted into built up, plantation and scrub in T1.
- In T1 87.94 ha of the agriculture area has been increased from plantation, forest and scrubland of T0. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period- 2013-14 to 2014-15

Land cover	Monitoring period (T2) Units in Hectares										
T 1			Agri culture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky		Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	55.08										55.08
Mining/dump		8.54									8.54
Agriculture		0.58	1668.91	1.65				14.38		0.16	1685.68
Plantation Horticulture			9.51	71.12							80.62
Forest		4.48	5.76		1281.20					0.64	1292.08
Forest Plantation											
Barren Rocky		0.02					51.28				51.30
Scrub		37.73	222.46	3.74				1311.33		5.12	1580.38
Waterbody- Streams/River											
Waterbody – Ponds		0.15	6.46	0.80						85.08	92.49
Grand Total	55.08	51.50	1913.10	77.31	1281.20		51.28	1325.71		90.99	4846.17

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 16.77 ha of the agriculture area has decreased and it is converted into mining/dump, plantation, scrubland and water body in T2.
- In T2 244.19 ha of the agriculture area has been increased from plantation, scrubland and water body of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period- 2014-15 to 2015-16

Land cover	Monitor	ing period	(T3)							Units in Hec	tares
Т2	Built up	_		Plantation Horticulture		Forest Plantation	Barren Rocky		Waterbody- Streams/River	~	Grand Total
Built up	55.08										55.08
Mining/dump		51.50									51.50
Agriculture		1.99	1907.86	1.58				0.94		0.72	1913.10
Plantation Horticulture			21.20	55.42						0.68	77.31
Forest		1.97			1279.03					0.20	1281.20
Forest Plantation											
Barren Rocky							51.28				51.28
Scrub	2.32	6.74	135.88					1159.86	3.24	17.67	1325.71
Waterbody- Streams/River											
Waterbody – Ponds			2.72							88.27	90.99
Grand Total	57.40	62.20	2067.66	57.00	1279.03		51.28	1160.81	3.24	107.55	4846.17

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 5.23 ha of the agriculture area has decreased and it is converted into mining/dump, plantation, scrubland and water body in T3.
- In T3 159.80 ha of the agriculture area has been increased from plantation, scrubland and water body of T2. The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period- 2015-16 to 2016-17

Land cover	Monitor	Monitoring period (T4) Units in Hectares										
Т3			0	Plantation Horticulture		Forest Plantation	Barren Rocky		Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	57.40										57.40	
Mining/dump		62.13								0.07	62.20	
Agriculture	0.29	2.05	2063.42					1.32		0.57	2067.66	
Plantation Horticulture		0.56	36.56	19.86						0.02	57.00	
Forest		0.19	3.31		1275.53						1279.03	
Forest Plantation												
Barren Rocky							51.28				51.28	
Scrub			31.65					1127.48		1.68	1160.81	
Waterbody- Streams/River									3.24		3.24	
Waterbody – Ponds										107.55	107.55	
Grand Total	57.69	64.94	2134.94	19.86	1275.53		51.28	1128.80	3.24	109.89	4846.17	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 4.24 ha of the agriculture area has decreased and it is converted into built up, mining/dump, scrubland and water body in T4.
- In T4 71.51 ha of the agriculture area has been increased from plantation, forest and scrubland of T3. The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period- 2016-17 to 2017-18

Land cover	Monitor	Monitoring period (T5) Units in Hectares										
Т4			0	Plantation Horticulture		Forest Plantation	Barren Rocky		Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	57.69										57.69	
Mining/dump		64.83								0.11	64.94	
Agriculture	0.97	2.80	2130.21							0.96	2134.94	
Plantation Horticulture			6.93	12.84						0.09	19.86	
Forest					1275.53						1275.53	
Forest Plantation												
Barren Rocky							51.28				51.28	
Scrub			7.95					1119.10		1.75	1128.80	
Waterbody- Streams/River									3.24		3.24	
Waterbody – Ponds			0.27							109.62	109.89	
Grand Total	58.66	67.62	2145.36	12.84	1275.53		51.28	1119.14	3.24	112.53	4846.17	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 4.72 ha of the agriculture area has decreased and it is converted into built up, mining/dump, scrubland and water body in T5.
- In T5 15.15 ha of the agriculture area has been increased from plantation, forest and scrubland of T4. The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- 3. There is an increase of 28.96 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
- 4. There is an increase of 25.96, 227.42, 154.56, 67.28 & 10.42 Hectares From T0-T1, T1-T2, T2-T3, T3-T4 & T4-T5 respectively and overall increase of 485.64 Hectares in Crop land area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
- 5. There is a decrease of 562.76 Hectares in Scrubland area as compared between 2009-10 (T0) & 2017-18 (T5) years.
- 6. Farm ponds (5) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (5) verified from the portal.