# MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

#### **SUMMARY REPORT**

ANANTAPURAMU -06/2009-10 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad January-2021

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND
WATERSHED MONITORING
DIVISION
Land Resources and Land Use

Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

## CONTENTS

#### EXECUTIVE SUMMARY

- O1. STUDY AREA
- O2. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA: Site wise changes in the project
- O4. CONCLUSIONS


#### EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web
  portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses
  high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-06/2009-10, Anantapur District of Andhra Pradesh. The total geographical area of the project is 3593.63 ha. It comprises of 6 micro watersheds.
- In the project area 171 Drishti photos were uploaded showing 63 check dams/Percolation tank/other civil works,11 Farm ponds, 89 new works, 8 fodder development/varmi compost, 1 rock fill dam and 17 drishti photos are other activities.
- Project area as per image analysis has witnessed distinguishable increase in farm ponds, showing 11 new farm ponds or dug out ponds with 8.05 ha increase in the area.
- Major percentage i.e. 77.66 % is covered by the agriculture, 6.79 % is covered by plantation, 5.23 % by water body and remaining by other land use classes.

## PROJECT: ANANTAPURAMU - IWMP-06/2009-10

District: Anantapuramu, State: Andhra Pradesh

• The study area falls in Rolla Mandal of Anantapuramu district of Andhra Pradesh state. The total geographical area of the project is 3593.63 ha. It comprises of 5 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2009-10 (T0) period (*Batch -1*) projects taking 2017-18 (T5) period satellite images



- Anantapuramu has a semi-arid climate, with hot and dry conditions for most of the year. Summers start in late
  February and peak in May with average high temperatures around the 37 °C range and it reaches around 44 °C to 45
  °C.
- Anantapuramu gets pre-monsoon showers starting as early as March, mainly through north-easterly winds blowing in from Kerala. Monsoon arrives in September and lasts until early November with about 250 mm (9.8 in) of precipitation. A dry and mild winter starts in late November and lasts until early February; with little humidity and average temperatures in the 22–23 °C (72–73 °F) range. Total annual rainfall is about 22 in (560 mm).
- Anantapuramu district receives moderate to good rainfall from July to October month.

## Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2009-10	2009-10	2017-18
LISS IV	2009-10		_
SCENE 1			15-Dec-17
SCENE2			_
SCENE 3			
SCENE 4			
			_
CARTO	2009-10		
SCENE 1			15-Dec-17
SCENE2			
SCENE 3			
SCENE 4			

## **Ancillary Data**

	Category	Sub category	Status
1	Thematic maps		
	LULC ( 1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	171
4	Detailed Project Report		

## Natural Color Composite overlaid with Project boundaries and high detail stream network



#### Legend





Project Boundary

## Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

## Classification of the Activities

Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	0	0
2	Horticulture	0	0
3	Agriculture	0	0
4	Pasture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Terrace	0	0
8	New activity	0	0
9	Fodder development/Varmi compost	0	0
10	Farm ponds/Dug out pits	9	8
11	Check dams /Civil work/Percolation tanks	3	3
12	Checks & Plugs	63	51
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities	7	6
16	water harvesting structure	0	0
17	Entry Point Activity	0	0
18	Others	89	70
	TOTAL	171	138

#### MONITORING IN THE PROJECT AREA

## Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures
- To is the baseline period before implementation (2009-10) and T5 is 2017-18 period for monitoring
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

#### Monitoring of activities in Anantapur District, Andhra Pradesh. IWMP-04/2009-10








T2: 2014-15

T3: 28 October 2015


Drishti SI no.129688 MWS:4

MWS:4C3G4k4b

#### **Boulder Removal**



T2: 2014-15



T3: 28 October 2015



Drishti Sl no. 133205 MWS: 4C3G4k3e

#### **Boulder Removal**

#### Monitoring of activities in Anantapuramu District, Andhra Pradesh. IWMP-04/2009-10








T2: 2014-15


T3: 28 October 2015

Drishti SI no. 238448 MWS:4C3Cilf

#### **Check dam**



T2: 2014-15




T3: 28 October 2015




Drishti SI no. 238404 MWS:4C3G4k3f


#### **Percolation tank**

## Natural Color Composite — 2009-10 to 2017-18





#### Changes in Vegetation Cover




#### MONITORING IN THE PROJECT AREA


#### Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody-ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the pre implementation period as T0 (2009-10) and row represents the post implementation period as T5 (2017-18).


#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2009-10 to 2013-14)




#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2013-14 to 2014-15)




#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16)



#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)




#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)



#### Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Plantation









T3: 28 October 2015

Increase Water spread



T2: 2014-15



T3: 28 October 2015

#### Table showing change matrix depicting Land cover transitions during study period- 2009-10 to 2013-14

Land cover	Monitoring period (T1) Units in Hectares										
Т0		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	115.06										115.06
Mining/dump		6.82									6.82
Agriculture	5.50	0.31	2752.06	19.05							2776.92
Plantation Horticulture	0.10		29.58	84.74						0.05	114.47
Forest					128.13						128.13
Forest Plantation											
Barren Rocky							28.64				28.64
Scrub	5.15		44.00	4.31				190.25			243.71
Waterbody- Streams/River											
Waterbody – Ponds										179.87	179.87
Grand Total	125.81	7.14	2825.65	108.10	128.13		28.64	190.25		179.92	3593.63

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents the changes in between the classes.
- In TO 24.86 ha of agriculture land are decreased and it is converted into built-up, mining/dump and plantation in T1.
- In T1 73.58 ha of agriculture area has been increased from plantation and scrubland of T2.
- The additional agriculture area are coming from waterbody in T3 represents seasonal agriculture.

#### Table showing change matrix depicting Land cover transitions during study period- 2013-14 to 2014-15

Land cover	Monitoring period (T2)  Units in Hectares										
<b>T</b> 1		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	125.81										125.81
Mining/dump		7.14									7.14
Agriculture	4.80		2527.86	167.40				119.49		6.10	2825.65
Plantation Horticulture			2.20	105.91							108.10
Forest					128.13						128.13
Forest Plantation											
Barren Rocky							28.64	Į.			28.64
Scrub	0.66		108.42	3.67				75.67		1.82	190.25
Waterbody- Streams/River											
Waterbody – Ponds										179.92	179.92
Grand Total	131.27	7.14	2638.47	276.98	128.13		28.64	195.16		187.84	3593.63

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents the changes in between the classes.
- In T1 297.79 ha of agriculture land are decreased and it is converted into built-up, plantation, scrub and water body in T2.
- In T2 110.61 ha of agriculture area has been increased from plantation and scrubland of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period- 2014-15 to 2015-16

Land cover	Monitoring period (T3)  Units in Hectares										
Т2		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	131.27										131.27
Mining/dump		6.98								0.16	7.14
Agriculture	2.70	6.55	2612.02	1.41				9.87	,	5.92	2638.47
Plantation Horticulture	0.29		72.72	203.67						0.30	276.98
Forest			0.51		127.56					0.06	128.13
Forest Plantation											
Barren Rocky		0.63					28.01				28.64
Scrub	0.60	0.81	97.97	'				95.40	)	0.38	195.16
Waterbody- Streams/River											
Waterbody – Ponds			9.94							177.90	187.84
Grand Total	134.87	14.95	2793.16	205.09	127.56		28.01	105.27	,	184.72	3593.63

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents the changes in between the classes.
- In T2 26.45 ha of agriculture land are decreased and it is converted into built up, mining/dump, plantation, scrubland and water body in T3.
- In T3 181.14 ha of agriculture area has been increased plantation, forest, scrubland and water body from and of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

#### Table showing change matrix depicting Land cover transitions during study period- 2015-16 to 2016-17

Land cover	Monitoring period (T4)  Units in Hectares										
Т3		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	134.87										134.87
Mining/dump		14.95									14.95
Agriculture	6.80	1.09	2735.39	19.24				28.43		2.21	2793.16
Plantation Horticulture			51.20	153.84						0.05	205.09
Forest			0.22		127.34						127.56
Forest Plantation											
Barren Rocky							28.01				28.01
Scrub			4.37	'				100.81		0.08	105.27
Waterbody- Streams/River											
Waterbody – Ponds		0.24	2.90	0.06						181.52	184.72
Grand Total	141.67	16.28	2794.08	173.14	127.34		28.01	129.25		183.86	3593.63

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents the changes in between the classes.
- In T3 57.77 ha of agriculture land are decreased and it is converted into built up, mining/dump, plantation, scrubland and water body in T4.
- In T4 58.69 ha of agriculture area has been increased plantation, forest, scrubland and water body from and of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

#### Table showing change matrix depicting Land cover transitions during study period- 2016-17 to 2017-18

Land cover	ver Monitoring period (T5) Unit							Units i	Inits in Hectares			
<b>T</b> 4	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	141.67										141.67	
Mining/dump		16.28									16.28	
Agriculture	0.83		2771.39	19.39				0.88		1.58	2794.08	
Plantation Horticulture			0.86	172.25						0.03	173.14	
Forest					127.34						127.34	
Forest Plantation												
Barren Rocky							28.01				28.01	
Scrub			0.31					128.94			129.25	
Waterbody- Streams/River												
Waterbody – Ponds			0.36							183.50	183.86	
Grand Total	142.51	16.28	2772.92	191.64	127.34		28.01	129.82		185.11	3593.63	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents the changes in between the classes.
- In T4 22.69 ha of agriculture land are decreased and it is converted into built up, plantation, scrubland and water body in T5.
- In T5 1.52 ha of agriculture area has been increased plantation, scrubland and water body from and of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

## Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- 3. There is an increase of 5.24 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
- 4. There is an increase of 48.73, 154.69 & 0.92 Hectares From T0-T1, T1-T2 & T3-T4 respectively and overall increase of 204.34 Hectares in Crop land area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
- 5. There is a decrease of 113.89 Hectares in Scrubland area as compared between 2009-10 (T0) & 2017-18 (T5) years.
- 6. Farm ponds (8) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (9) verified from the portal.