MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

ANANTAPURAMU -17/2010-11
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad March-2021

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND
WATERSHED MONITORING
DIVISION
Land Resources and Land Use

Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

CONTENTS

EXECUTIVE SUMMARY


- O1. STUDY AREA
- O2. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA: Site wise changes in the project
- O4. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web
 portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses
 high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-17/2010-11, Anantapuramu District of Andhra Pradesh. The total geographical area of the project is 6,182 ha. It comprises of 4 micro watersheds.
- In the project area 147 Drishti photos were uploaded showing check dams/Rock fill dam, livelihood activities, and remaining showing other activities.
- Water bodies have shown an increase by 94 ha, which correspond to the other land use classes that have been converted into various water bodies in this period.
- Major percentage i.e. 77 % is covered by the agriculture, 15 % is covered by Scrub land and remaining by other land use classes.

PROJECT: ANANTAPURAMU — IWMP-17/2010-11 DISTRICT: ANANTAPURAMU, STATE: ANDHRA PRADESH

• The study area falls in Raptadu Mandal of Anantapuramu district of Andhra Pradesh state. The total geographical area of the project is 6,182 ha. It comprises of 4 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2010-11 (T0) period (*Batch -II*) projects taking 2014-15 (T1) period satellite images



- Anantapuram has a semi-arid climate, with hot and dry conditions for most of the year. Summers start in late
 February and peak in May with average high temperatures around the 37 °C range and it reaches around 44 °C to 45
 °C.
- Anantapuram gets pre-monsoon showers starting as early as March, mainly through north-easterly winds blowing in from Kerala. Monsoon arrives in September and lasts until early November with about 250 mm (9.8 in) of precipitation. A dry and mild winter starts in late November and lasts until early February; with little humidity and average temperatures in the 22–23 °C (72–73 °F) range. Total annual rainfall is about 22 in (560 mm).
- Anantapuram district receives moderate to good rainfall from July to October month.

Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
Catemie data	2010-11	2011-12	2018-19
	2010-11	2011-12	2010-19
LISS IV	2010-11		
SCENE 1			25-Mar-19
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2010-11		
SCENE 1			25-Mar-19
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	147
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend






MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	0	0
2	Agriculture/Horticulture	33	30
3	Pasture	0	0
4	Trench	0	0
5	Field Bunds	0	0
7	Terrace	0	0
8	Checks & Plugs		
9	Gabion structure	0	0
10	Farm ponds/Dug out pit	0	0
11	Civil work-Check dams/Rock fill dam	48	30
12	Nallah Bunds/Drainage treatment	0	0
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities-Plantation/Horticulture	6	6
16	Capacity Building Activities	0	0
17	Entry Point Activity	1	1
18	Others	130	80
	TOTAL	218	147

MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2010-11) and T5 is 2018-19 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images,
 that may match expected activity related impact, even though they don't have
 Drishti report yet.

Anantapuramu-IWMP-17/2010-11



Activity : Check dam

Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-17/2010-11








T0: 2010-11

T1: 05 February 2015

Drishti Sl no. 1654732 MWS:

MWS: 4C3G6m1a

Dug out pit



T0: 2010-11



T1: 05 February 2015



Drishti SI no. 1679957 MWS : 4C3G6m1a

Dug out pit

Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-17/2010-11








T0: 2010-11


T1: 05 February 2015

Drishti SI no. 2611345 MWS : 4c3g6mla

Farm pond



T0: 2010-11




T1: 05 February 2015





Drishti SI no. 1704086 MWS : 4C3G6m1a


Horticulture


Natural Color Composite — 2010-11 to 2018-19















MONITORING IN THE PROJECT AREA


Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2010-11) and row represents the T5 (2018-19)


Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2010-11 to 2014-15)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)




Land Use and Land Cover changes for Pre and Post treatment dates






Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to water body




T0: 2010-11(77°32'48.265E 14°31'3.312N)



T1: 05 February 2015

Agriculture to water body




T0: 2010-11(77°34'39.177E 14°29'55.236N)



T1: 05 February 2015

Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to Agriculture



T0: 2010-11(77°32'11.795E 14°31'50.909N)



T1: 05 February2015

Scrub to Agriculture



T0: 2010-11(77°32'30.11E 14°32'1.209N)



T1: 05 February2015

Table showing change matrix depicting Land cover transitions during study period-2010-11 to 2014-15

Land cover	Monitor	Monitoring period (T1)									Area in Hectares	
Т0	Built up	Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	68.89)									68.89	
Mining/dump												
Agriculture	2.13	3	4371.92					17.54		0.53	4392.12	
Plantation Horticulture			12.98	21.52							34.50	
Forest												
Forest Plantation												
Barren Rocky							29.91	-			29.91	
Scrub	0.35	,	239.75					1216.21		4.87	1461.17	
Waterbody- Streams/River									62.83		62.83	
Waterbody – Ponds			3.63							129.53	133.15	
Grand Total	71.37	,	4628.27	21.52			29.91	 1233.74	62.83	134.92	6182.56	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 20 ha of the agriculture area has decreased and it is converted into built up, scrubland and water body in T1.
- In T1 256.71 ha of the agriculture area has increased from plantations, scrubland and water body of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16

Land cover	Monitor	ing period	Area in Hectares								
T1	Built up	Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	71.37	,									71.37
Mining/dump											
Agriculture	1.76		4612.56	11.65						2.29	4628.27
Plantation Horticulture			6.22	15.31							21.52
Forest											
Forest Plantation											
Barren Rocky							29.91				29.91
Scrub	0.47	0.81	127.36					1098.37	,	6.74	1233.74
Waterbody- Streams/River									62.83		62.83
Waterbody – Ponds	0.03									134.89	134.92
Grand Total	73.63	0.81	4746.14	26.96			29.91	 1098.37	62.83	143.91	6182.56

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 15 ha of the agriculture area has decreased and it is converted into built up, plantation and water body in T2.
- In T2 133 ha of the agriculture area has increased from plantations and scrubland of T1.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

Land cover	Monitor	ing period	Area in Hectares								
Т2	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	73.63										73.63
Mining/dump		0.81									0.81
Agriculture	2.48		4713.38	18.71				6.38		5.20	4746.14
Plantation Horticulture			3.27	23.69							26.96
Forest											
Forest Plantation											
Barren Rocky							29.91				29.91
Scrub			30.51					1067.42		0.44	1098.37
Waterbody- Streams/River									62.83		62.83
Waterbody – Ponds			0.48							143.43	143.91
Grand Total	76.11	0.81	4747.64	42.40			29.91	 1073.80	62.83	149.07	6182.56

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 32 ha of the agriculture area has decreased and it is converted into built up, plantation, scrubland and water body in T3.
- In T3 34 ha of the agriculture area has increased from plantations, scrubland and water body of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitor	ing period	Area in Hectares								
Т3	Built up	Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	76.11										76.11
Mining/dump		0.81									0.81
Agriculture			4747.64								4747.64
Plantation Horticulture				42.40							42.40
Forest											
Forest Plantation											
Barren Rocky							29.91				29.91
Scrub			3.60					1070.20			1073.80
Waterbody- Streams/River									62.83		62.83
Waterbody – Ponds										149.07	149.07
Grand Total	76.11	0.81	4751.24	42.40			29.91	1070.20	62.83	149.07	6182.56

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 3.6 ha of the agriculture area has increased from scrubland of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

Land cover	Monitor	ing period	Area in Hectares								
T 4	Built up	Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	76.11										76.11
Mining/dump		0.81									0.81
Agriculture	0.75		4735.74							14.75	4751.24
Plantation Horticulture			10.34	32.06							42.40
Forest											
Forest Plantation											
Barren Rocky							29.91				29.91
Scrub			20.97					985.52	2	63.71	1070.20
Waterbody- Streams/River									62.83		62.83
Waterbody – Ponds										149.07	149.07
Grand Total	76.86	0.81	4767.05	32.06			29.91	985.52	62.83	227.53	6182.56

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 15 ha of the agriculture area has decreased and it is converted into built up and water body in T5.
- In T5 256.71 ha of the agriculture area has increased from plantations and scrubland of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- 3. There is an increase of 94 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
- 4. There is an increase of 236, 117, 1.5, 3.6 & 15 Hectares From T1-T2, T2-T3 & T4-T5 respectively and overall decrease of 374 Hectares in Crop land area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
- 5. There is a decrease of 475 Hectares in Scrubland area as compared between 2010-11 (T0) & 2018-19 (T5) years.