MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

ANANTAPURAMU -18/2010-11 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad March-2021

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND
WATERSHED MONITORING
DIVISION
Land Resources and Land Use
Mapping and Monitoring Group,

Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

CONTENTS

EXECUTIVE SUMMARY

- O1. STUDY AREA
- O2. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA: Site wise changes in the project
- O4. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web
 portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses
 high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-18/2010-11, Anantapuramu District of Andhra Pradesh. The total geographical area of the project is 6,693 ha. It comprises of 8 micro watersheds.
- In the project area 97 Drishti photos were uploaded showing check dams/Rock fill dam, livelihood activities, and remaining showing other activities.
- Water bodies have shown an decrease by 52 ha, which correspond to the various water bodies that have been converted into other land use classes in this period.
- Major percentage i.e. 77% is covered by the agriculture, 6 % is covered by Scrub land, 9 % is covered by water body and remaining by other land use classes.

PROJECT: ANANTAPURAMU — IWMP-18/2010-11 DISTRICT: ANANTAPURAMU, STATE: ANDHRA PRADESH

• The study area falls in Agali Mandal of Anantapuramu district of Andhra Pradesh state. The total geographical area of the project is 6,693 ha. It comprises of 8 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2010-11 (T0) period (*Batch -II*) projects taking 2018-19 (T5) period satellite images



- Anantapuram has a semi-arid climate, with hot and dry conditions for most of the year. Summers start in late
 February and peak in May with average high temperatures around the 37 °C range and it reaches around 44 °C to 45
 °C.
- Anantapuram gets pre-monsoon showers starting as early as March, mainly through north-easterly winds blowing in from Kerala. Monsoon arrives in September and lasts until early November with about 250 mm (9.8 in) of precipitation. A dry and mild winter starts in late November and lasts until early February; with little humidity and average temperatures in the 22–23 °C (72–73 °F) range. Total annual rainfall is about 22 in (560 mm).
- Anantapuram district receives moderate to good rainfall from July to October month.


Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2010-11	2011-12	2018-19
LISS IV	2010-11		
SCENE 1			2-Oct-18
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2010-11		
SCENE 1			2-Oct-18
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

Category	Sub category	Status
Thematic maps		
LULC (1: 10 000)		
	DRAIANGE	YES
	SETTLEMENT	YES
	ROADS/RAILS	No
LULC (1: 50 000)		
	2005-06	
	2008-09	
Activity Plan Maps		
Drishti Photographs		
	Total	97
Detailed Project Report		
	Thematic maps LULC (1: 10 000) LULC (1: 50 000) Activity Plan Maps Drishti Photographs	Thematic maps LULC (1: 10 000) DRAIANGE SETTLEMENT ROADS/RAILS LULC (1: 50 000) 2005-06 2008-09 Activity Plan Maps Drishti Photographs Total

Natural Color Composite overlaid with Project boundaries and high detail stream network




Legend



MWS Boundary



Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	0	0
2	Agriculture/Horticulture	0	0
3	Pasture	0	0
4	Trench	0	0
5	Field Bunds	0	0
6	Terrace	0	0
7	Checks & Plugs	3	2
8	Gabion structure	0	0
9	Farm ponds/Dug out pit	0	0
10	Civil work-Check dams/Rock fill dam	6	6
11	Nallah Bunds/Drainage treatment	0	0
12	Percolation tanks / Ground water recharge structure	0	0
13	Production System and Micro-Enterprises	0	0
14	Livelihood Activities-Plantation/Horticulture	3	3
15	Capacity Building Activities	0	0
16	Entry Point Activity	0	0
17	Others	124	86
	TOTAL	136	97

MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2010-11) and T5 is 2018-19 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images,
 that may match expected activity related impact, even though they don't have
 Drishti report yet.

Anantapuramu-IWMP-18/2010-11



Activity: Farm pond

Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-18/2010-11







T0:2010-11

T1: 02 May 2014

Drishti SI no. 1788868 MWS : 4D3D7u1b

Farm pond



T0:2010-11



T1: 02 May 2014




Drishti SI no. 1829377

MWS: 4D3D7u1a

Farm pond

Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-18/2010-11







T0:2010-11


T1: 02 May 2014

Drishti SI no. 2680083 MWS : 4D3D7u1b

Farm pond



T0:2010-11




T1: 02 May 2014




Drishti SI no. 133251 MWS : 4D3D7v1a

Horticulture

Natural Color Composite — 2010-11 to 2018-19






MONITORING IN THE PROJECT AREA


Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2010-11) and row represents the T5 (2018-19)


Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2010-11 to 2014-15)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)




Land Use and Land Cover changes for Pre and Post treatment dates





T0: 2015-16(77°3'43.755"E 13°48'37.09"N)



T1: 3rd February 2017

Scrub to Agriculture



T0: 2015-16 (77°2'45.056"E 13°47'46.821"N)



T1: 3rd February 2017

Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Plantation




T0: 2010-11(77°3'2.912E 13°46'9.891N)




T1: 02 May 2014

Agriculture to Plantation




T0: 2010-11(77°4'18.741E 13°44'47.995N)



T1: 02 May 2014

Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Plantation



T0: 2010-11(77°3'14.346E 13°48'27.518N)



T1: 02 May 2014

Scrub to Water body



T0: 2010-11(77°2'34.961E 13°48'34.582N)



T1: 02 May 2014

Table showing change matrix depicting Land cover transitions during study period-2010-11 to 2014-15

Land cover	Monitoring period (T1) Unit									ts in Hectares	
Т0	Built up	Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	213.36	;									213.36
Mining/dump		19.22									19.22
Agriculture	13.65	0.30	4788.73	131.97				0.03		4.13	4938.81
Plantation Horticulture	0.34		8.81	220.20						0.05	229.40
Forest											
Forest Plantation											
Barren Rocky											
Scrub	1.50	4.47	2.93	4.74				537.18		0.98	551.80
Waterbody- Streams/River									32.35		32.35
Waterbody – Ponds	1.09		40.95							666.71	708.76
Grand Total	229.94	23.99	4841.43	356.91				537.21	32.35	671.87	6693.68

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In TO 150 ha of the agriculture area has decreased and it is converted into built up, mining, plantation, scrubland and water body in T1.
- In T1 52 ha of the agriculture area has increased from plantations, scrubland and water body of T0 and overall 97 ha of the agriculture area has been decreased. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16

Land cover	Monitor	Monitoring period (T2) Units in Hectar									
T 1	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	229.94	1									229.94
Mining/dump		23.99									23.99
Agriculture	2.46	0.17	4803.17	27.13					2.91	5.59	4841.43
Plantation Horticulture	0.14		21.28	335.17				0.32			356.91
Forest											
Forest Plantation											
Barren Rocky											
Scrub	0.93	1.71	8.18					524.07	0.40	1.92	537.21
Waterbody- Streams/River									32.35		32.35
Waterbody – Ponds			16.99							654.88	671.87
Grand Total	233.46	25.86	4849.62	362.30				524.39	35.66	662.39	6693.68

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 35 ha of the agriculture area has decreased and it is converted into built up, mining, plantation, scrubland and water body in T2.
- In T2 46 ha of the agriculture area has increased from plantations, scrubland and water body of T1 and overall 8 ha of the agriculture area has been increased. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

Land cover	Monitoring period (T3) Units in Hecta									ts in Hectares	
Т2	Built up	Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	233.46										233.46
Mining/dump		24.98	0.53							0.36	25.86
Agriculture	1.03	2.36	4796.14	41.80					3.11	5.17	4849.62
Plantation Horticulture	0.13	3	78.37	283.61						0.19	362.30
Forest											
Forest Plantation											
Barren Rocky											
Scrub		2.54	47.95	0.22				472.44		1.24	524.39
Waterbody- Streams/River									35.66		35.66
Waterbody – Ponds			19.21							643.18	662.39
Grand Total	234.63	29.88	4942.19	325.64				472.44	38.77	650.14	6693.68

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 50 ha of the agriculture area has decreased and it is converted into built up, mining, plantation, scrubland and water body in T3.
- In T3 145 ha of the agriculture area has increased from plantations, scrubland and water body of T2 and overall 92 ha of the agriculture area has been increased. The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitor	Monitoring period (T4) Units in Hectares									
Т3	Built up	Mining/ dump		Plantation Horticulture	Forest	Forest Plantation			Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	234.63										234.63
Mining/dump		29.88									29.88
Agriculture	0.65	1.90	4922.72	15.26						1.66	4942.19
Plantation Horticulture			158.20	167.44							325.64
Forest											
Forest Plantation											
Barren Rocky											
Scrub	0.21	0.61	30.14					428.94		12.53	472.44
Waterbody- Streams/River									38.77		38.77
Waterbody – Ponds			15.48							634.66	650.14
Grand Total	235.49	32.39	5126. 5 4	182.70				428.94	38.77	648.86	6693.68

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 19 ha of the agriculture area has decreased and it is converted into built up, mining, plantation and water body in T4.
- In T4 203 ha of the agriculture area has increased from plantations, scrubland and water body of T3 and overall 184 ha of the agriculture area has been increased. The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

Land cover	Monitor	Monitoring period (T5) Units i											
T4	Built up	Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	235.49										235.49		
Mining/dump		32.39									32.39		
Agriculture	1.21	2.17	5113.26	9.48						0.42	5126.54		
Plantation Horticulture			63.24	119.43						0.03	182.70		
Forest													
Forest Plantation													
Barren Rocky													
Scrub		3.99	11.64	0.28				412.70		0.33	428.94		
Waterbody- Streams/River									38.77		38.77		
Waterbody – Ponds										648.86	648.86		
Grand Total	236.70	38.55	5188.14	129.19				412.70	38.77	649.64	6693.68		

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 13 ha of the agriculture area has decreased and it is converted into built up, mining, plantation and water body in T5.
- In T5 74 ha of the agriculture area has increased from plantations and scrubland of T4 and overall 61 ha of the agriculture area has been increased. The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- 3. There is an decrease of 52 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2010-11 (T0) & 2017-18 (T5) years.
- 4. There is an increase of 08, 92, 184 & 61 Hectares From T0 to T1, T2-T3, T3 to T4 & T4-T5 respectively and overall increase of 249 Hectares in Crop land area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
- 5. There is a decrease of 139 Hectares in Scrubland area as compared between 2010-11 (T0) & 2018-19 (T5) years.
- 6. Farm ponds (0) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (1) verified from the portal.