

# MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

## SUMMARY REPORT

ANANTAPURAMU -19/2010-11

Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad  
March-2021

**T 0 - T 1 - T 2 - T 3 - T 4 - T 5**



AGRICULTURE & SOIL  
DIVISION  
Andhra Pradesh Space  
Applications Centre (APSAC)  
ITE&C Department Govt. of  
Andhra Pradesh



RURAL DEVELOPMENT AND  
WATERSHED MONITORING  
DIVISION  
Land Resources and Land Use  
Mapping and Monitoring Group,  
Remote Sensing Application Area,  
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND  
RESOURCES  
Ministry of Rural Development  
Government of India

# C O N T E N T S

- **EXECUTIVE SUMMARY**

01. STUDY AREA
02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
04. CONCLUSIONS


## **E X E C U T I V E   S U M M A R Y**

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely - Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project - IWMP-19/2010-11, Anantapuramu District of Andhra Pradesh. The total geographical area of the project is 3286 ha. It comprises of 3 micro watersheds.
- In the project area 186 Drishti photos were uploaded showing check dams/Rock fill dam, livelihood activities, and remaining showing other activities.
- Water bodies have shown an decrease by 6.4 ha , which correspond to the various water bodies that have been converted into other land use classes in this period.
- Major percentage i.e. 57 % is covered by the agriculture, 34 % is covered by Scrub land and remaining by other land use classes.

# PROJECT : ANANTAPURAMU – IWMP-19/2010-11

## DISTRICT : ANANTAPURAMU , STATE : ANDHRA PRADESH

- The study area falls in Kanaganapalle Mandal of Anantapuramu district of Andhra Pradesh state. The total geographical area of the project is 3,286 ha. It comprises of 3 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2010-11 (T0) period (*Batch -II*) projects taking 2018-19 (T5) period satellite images



- Anantapuram has a semi-arid climate, with hot and dry conditions for most of the year. Summers start in late February and peak in May with average high temperatures around the 37 °C range and it reaches around 44 °C to 45 °C.
- Anantapuram gets pre-monsoon showers starting as early as March, mainly through north-easterly winds blowing in from Kerala. Monsoon arrives in September and lasts until early November with about 250 mm (9.8 in) of precipitation. A dry and mild winter starts in late November and lasts until early February; with little humidity and average temperatures in the 22-23 °C (72-73 °F) range. Total annual rainfall is about 22 in (560 mm).
- Anantapuram district receives moderate to good rainfall from July to October month.


# Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2010-11	2011-12	2018-19
LISS IV	2010-11		
SCENE 1			5-Mar-19
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2010-11		
SCENE 1			5-Mar-19
SCENE2			
SCENE 3			
SCENE 4			

## Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC ( 1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishhti Photographs		
		Total	186
4	Detailed Project Report		

## Natural Color Composite overlaid with Project boundaries and high detail stream network



### Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

## Natural Color Composite overlaid with Drishhti Points



### Drishhti Upload Status

## Classification of the Activities

Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	0	0
2	Agriculture/Horticulture	200	110
3	Pasture	0	0
4	Trench	0	0
5	Field Bunds	0	0
6	Terrace	0	0
7	Checks & Plugs	5	5
8	Gabion structure	0	0
9	Farm ponds/Dug out pit	0	0
10	Civil work-Check dams/Rock fill dam	31	25
11	Nallah Bunds/Drainage treatment	0	0
12	Percolation tanks / Ground water recharge structure	0	0
13	Production System and Micro-Enterprises	0	0
14	Livelihood Activities-Plantation/Horticulture	14	14
15	Capacity Building Activities	0	0
16	Entry Point Activity	2	2
17	Others	41	30
	<b>TOTAL</b>	<b>293</b>	<b>186</b>

## MONITORING IN THE PROJECT AREA

### Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2010-11) and T5 is 2018-19 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.



Anantapuramu-IWMP-19/2010-11

2009-10



June-2014



Feb-2015



Jan-2017




Jan-2019



Activity : Horticulture



Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-19/2010-11



T0:2010-11




T1: 05 February 2015



Drishti SI no. 1032988 MWS : 4C3G6m2c

Farm pond



T0:2010-11




T1: 05 February 2015



Drishti SI no. 135766 MWS : 4C3G6m2c

Horticulture

Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-19/2010-11



T0

T0:2010-11



T1

T1: 05 February 2015




Drishti SI no. 1030315 MWS : 4C3G6m2b

Horticulture



T0:2010-11



T1

T1: 05 February 2015









Drishti SI no. 1049282 MWS : 4C3G6m2b

Horticulture



# Natural Color Composite – 2010-11 to 2018-19





## MONITORING IN THE PROJECT AREA

### Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2010-11) and row represents the T5 (2018-19)



# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2010-11 to 2014-15)

Scale: 1:10000



# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16)



Scale: 1:10000





# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)



Scale: 1:10000







# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000




# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)

Scale: 1:10000




## Land Use and Land Cover changes for Pre and Post treatment dates

### Agriculture to Plantation



T0: 2015-16(77°31'50.183"E 14°23'51.137"N )



T1: 28<sup>th</sup> October 2015

### Scrub to Agriculture



T0: 2015-16 (77°30'48.219"E 14°24'12.863"N )



T1: 28<sup>th</sup> October 2015



## Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Plantation



T0

T0: 2010-11(77°30'36.35E 14°24'45.311N)



T1


T1: 05 February 2015

Agriculture to Plantation



T0

T0: 2010-11(77°31'43.102E 14°26'16.647N)



T1


T1: 05 February 2015

## Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Water body



T0: 2010-11(77°31'51.054E 14°23'33.828N)



T1: 05 February 2015

Scrub to Pond & Agriculture



T0: 2010-11(77°31'13.613E 14°24'45.177N)



T1: 05 February 2015

**Table showing change matrix depicting Land cover transitions during study period-2010-11 to 2014-15**

Land cover	Monitoring period (T1)										
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
T0	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	34.96										34.96
Mining/dump											
Agriculture	8.59		1638.65	21.33						1.37	1669.93
Plantation Horticulture			1.69	4.41							6.10
Forest											
Forest Plantation											
Barren Rocky							4.59				4.59
Scrub	0.74	3.61	161.32					1295.52		0.48	1461.67
Waterbody- Streams/River									39.29		39.29
Waterbody – Ponds			2.71							67.56	70.28
<b>Grand Total</b>	<b>44.29</b>	<b>3.61</b>	<b>1804.37</b>	<b>25.74</b>			<b>4.59</b>	<b>1295.52</b>	<b>39.29</b>	<b>69.42</b>	<b>3286.83</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 31 ha of the agriculture area has decreased and it is converted into built up, plantation and water body in T1.
- In T1 165 ha of the agriculture area has increased from plantations, scrubland and water body of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16**

Land cover	Monitoring period (T2)										
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
<b>T1</b>											
<b>Built up</b>	44.29										<b>44.29</b>
<b>Mining/dump</b>		3.61									<b>3.61</b>
<b>Agriculture</b>	1.43		1779.23	22.56						1.15	<b>1804.37</b>
<b>Plantation Horticulture</b>	0.06		2.50	23.18							<b>25.74</b>
<b>Forest</b>											
<b>Forest Plantation</b>											
<b>Barren Rocky</b>							4.59				<b>4.59</b>
<b>Scrub</b>	0.44	3.50	59.45					1227.11		5.02	<b>1295.52</b>
<b>Waterbody- Streams/River</b>									39.29		<b>39.29</b>
<b>Waterbody – Ponds</b>										69.42	<b>69.42</b>
<b>Grand Total</b>	<b>46.22</b>	<b>7.11</b>	<b>1841.19</b>	<b>45.74</b>			<b>4.59</b>	<b>1227.11</b>	<b>39.29</b>	<b>75.58</b>	<b>3286.83</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 25 ha of the agriculture area has decreased and it is converted into built up, plantation and water body in T2.
- In T2 61 ha of the agriculture area has increased from plantations and scrubland of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.



**Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17**

Land cover	Monitoring period (T3)										
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
<b>Built up</b>	46.22										<b>46.22</b>
<b>Mining/dump</b>		7.11									<b>7.11</b>
<b>Agriculture</b>		9.22	1779.72	52.17						0.07	<b>1841.19</b>
<b>Plantation Horticulture</b>			33.68	12.06							<b>45.74</b>
<b>Forest</b>											
<b>Forest Plantation</b>											
<b>Barren Rocky</b>							4.59				<b>4.59</b>
<b>Scrub</b>		1.49	62.96					1162.65			<b>1227.11</b>
<b>Waterbody- Streams/River</b>									39.29		<b>39.29</b>
<b>Waterbody – Ponds</b>			2.68	0.14						72.75	<b>75.58</b>
<b>Grand Total</b>	<b>46.22</b>	<b>17.83</b>	<b>1879.05</b>	<b>64.36</b>			<b>4.59</b>	<b>1162.65</b>	<b>39.29</b>	<b>72.83</b>	<b>3286.83</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 52 ha of the agriculture area has decreased and it is converted into mining-dump, plantation and water body in T3.
- In T3 99 ha of the agriculture area has increased from plantations, scrubland and water body of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18**

Land cover	Monitoring period (T4)										
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
<b>T3</b>											
<b>Built up</b>	46.22										46.22
<b>Mining/dump</b>		17.83									17.83
<b>Agriculture</b>		0.81	1826.32	50.07					1.78	0.07	1879.05
<b>Plantation Horticulture</b>			37.48	26.88							64.36
<b>Forest</b>											
<b>Forest Plantation</b>											
<b>Barren Rocky</b>							4.59				4.59
<b>Scrub</b>			2.77					1158.51	1.33	0.04	1162.65
<b>Waterbody- Streams/River</b>									39.29		39.29
<b>Waterbody – Ponds</b>										72.83	72.83
<b>Grand Total</b>	46.22	18.64	1866.57	76.95			4.59	1158.51	42.40	72.94	3286.83

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 50 ha of the agriculture area has decreased and it is converted into mining-dump, plantation and water body in T4.
- In T4 40 ha of the agriculture area has increased from plantations of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19**

Land cover	Monitoring period (T5)										
T4	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	46.22										46.22
Mining/dump		18.64									18.64
Agriculture	0.10		1835.15	28.18						3.15	1866.57
Plantation Horticulture			51.43	25.52							76.95
Forest											
Forest Plantation											
Barren Rocky							4.59				4.59
Scrub			5.32					1150.16		3.04	1158.51
Waterbody- Streams/River									42.40		42.40
Waterbody – Ponds										72.94	72.94
<b>Grand Total</b>	<b>46.32</b>	<b>18.64</b>	<b>1891.90</b>	<b>53.70</b>			<b>4.59</b>	<b>1150.16</b>	<b>42.40</b>	<b>79.13</b>	<b>3286.83</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 31 ha of the agriculture area has decreased and it is converted into built-up, plantation and water body in T5.
- In T5 56 ha of the agriculture area has increased from plantations and scrubland of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

# Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an increase of 6.4 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
4. There is an increase of 134, 36 & 37 Hectares From T0-T1, T2-T3 & T3-T4 respectively and overall increase of 221 Hectares in Crop land area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
5. There is an increase of 47 ha of the Plantation/Horticulture area has been increased between 2010-11 (T0) & 2018-19 (T5) years.
6. There is a decrease of 311 Hectares in Scrubland area as compared between 2010-11 (T0) & 2018-19 (T5) years.