

# MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

## SUMMARY REPORT

ANANTAPURAMU -34/2010-11  
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad  
March-2021

**T 0 - T 1 - T 2 - T 3 - T 4 - T 5**



AGRICULTURE & SOIL  
DIVISION  
Andhra Pradesh Space  
Applications Centre (APSAC)  
ITE&C Department Govt. of  
Andhra Pradesh



RURAL DEVELOPMENT AND  
WATERSHED MONITORING  
DIVISION  
Land Resources and Land Use  
Mapping and Monitoring Group,  
Remote Sensing Application Area,  
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND  
RESOURCES  
Ministry of Rural Development  
Government of India

# C O N T E N T S

- **EXECUTIVE SUMMARY**

01. STUDY AREA
02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
04. CONCLUSIONS


## **E X E C U T I V E   S U M M A R Y**

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely - Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project - IWMP-34/2010-11, Anantapuramu District of Andhra Pradesh. The total geographical area of the project is 9,652 ha. It comprises of 9 micro watersheds.
- In the project area 9 Drishti photos were uploaded showing check dams/Rock fill dam, livelihood activities, and remaining showing other activities.
- Water bodies have shown an increase by 5.9 ha , which correspond to the other land use classes that have been converted into various water bodies in this period.
- Major percentage i.e. 78.59 % is covered by the agriculture, 5.65 % is covered by Scrub land, 1.68 % is covered by forest and remaining by other land use classes.

# PROJECT : ANANTAPURAMU – IWMP-34/2010-11

## DISTRICT : ANANTAPURAMU , STATE : ANDHRA PRADESH

- The study area falls in Brahmasamudram Mandal of Anantapuramu district of Andhra Pradesh state. The total geographical area of the project is 9,652 ha. It comprises of 9 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2010-11 (T0) period (*Batch -II*) projects taking 2018-19 (T5) period satellite images



- Anantapuram has a semi-arid climate, with hot and dry conditions for most of the year. Summers start in late February and peak in May with average high temperatures around the 37 °C range and it reaches around 44 °C to 45 °C.
- Anantapuram gets pre-monsoon showers starting as early as March, mainly through north-easterly winds blowing in from Kerala. Monsoon arrives in September and lasts until early November with about 250 mm (9.8 in) of precipitation. A dry and mild winter starts in late November and lasts until early February; with little humidity and average temperatures in the 22–23 °C (72–73 °F) range. Total annual rainfall is about 22 in (560 mm).
- Anantapuram district receives moderate to good rainfall from July to October month.


# Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2010-11	2011-12	2018-19
LISS IV	2010-11		
SCENE 1			8-Mar-19
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2010-11		
SCENE 1			8-Mar-19
SCENE2			
SCENE 3			
SCENE 4			




## Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC ( 1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishhti Photographs		
		Total	9
4	Detailed Project Report		


# Natural Color Composite overlaid with Project boundaries and high detail stream network



## Legend

-  Drainage (1:10000 Scale)
-  MWS Boundary
-  Project Boundary

# Natural Color Composite overlaid with Drishhti Points



## Drishhti Upload Status

## Classification of the Activities

Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	0	0
2	Agriculture/Horticulture	0	0
3	Pasture	0	0
4	Trench	0	0
5	Field Bunds	0	0
6	Terrace	0	0
7	Checks & Plugs	0	0
8	Gabion structure	0	0
9	Farm ponds/Dug out pit	0	0
10	Civil work-Check dams/Rock fill dam	8	8
11	Nallah Bunds/Drainage treatment	0	0
12	Percolation tanks / Ground water recharge structure	0	0
13	Production System and Micro-Enterprises	0	0
14	Livelihood Activities-Plantation/Horticulture	0	0
15	Capacity Building Activities	0	0
16	Entry Point Activity	0	0
17	Others	1	1
	<b>TOTAL</b>	<b>9</b>	<b>9</b>

## MONITORING IN THE PROJECT AREA

### Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2010-11) and T5 is 2018-19 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.



Anantapuramu-IWMP-34/2010-11

2010-11



Feb-2016



Feb-2017



Dec-2018



Feb-2021



Activity : check dam



Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-34/2010-11



T0:2010-11




T1: 30 November 2014




Drishti SI no. 2425675 MWS : 4D3D1c2a

Check dam



T0:2010-11



T1: 30 November 2014



Drishti SI no. 2425708 MWS : 4D3D1c2a

Check dam

Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-34/2010-11



T0:2010-11



T1: 30 November 2014



Drishti Sl no. 2429802 MWS : 4D3D1c2a

Check dam



T0:2010-11



T1: 30 November 2014




Drishti Sl no. 2429805 MWS : 4D3D1c2a

Check dam



# Natural Color Composite – 2010-11 to 2018-19





## MONITORING IN THE PROJECT AREA

### Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2010-11) and row represents the T5 (2018-19)

# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2010-11 to 2014-15)



Scale: 1:10000







# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16)

Scale: 1:10000



# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)



Scale: 1:10000







# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000



# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)

Scale: 1:10000





## Land Use and Land Cover changes for Pre and Post treatment dates

### Agriculture to Plantation - Horticulture



T0


T0: 2010-11 (76°57'4.735E 14°32'10.096N)



T1


T1: 30 November 2014

### Scrubland to Agriculture



T0

T0: 2010-11 (77°1'3.863E 14°29'58.223N)



T1

T1: 30 November 2014

## Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Water body




T0: 2010-11 (76°56'48.617E 14°32'25.97N)



T1: 30 November 2014

Agriculture to Plantation -  
Horticulture



T0: 2010-11 (76°58'36.354E 14°30'38.865N)



T1: 30 November 2014

## Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Plantation



T0: 2010-11(76°57'4.735E 14°32'10.096N)



T1: 30 November 2014

Agriculture to Plantation



T0: 2010-11(76°58'36.354E 14°30'38.865N)



T1: 30 November 2014




## Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Farm pond



T0: 2010-11(76°56'48.617E 14°32'25.97N)




T1: 30 November 2014

Agriculture to Plantation



T0: 2010-11(77°1'3.863E 14°29'58.223N)



T1: 30 November 2014

**Table showing change matrix depicting Land cover transitions during study period-2010-11 to 2014-15**

Land cover	Monitoring period (T1)										
	Units in Hectares										Grand Total
T0	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	
<b>Built up</b>	135.44										<b>135.44</b>
<b>Mining/dump</b>		17.71									<b>17.71</b>
<b>Agriculture</b>	6.82		7277.79	117.79						4.16	<b>7406.56</b>
<b>Plantation Horticulture</b>	0.10		17.96	264.65							<b>282.70</b>
<b>Forest</b>			20.98		165.30						<b>186.29</b>
<b>Forest Plantation</b>											
<b>Barren Rocky</b>		0.45					168.71				<b>169.16</b>
<b>Scrub</b>	1.43	2.22	238.36	5.25				817.66		9.98	<b>1074.90</b>
<b>Waterbody- Streams/River</b>											
<b>Waterbody – Ponds</b>			3.21							376.03	<b>379.24</b>
<b>Grand Total</b>	<b>143.79</b>	<b>20.38</b>	<b>7558.29</b>	<b>387.69</b>	<b>165.30</b>		<b>168.71</b>	<b>817.66</b>		<b>390.17</b>	<b>9652.00</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 128.77 ha of agriculture are decreased and it is converted into built-up, plantation and water body of T1.
- In T1 280.51 ha of agriculture are increased from plantation, forest, scrubland and water body of T0. The additional agriculture are coming from water body in T1 represents seasonal agriculture.



**Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16**

Land cover	Monitoring period (T2)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
<b>T1</b>												
<b>Built up</b>	143.79										<b>143.79</b>	
<b>Mining/dump</b>		20.38									<b>20.38</b>	
<b>Agriculture</b>	7.64		7450.55	99.41						0.70	<b>7558.29</b>	
<b>Plantation Horticulture</b>			83.17	304.52							<b>387.69</b>	
<b>Forest</b>					165.30						<b>165.30</b>	
<b>Forest Plantation</b>												
<b>Barren Rocky</b>							168.71				<b>168.71</b>	
<b>Scrub</b>	1.08		199.25	2.30				614.98		0.05	<b>817.66</b>	
<b>Waterbody- Streams/River</b>												
<b>Waterbody – Ponds</b>			4.86							385.31	<b>390.17</b>	
<b>Grand Total</b>	<b>152.51</b>	<b>20.38</b>	<b>7737.82</b>	<b>406.24</b>	<b>165.30</b>		<b>168.71</b>	<b>614.98</b>		<b>386.06</b>	<b>9652.00</b>	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 107.74 ha of agriculture are decreased and it is converted into built-up, plantation and water body of T2.
- In T2 287.27 ha of agriculture are increased from plantation, scrubland and water body of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17**

Land cover	Monitoring period (T3)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
<b>Built up</b>	152.51										<b>152.51</b>	
<b>Mining/dump</b>		20.38									<b>20.38</b>	
<b>Agriculture</b>	3.26		7414.81	318.46						1.28	<b>7737.82</b>	
<b>Plantation Horticulture</b>			40.14	366.08						0.02	<b>406.24</b>	
<b>Forest</b>					165.30						<b>165.30</b>	
<b>Forest Plantation</b>												
<b>Barren Rocky</b>							168.71				<b>168.71</b>	
<b>Scrub</b>			28.00					586.95		0.03	<b>614.98</b>	
<b>Waterbody- Streams/River</b>												
<b>Waterbody – Ponds</b>										386.06	<b>386.06</b>	
<b>Grand Total</b>	<b>155.77</b>	<b>20.38</b>	<b>7482.96</b>	<b>684.54</b>	<b>165.30</b>		<b>168.71</b>	<b>586.95</b>		<b>387.39</b>	<b>9652.00</b>	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 323.01 ha of agriculture are decreased and it is converted into built-up, plantation and water body of T3.
- In T3 68.14 ha of agriculture are increased from plantation and scrubland of T2. The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18**

Land cover	Monitoring period (T4)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
<b>T3</b>												
<b>Built up</b>	155.77										<b>155.77</b>	
<b>Mining/dump</b>		20.38									<b>20.38</b>	
<b>Agriculture</b>	7.67		7382.94	91.85						0.50	<b>7482.96</b>	
<b>Plantation Horticulture</b>			248.77	435.63						0.14	<b>684.54</b>	
<b>Forest</b>			2.73		162.58						<b>165.30</b>	
<b>Forest Plantation</b>												
<b>Barren Rocky</b>		13.14					155.57				<b>168.71</b>	
<b>Scrub</b>	1.48	1.53	24.69					559.21		0.03	<b>586.95</b>	
<b>Waterbody- Streams/River</b>												
<b>Waterbody – Ponds</b>			5.07							382.32	<b>387.39</b>	
<b>Grand Total</b>	<b>164.92</b>	<b>35.05</b>	<b>7664.21</b>	<b>527.47</b>	<b>162.58</b>		<b>155.57</b>	<b>559.21</b>		<b>382.99</b>	<b>9652.00</b>	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 100.01 ha of agriculture are decreased and it is converted into built-up, plantation and water body of T4.
- In T4 281.27 ha of agriculture are increased from plantation, forest, scrubland and water body of T3. The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19**

Land cover	Monitoring period (T5)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
<b>T4</b>												
<b>Built up</b>	164.92										<b>164.92</b>	
<b>Mining/dump</b>		35.05									<b>35.05</b>	
<b>Agriculture</b>	6.83		7570.01	85.20						2.17	<b>7664.21</b>	
<b>Plantation Horticulture</b>			4.01	523.47							<b>527.47</b>	
<b>Forest</b>					162.58						<b>162.58</b>	
<b>Forest Plantation</b>												
<b>Barren Rocky</b>		9.66					145.91				<b>155.57</b>	
<b>Scrub</b>	0.45	2.54	11.18					545.03			<b>559.21</b>	
<b>Waterbody- Streams/River</b>												
<b>Waterbody – Ponds</b>										382.99	<b>382.99</b>	
<b>Grand Total</b>	<b>172.20</b>	<b>47.25</b>	<b>7585.20</b>	<b>608.67</b>	<b>162.58</b>		<b>145.91</b>	<b>545.03</b>		<b>385.16</b>	<b>9652.00</b>	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 94.20 ha of agriculture are decreased and it is converted into built-up, plantation and water body of T5.
- In T5 15.19 ha of agriculture are increased from plantation and scrubland of T4. The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

# Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an increase of 5.91 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
4. There is an increase of 151.74, 179.53 & 181.25 Hectares From T0 to T1, T1 to T2 & T3 to T4 and There is an decrease of 254.86 & 79.01 Hectares From T2 to T3 & T4 to T5. The overall increase of 178.64 Hectares in cropland area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
5. There is increase of 325.97 ha of the Plantation/Horticulture area has been increased between 2010-11 (T0) & 2018-19 (T5) years.
6. There is a decrease of 529.87 Hectares in Scrubland area as compared between 2010-11 (T0) & 2018-19 (T5) years.
7. Farm ponds (0) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (0) verified from the portal.