MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

ANANTAPURAMU -56/2011-12 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad January-2022

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL DIVISION Andhra Pradesh Space Applications Centre (APSAC) ITE&C Department Govt. of Andhra Pradesh



RURAL DEVELOPMENT AND WATERSHED MONITORING DIVISION Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND RESOURCES Ministry of Rural Development Government of India

$\textbf{C} \ \textbf{O} \ \textbf{N} \ \textbf{T} \ \textbf{E} \ \textbf{N} \ \textbf{T} \ \textbf{S}$

• EXECUTIVE SUMMARY


- 01. STUDY AREA
- **02**. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
- 04. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-56/2011-12, Anantapuramu District of Andhra Pradesh. The total geographical area of the project is **5**,**703.3** ha. It comprises of 5 micro watersheds.
- In the project area 316 Drishti photos were uploaded showing check dams/Rock fill dam, livelihood activities, and remaining showing other activities.
- Water bodies have shown an increased by 67.6 ha, which correspond to the other land use classes that have been converted into various water bodies in this period.
- Major percentage i.e. 77 % is covered by the agriculture, **15** % is covered by Scrub land and remaining by other land use classes.

PROJECT : ANANTAPURAMU - IWMP-56/2011-12 DISTRICT : ANANTAPURAMU , STATE : ANDHRA PRADESH

The study area falls in Peddavadugur Mandal of Anantapuramu district of Andhra Pradesh state. The total geographical area of the project is 5,703.3 ha. It comprises of 5 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2011-12 (T0) period (*Batch -1*) projects taking 2019-20 (T5) period satellite images



- Anantapuram has a semi-arid climate, with hot and dry conditions for most of the year. Summers start in late February and peak in May with average high temperatures around the 37 °C range and it reaches around 44 °C to 45 °C.
- Anantapuram gets pre-monsoon showers starting as early as March, mainly through north-easterly winds blowing in from Kerala. Monsoon arrives in September and lasts until early November with about 250 mm (9.8 in) of precipitation. A dry and mild winter starts in late November and lasts until early February; with little humidity and average temperatures in the 22–23 °C (72–73 °F) range. Total annual rainfall is about 22 in (560 mm).
- Anantapuram district receives moderate to good rainfall from July to October month.

Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	Τ5
	2011-12	2013-14	2019-20
LISS IV	2011-12		
SCENE 1			19-Feb-20
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2011-12		
SCENE 1			19-Feb-20
SCENE2			
SCENE 3			
SCENE 4			


Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	316
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Legend



Drainage (1:10000 Scale)

MWS Boundary



Project Boundary

Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	0	0
2	Horticulture	0	0
3	Agriculture	2	2
4	Pasture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Terrace	0	0
8	Checks & Plugs	2	2
9	Gabion structure	0	0
10	Farm ponds/Dug out pit	11	10
11	Civil work-Check dams/Rock fill dam	18	18
12	Nallah Bunds/Drainage treatment	0	0
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities-Plantation/Horticulture	0	0
16	Capacity Building Activities	0	0
17	Entry Point Activity	4	4
18	Others	290	280
	TOTAL	327	316


MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project


- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2011-12) and T5 is 2019-20 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Natural Colour Composite (NCC)






Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-56/2011-12



Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-56/2011-12




Farm Pond

MONITORING IN THE PROJECT AREA


Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody –ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2011-12) and row represents the T5 (2019-20)


Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2011-12 to 2015-16) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20) Scale: 1:10000




Land Use and Land Cover changes for Pre and Post treatment dates




Agriculture to water body



T0: 2011-12 (77°43'5.18"E 15°1'48.227"N)



Land Use and Land Cover changes for Pre and Post treatment dates



T0: 2011–12 (77°45'13.315"E 15°4'33.362"N)

T1: 07 December 2015

Land cover	Monitor	ing period	Units in Hectares								
ТО		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	42.17	,									42.1
Mining/dump											
Agriculture	17.74	3.59	4130.99	20.08					48.24	5.84	4226.4
Plantation Horticulture			28.19	19.52							47.72
Forest					121.41						121.41
Forest Plantation											
Barren Rocky							18.61				18.61
Scrub	12.34	1.15	41.02	3.96				1101.44	ŀ	3.84	1163.75
Waterbody- Streams/River									21.46		21.46
Waterbody – Ponds			1.22					7.62		52.89	61.73
Grand Total	72.25	4.75	4201.43	43.57	121.41		18.61	1109.05	69.69	62.57	5703.32

Table showing change matrix depicting Land cover transitions during study period-2011-12 to 2015-16

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In TO 95 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation and water body in T1.

• In T1 69 ha of the agriculture area has increased from plantations, scrubland and water body of T0.

• The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Land cover	Monitor	Units in Hecta	res								
T1		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	72.25										72.25
Mining/dump		4.75									4.75
Agriculture	5.49		4188.47	6.48						0.99	4201.43
Plantation Horticulture			21.00	22.57							43.57
Forest					121.41						121.41
Forest Plantation											
Barren Rocky							18.61				18.61
Scrub	10.98		104.59					993.30		0.18	1109.05
Waterbody- Streams/River	0.24		2.31						67.14		69.69
Waterbody – Ponds										62.57	62.57
Grand Total	88.96	4.75	4316.37	29.05	121.41		18.61	993.30	67.14	63.74	5703.32

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T1 12.9 ha of the agriculture area has decreased and it is converted into Built-up, plantation and water body in T2.

• In T2 125.5 ha of the agriculture area has increased from plantations, scrubland and water body of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Land cover	Monitor	ing period	Units in Hecta	Units in Hectares							
Т2		Mining/ dump		Plantation Horticulture		Forest Plantation			Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	88.96										88.96
Mining/dump		4.75									4.75
Agriculture	0.48		4298.69	16.47					0.44	0.29	4316.37
Plantation Horticulture				29.05							29.05
Forest					121.41						121.41
Forest Plantation											
Barren Rocky							18.61				18.61
Scrub	0.74		41.96	0.94				949.61		0.04	993.30
Waterbody- Streams/River			6.88						60.26		67.14
Waterbody – Ponds			3.54							60.19	63.74
Grand Total	90.18	4.75	4351.07	46.46	121.41		18.61	949.61	60.70	60.52	5703.32

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

- In T2 17 ha of the agriculture area has decreased and it is converted into Built-up, plantations and water body in T3.
- In T3 41 ha of the agriculture area has increased from scrubland and water body of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Land cover	Monitor	ing period	Units in Hecta	Units in Hectares							
T3		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	90.18										90.18
Mining/dump		4.75									4.75
Agriculture	0.96		4324.64	21.29						4.18	4351.07
Plantation Horticulture			29.29	16.76						0.41	46.46
Forest			3.80		117.60						121.41
Forest Plantation											
Barren Rocky							18.61				18.61
Scrub	2.30		73.11					869.83		4.37	949.61
Waterbody- Streams/River			0.26						60.44		60.70
Waterbody – Ponds			0.50							60.02	60.52
Grand Total	93.44	4.75	4431.61	38.05	117.60		18.61	869.83	60.44	68.98	5703.32

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

- In T3 26.4 ha of the agriculture area has decreased and it is converted into Built-up, plantations and water body in T4.
- In T4 106.2 ha of the agriculture area has increased from plantations, forest, scrubland and water body of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Land cover	Monitor	ing period	Units in Hectares								
T4		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	91.22										91.22
Mining/dump		4.75									4.75
Agriculture	0.22		4402.70	7.12				1.27	,	4.38	4415.70
Plantation Horticulture			14.32	30.93						0.31	45.56
Forest					117.60						117.60
Forest Plantation											
Barren Rocky							18.61				18.61
Scrub	2.00		14.59					868.56		3.76	888.91
Waterbody- Streams/River									60.44		60.44
Waterbody – Ponds										60.53	60.53
Grand Total	93.44	4.75	4431.61	38.05	117.60		18.61	869.83	60.44	68.98	5703.32

Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

•In T4 12.9 ha of the agriculture area has decreased and it is converted into Built-up, plantation, scrubland and water body in T5.

•In T5 28.9 ha of the agriculture area has increased from plantations and scrubland of T4.

• The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- There is an decrease of 67 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
- 4. There is an increase of 114, 34, 80 & 15 Hectares from T1 to T2, T2-T3, T3 to T4 & T4-T5 respectively and overall increase of 205 Hectares in Crop land area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
- 5. There is a decrease of 293 Hectares in Scrubland area as compared between 2011-12 (T0) & 2019-20 (T5) years.
- 6. Farm ponds (10) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (11) verified from the portal.