# MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

# SUMMARY REPORT

CHITTOOR -24/2010-11 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad March-2021

# Т 0 - Т 1 - Т 2 - Т 3 - Т 4 - Т 5



AGRICULTURE & SOIL DIVISION Andhra Pradesh Space Applications Centre (APSAC) ITE&C Department Govt. of Andhra Pradesh



RURAL DEVELOPMENT AND WATERSHED MONITORING DIVISION Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND RESOURCES Ministry of Rural Development Government of India

# $\textbf{C} \ \textbf{O} \ \textbf{N} \ \textbf{T} \ \textbf{E} \ \textbf{N} \ \textbf{T} \ \textbf{S}$

#### • EXECUTIVE SUMMARY

- 01. STUDY AREA
- **02**. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
- 04. CONCLUSIONS

#### EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2 (2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project– IWMP-24/2010-11, Chittoor District of Andhra Pradesh.
  The total geographical area of the project is 3,722 ha. It comprises of 8 micro watersheds.
- In the project area 149 Drishti photos were uploaded showing all water harvesting structures of check dams/Rock fill dam, recharge pits etc,.
- Project area as per image analysis has witnessed distinguishable increase in farm ponds, showing new farm ponds or dug out pits and check dams and drainage treatments with 3 ha increase in the area.
- Major percentage i.e. 58 % is covered by the agriculture, 22 % is covered by scrubland and 7 % is covered by plantation and remaining by other land use classes.

## PROJECT : CHITTOOR - IWMP-24/2010-11 DISTRICT : CHITTOOR , STATE : ANDHRA PRADESH

The study area falls in Kalikiri Mandal of Chittoor district of Andhra Pradesh state. The total geographical area of the project is 3,722 ha. It comprises of 8 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2010-11 (T0) period (*Batch -II*) projects taking 2018-19 (T5) period satellite images



- The climate of the district is dry and healthy. Out of 66 mandals in the district, 31 are upland mandals which are located in Madanapalle division and are comparatively cooler than the eastern mandals except Chittoor mandal where the climate is moderate. December and January are the coldest months when the mean maximum temperature will be around 26.40 °C, May is the hottest month with the mean daily maximum temperature rising above 40 °C.
- The district receive 83.62 percent of rainfall during South-West monsoon and North-West monsoon period, the rainfall is nominal in summer. On an average the district receives more than 50 percent of rainfall during North-East monsoon.

# Satellite Data and Ancillary Data

Satellite data*	T 0-A**	T0-B**	Τ5
	2009-10	2011-12	2018-19
LISS IV	2009-10		
SCENE 1			25-Mar-19
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2009-10		
SCENE 1			25-Mar-19
SCENE2			
SCENE 3			
SCENE 4			

#### Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC ( 1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	149
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend




Drainage (1:10000 Scale)

MWS Boundary



Project Boundary

# Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

### Classification of the Activities

Sr. No	Activity	Drishti Photo	Visible on satellite
1	Agriculture	1	1
2	Bunding	0	0
3	Black planting	0	0
4	Bund Planting/Horticulture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Existing activity	0	0
8	Checks & Plugs	2	2
	New activity (boulder removal, farm ponds, dug out pits		
9	etc.,)	0	0
10	Farm ponds/Dug out pit	0	0
11	Civil work-Check dams /Rock fill dam	26	26
	Drainage treatment /Nala Revetment, loose boulder		
12	structure, gully check	0	0
	Land Developments (afforestation, horticulture and bund		
13	plantation of teak)	0	0
14	Lm (fodder development, varmi compost)	0	0
15	Livelihood Activities (Horticulture)	0	0
	Water harvesting structures (recharge pits and check		
16	dams)	0	0
17	Entry Point Activity (Cattle thought)	0	0
18	Others	151	120
	TOTAL	180	149

#### MONITORING IN THE PROJECT AREA

#### Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2010-11) and T5 is 2018-19 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Chittoor-IWMP-24/2010-11

2009-10 January-2014 Feb-2016




March-2018

Jan-2019




Activity : Horticulture


#### Monitoring of activities in Chittoor Dt Andhra Pradesh. IWMP-24/2010-11




#### Monitoring of activities in Chittoor Dt Andhra Pradesh. IWMP-24/2010-11



Natural Color Composite – 2010-11 to 2018-19






#### MONITORING IN THE PROJECT AREA


#### Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody –ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2010-11) and row represents the T5 (2018-19)


#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2010-11 to 2014-15) Scale: 1:10000




#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16) Scale: 1:10000




#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17) Scale: 1:10000




#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18) Scale: 1:10000




#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19) Scale: 1:10000





#### Land Use and Land Cover changes for Pre and Post treatment dates







#### Land Use and Land Cover changes for Pre and Post treatment dates






#### Land Use and Land Cover changes for Pre and Post treatment dates





#### Agriculture to Plantation



# Scrub to Built-upImage: Displaying the second s

# Agriculture to Built-up

Land cover	Monitor	ing period	Units in Hecta	Units in Hectares							
то		Mining/ dump		Plantation Horticulture		Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	65.10										65.10
Mining/dump		12.31								0.03	12.34
Agriculture	7.12	2.29	2067.99	17.54						10.87	2105.82
Plantation Horticulture			18.10	225.77						0.13	244.00
Forest					8.12						8.12
Forest Plantation											
Barren Rocky							89.19				89.19
Scrub	1.11	13.09	52.96	2.92				930.94		4.68	1005.71
Waterbody- Streams/River									9.27		9.27
Waterbody – Ponds			4.34							178.97	183.31
Grand Total	73.33	27.70	2143.39	246.23	8.12		89.19	930.94	9.27	194.69	3722.86

#### Table showing change matrix depicting Land cover transitions during study period-2010-11 to 2014-15

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In TO 37 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation and water body in T1.

• In T1 75 ha of the agriculture area has increased from plantation and scrubland of T0, and overall 37 ha of the agriculture area has been increased.

• The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Land cover	Monitor	ing period	Units in Hectares								
T1		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	73.33										73.33
Mining/dump		27.50								0.20	27.70
Agriculture	1.23	1.01	2080.35	23.19						37.62	2143.39
Plantation Horticulture			18.22	227.74						0.27	246.23
Forest					8.12						8.12
Forest Plantation											
Barren Rocky							89.19				89.19
Scrub	0.27	6.48	32.89					885.82		5.49	930.94
Waterbody- Streams/River									9.27		9.27
Waterbody – Ponds										194.69	194.69
Grand Total	74.82	34.99	2131.46	250.92	8.12		89.19	885.82	9.27	238.26	3722.86

#### Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T1 63 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation and water body in T2.

• In T2 51 ha of the agriculture area has increased from plantation and scrubland of T1, and overall 11 ha of the agriculture area has been decreased.

• The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Land cover	Monitor	ing period	Units in Hecta	Units in Hectares							
Т2		Mining/ dump		Plantation Horticulture		Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	74.82										74.82
Mining/dump		34.99									34.99
Agriculture		0.40	2128.05	2.02						0.99	2131.46
Plantation Horticulture			1.80	249.12							250.92
Forest					8.12						8.12
Forest Plantation											
Barren Rocky							89.19				89.19
Scrub		0.65	19.47					864.91	-	0.78	885.82
Waterbody- Streams/River									9.27		9.27
Waterbody – Ponds										238.26	238.26
Grand Total	74.82	36.04	2149.33	251.14	8.12		89.19	864.91	. 9.27	240.04	3722.86

#### Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T2 03 ha of the agriculture area has decreased and it is converted into mining/dump, plantation and water body in T3.

• In T3 21 ha of the agriculture area has increased from plantation and scrubland of T2, and overall 17 ha of the agriculture area has been increased.

• The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Land cover	Monitor	ing period	Units in Hecta	Units in Hectares							
Т3		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	74.82										74.82
Mining/dump		36.04									36.04
Agriculture	0.34		2145.80	2.43						0.76	2149.33
Plantation Horticulture				251.04						0.10	251.14
Forest					8.12						8.12
Forest Plantation											
Barren Rocky							89.19				89.19
Scrub			24.99					839.92			864.91
Waterbody- Streams/River									9.27		9.27
Waterbody – Ponds			1.03							239.00	240.04
Grand Total	75.16	36.04	2171.82	253.48	8.12		89.19	839.92	9.27	239.86	3722.86

#### Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T3 03 ha of the agriculture area has decreased and it is converted into Built-up, plantation and water body in T4.

• In T4 26 ha of the agriculture area has increased from scrubland and water body of T3, and overall 22 ha of the agriculture area has been increased.

• The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Land cover	Monitor	ing period	Units in Hecta	Units in Hectares							
T4		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	75.16										75.16
Mining/dump		36.04									36.04
Agriculture	1.33		2157.91	12.26						0.33	2171.82
Plantation Horticulture				253.48							253.48
Forest					8.12						8.12
Forest Plantation											
Barren Rocky							89.19				89.19
Scrub	0.40		18.58					820.86		0.09	839.92
Waterbody- Streams/River									9.27		9.27
Waterbody – Ponds			2.33							237.53	239.86
Grand Total	76.89	36.04	2178.82	265.73	8.12		89.19	820.86	9.27	237.95	3722.86

#### Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T4 13 ha of the agriculture area has decreased and it is converted into Built-up, plantation and water body in T5.

• In T5 20 ha of the agriculture area has increased from scrubland and water body of T4, and overall 6.9 ha of the agriculture area has been increased.

• The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

# Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- 3. There is an increase of 3 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
- 4. There is an increase of 07, 138, 19 & 11 Hectares From T0 to T1, T2-T3, T3 to T4 & T4-T5 respectively and overall decrease of 120 Hectares in Crop land area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
- There is an increase of 52 ha of the Plantation/Horticulture area has been increased between 2009-10 (t0) & 2017-18 (T5) years.
- 6. There is a decrease of 231 Hectares in Scrubland area as compared between 2009-10 (T0) & 2017-18 (T5) years.
- Farm ponds (0) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (1) verified from the portal.