MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

CHITTOOR -42/2011-12 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad January-2022

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL DIVISION Andhra Pradesh Space Applications Centre (APSAC) ITE&C Department Govt. of Andhra Pradesh



RURAL DEVELOPMENT AND WATERSHED MONITORING DIVISION Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND RESOURCES Ministry of Rural Development Government of India

$\textbf{C} \ \textbf{O} \ \textbf{N} \ \textbf{T} \ \textbf{E} \ \textbf{N} \ \textbf{T} \ \textbf{S}$

• EXECUTIVE SUMMARY


- 01. STUDY AREA
- **02**. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
- 04. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2 (2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project– IWMP-42/2011-12, Chittoor District of Andhra Pradesh.
 The total geographical area of the project is 6760.8 ha. It comprises of 11 micro watersheds.
- In the project area 359 Drishti photos were uploaded showing all water harvesting structures of check dams/Rock fill dam, recharge pits etc,.
- Project area as per image analysis has witnessed distinguishable increase in farm ponds, showing new farm ponds or dug out pits and check dams and drainage treatments with 43.97 ha increase in the area.
- Major percentage i.e. 56.8 % is covered by the agriculture, 20.2 % is covered by forest and 13.5 % is covered by scrub land and remaining by other land use classes.

PROJECT : CHITTOOR - IWMP-42/2011-12 DISTRICT : CHITTOOR , STATE : ANDHRA PRADESH

The study area falls in Kalakada Mandal of Chittoor district of Andhra Pradesh state. The total geographical area of the project is 6760.8 ha. It comprises of 11 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2011-12 (T0) period (*Batch -1*) projects taking 2019-20 (T5) period satellite images



- The climate of the district is dry and healthy. Out of 66 mandals in the district, 31 are upland mandals which are located in Madanapalle division and are comparatively cooler than the eastern mandals except Chittoor mandal where the climate is moderate. December and January are the coldest months when the mean maximum temperature will be around 26.40 °C, May is the hottest month with the mean daily maximum temperature rising above 40 °C.
- The district receive 83.62 percent of rainfall during South-West monsoon and North-West monsoon period, the rainfall is nominal in summer. On an average the district receives more than 50 percent of rainfall during North-East monsoon.

Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	Τ5
	2011-12	2013-14	2019-20
LISS IV	2011-12		
SCENE 1			29-Feb-20
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2011-12		
SCENE 1			29-Feb-20
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	359
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



Drainage (1:10000 Scale)

MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	7	6
2	Horticulture	0	0
3	Agriculture	4	3
4	Pasture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Terrace	0	0
8	Checks & Plugs	22	22
9	Gabion structure	0	0
10	Farm ponds/Dug out pit	39	39
11	Civil work-Check dams/Rock fill dam	14	14
12	Nallah Bunds/Drainage treatment	0	0
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities-Plantation/Horticulture	2	2
16	Capacity Building Activities	0	0
17	Entry Point Activity	0	0
18	Others	282	273
	TOTAL	370	359


MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project


- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2011-12) and T5 is 2019-20 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Natural Color Composite






Monitoring of activities in Chittoor Dt Andhra Pradesh. IWMP-34/2011-12



Monitoring of activities in Chittoor Dt Andhra Pradesh. IWMP-34/2011-12




Horticulture

MONITORING IN THE PROJECT AREA


Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody –ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2011-12) and row represents the T5 (2019-20)


Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2011-12 to 2015-16) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20) Scale: 1:10000





Land Use and Land Cover changes for Pre and Post treatment dates





Land Use and Land Cover changes for Pre and Post treatment dates





Land cover	Monitor	ing period	Units in Hectares								
ТО		Mining/ dump	Agriculture	Plantation Horticulture		Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	54.42										54.42
Mining/dump		54.87									54.87
Agriculture	5.31	0.36	3682.40	39.91					7.79	40.56	3776.33
Plantation Horticulture	0.08		3.44	130.32							133.83
Forest			7.60		1379.07	,				2.89	1389.56
Forest Plantation											
Barren Rocky							34.20				34.20
Scrub	0.84	10.58	156.55	0.24				959.25	5.00	1.60	1134.05
Waterbody- Streams/River									41.05		41.05
Waterbody – Ponds										142.54	142.54
Grand Total	60.65	65.82	3849.98	170.47	1379.07	,	34.20	959.25	53.84	187.58	6760.86

Table showing change matrix depicting Land cover transitions during study period-2011-12 to 2015-16

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In TO 93 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation and water body in T1.

- In T1 167 ha of the agriculture area has increased from plantations, forest and scrubland of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Land cover	Monitoring period (T2) Units in Hecta										
T1		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	60.65										60.65
Mining/dump		65.82									65.82
Agriculture	0.89	0.37	3817.16	28.78				0.37	,	2.41	3849.98
Plantation Horticulture			3.42	167.05							170.47
Forest		1.87	0.37	,	1376.83						1379.07
Forest Plantation											
Barren Rocky							34.20				34.20
Scrub	0.10	22.34	4.84					931.98			959.25
Waterbody- Streams/River									53.84		53.84
Waterbody – Ponds										187.58	187.58
Grand Total	61.63	90.40	3825.79	195.83	1376.83	5	34.20	932.35	53.84	189.99	6760.86

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T1 32 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation, scrubland and water body in T2.

• In T2 08 ha of the agriculture area has increased from plantations, forest and scrubland of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Land cover	Monitor	ing period		Units in Hectares							
T2		Mining/ dump	Agriculture	Plantation Horticulture		Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	61.63										61.63
Mining/dump		90.40									90.40
Agriculture			3803.00	21.95						0.84	3825.79
Plantation Horticulture			2.07	193.76							195.83
Forest			0.30		1376.53						1376.83
Forest Plantation											
Barren Rocky							34.20				34.20
Scrub			4.31					928.04			932.35
Waterbody- Streams/River									53.84		53.84
Waterbody – Ponds										189.99	189.99

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

34.20 928.04

53.84

190.83

6760.86

• In T2 22.7 ha of the agriculture area has decreased and it is converted into plantations and water body in T3.

215.71 1376.53

• In T3 6.8 ha of the agriculture area has increased from plantations, forest and scrubland of T2.

Grand Total

61.63

90.40

3809.67

• The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Land cover	Monitor	ing period	Units in Hecta	Units in Hectares							
T3		Mining/ dump		Plantation Horticulture		Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	61.63										61.63
Mining/dump		90.40									90.40
Agriculture	0.87		3801.35	7.28						0.17	3809.67
Plantation Horticulture			7.18	208.53							215.71
Forest			0.65		1375.88						1376.53
Forest Plantation											
Barren Rocky							34.20				34.20
Scrub			5.72					922.21		0.11	928.04
Waterbody- Streams/River									53.84		53.84
Waterbody – Ponds										190.83	190.83
Grand Total	62.51	90.40	3814.90	215.81	1375.88		34.20	922.21	53.84	191.11	6760.86

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

- In T3 08 ha of the agriculture area has decreased and it is converted into Built-up, plantations and water body in T4.
- In T4 13 ha of the agriculture area has increased from plantations, forest and scrubland of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Land cover	Monitor	ing period	Units in Hecta	Units in Hectares							
T4		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation			Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	62.51										62.51
Mining/dump		90.40									90.40
Agriculture	0.10		3811.64	3.02						0.14	3814.90
Plantation Horticulture			14.42	201.39							215.81
Forest			7.65		1368.24						1375.88
Forest Plantation											
Barren Rocky							34.20				34.20
Scrub			8.68					913.45		0.08	922.21
Waterbody- Streams/River									53.84		53.84
Waterbody – Ponds										191.11	191.11
Grand Total	62.60	90.40	3842.40	204.41	1368.24		34.20	913.45	53.84	191.33	6760.86

Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

- •In T4 3.2 ha of the agriculture area has decreased and it is converted into Built-up, plantations and water body in T5.
- •In T5 30.7 ha of the agriculture area has increased from plantations, forest and scrubland of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- There is an increase of 61 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
- 4. There is an increase of 73, 05 & 27 Hectares From T0 to T1, T3 to T4 & T4-T5 respectively, there is a decrease of 24 & 16 hectares from T1-T2 & T2-T3 and overall increase of 66 Hectares in Crop land area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
- There is an increase of 70 ha of the Plantation/Horticulture area has been increased between 2011-12 (T0)
 & 2019-20 (T5) years.
- 6. There is a decrease of 220 Hectares in Scrubland area as compared between 2011-12 (T0) & 2019-20 (T5) years.
- Farm ponds (39) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (39) verified from the portal.