

# MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

## SUMMARY REPORT

KURNOOL -02/2009-10  
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad  
January-2021

**T 0 - T 1 - T 2 - T 3 - T 4 - T 5**



AGRICULTURE & SOIL  
DIVISION  
Andhra Pradesh Space  
Applications Centre (APSAC)  
ITE&C Department Govt. of  
Andhra Pradesh



RURAL DEVELOPMENT AND  
WATERSHED MONITORING  
DIVISION  
Land Resources and Land Use  
Mapping and Monitoring Group,  
Remote Sensing Application Area,  
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND  
RESOURCES  
Ministry of Rural Development  
Government of India

# C O N T E N T S

- **EXECUTIVE SUMMARY**

01. STUDY AREA
02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
04. CONCLUSIONS


## **E X E C U T I V E   S U M M A R Y**

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely - Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project - IWMP-02/2009-10, Kurnool District of Andhra Pradesh. The total geographical area of the project is 13212 ha. It comprises of 25 micro watersheds.
- In the project area 19 Drishti photos were uploaded showing 4 check dams, 2 Farm ponds, 7 Livelihood measures and remaining showing others.
- Major percentage i.e. 50.13% is covered by the agriculture, 37.47 % is covered by forest, 4.17 % is covered by Scrub land and remaining by other land use classes.

# PROJECT : KURNOOL - IWMP-02/2009-10

## DISTRICT : KURNOOL , STATE : ANDHRA PRADESH

- The study area falls in Atmakur2 Mandal of Kurnool district of Andhra Pradesh state. The total geographical area of the project is 13132 ha. It comprises of 25 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2009-10 (T0) period (*Batch -1*) projects taking 2017-18 (T5) period satellite images



- The climate is tropical with temperatures ranging from 26 °C to 46 °C in the summer and 12 °C to 31 °C in the winter. The average annual rainfall is about 705 millimeters (28 in).
- The average annual rainfall of the district is 665.5mm, which ranges from nil rainfall in January and December to 139.6 mm in September. August and September are the wettest months. The mean seasonal rainfall distribution is 459.1mm in southwest monsoon (June September), 133.7mm in northeast monsoon ( Oct-Dec), 1.9 mm rainfall in Winter (Jan Feb) and 70.8 mm in summer (March-May).


# Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2009-10	2011-12	2017-18
LISS IV	2009-10		
SCENE 1			1-Mar-18
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2009-10		
SCENE 1			1-Mar-18
SCENE2			
SCENE 3			
SCENE 4			

## Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC ( 1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishiti Photographs		
		Total	19
4	Detailed Project Report		

## Natural Color Composite overlaid with Project boundaries and high detail stream network



### Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

## Natural Color Composite overlaid with Drishiti Points



Drishiti Upload Status

## Classification of the Activities

Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	0	0
2	Horticulture	0	0
3	Agriculture	0	0
4	Blockplanting	0	0
5	Bund planting	0	0
6	Drainage Treatment	1	1
7	Farm ponds/Dug out pit	2	2
8	Check dams (Civil work)	4	4
9	New Activity	0	0
10	Om (Other measurement)	5	5
11	LM (Livelihood Measures)	9	7
12	Nallah Bunds/Drainage treatment	0	0
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities	0	0
16	Capacity Building Activities	0	0
17	Entry Point Activity	0	0
18	Others	0	0
	<b>TOTAL</b>	<b>21</b>	<b>19</b>

## MONITORING IN THE PROJECT AREA


### Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2009-10) and T5 is 2017-18 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.




# Natural Color Composite – 2009-10 to 2017-18

### Natural Color Composite- 2009-10



Source:Fusen data,NRSC

### Natural Color Composite- 22nd February 2014




Source:Fusen data,NRSC

### Natural Color Composite-09th May 2015




Source:LISS-IV,NRSC

### Natural Color Composite- 2016



Source:LISS-IV,NRSC

### Natural Color Composite- 01st April 2017



Source:Fusen data,NRSC



Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-02/2009-10



T0:2009-10



T1: 21 December 2013



Drishti Sl no. 704108 MWS :4D2A4n1c

Checkdam



T0:2009-10



T1: 21 December 2013



Drishti Sl no.766806 MWS : 4D2A4n1c

Checkdam

# Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-02/2009-10



T0

T0: 2009-10



T1

T1: 21 December 2013



Drishti Sl no. 704119 MWS :4C3G5e1b

Farm pond



T0

T0: 2009-10



T1

T1: 21 December 2013




Drishti Sl no. 767623 MWS :4D2A4m3c

Checkdam




Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-02/2009-10



T1

T1: 2013



T2

T2: 09 May 2015



Drishti Sl no. 704119 MWS :4C3G5e1b

Farm pond



T1

T1: 2013



T2

T2: 09 May 2015



Drishti Sl no. 767623 MWS :4D2A4m3c

Farm pond

## MONITORING IN THE PROJECT AREA


### Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2009-10) and row represents the T5 (2017-18)


# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2009-10 to 2013-14)

Scale: 1:10000

## Land Use and Land Cover 2009-10



## Land Use and Land Cover- First Monitoring 2013-14







# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2013-14 to 2014-15)

Scale: 1:10000

## Land Use and Land Cover 2013-14





## Land Use and Land Cover- Second Monitoring 2014-15



# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16)



Scale: 1:10000







# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)

Scale: 1:10000



# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000



## Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Plantation



T0

T0: 2009-10



T1


T1: 21 December 2013

Scrub to water body



T0

T0: 2009-10




T1

T1: 21 December 2013




## Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to Water body



T0

T0: 2009-10



T1

T1: 21 December 2013

Agriculture to Plantation



T0

T0: 2009-10



T1

T1: 21 December 2013

**Table showing change matrix depicting Land cover transitions during study period-2009-10 to 2013-14**

Land cover	Monitoring period (T1)										
	Units in Hectares										
T0	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	279.92										279.92
Mining/dump		1.37									1.37
Agriculture	6.77	4.59	6472.94	4.41						16.02	6504.72
Plantation Horticulture			5.55	25.69							31.23
Forest			11.98		4830.70					0.75	4843.43
Forest Plantation											
Barren Rocky											
Scrub	0.91		186.63	2.88				558.35		5.94	754.72
Waterbody- Streams/River			8.32						184.36		192.68
Waterbody – Ponds			3.65							440.42	444.08
<b>Grand Total</b>	<b>287.60</b>	<b>5.95</b>	<b>6689.07</b>	<b>32.98</b>	<b>4830.70</b>			<b>558.35</b>	<b>184.36</b>	<b>463.13</b>	<b>13052.14</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 31.78 ha of the agriculture area has decreased and it is converted into built up, mining/dump, plantation and water body in T1.
- In T1 216.13 ha of the agriculture area has increased from plantation, forest, scrubland and water body of T0. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2013-14 to 2014-15**

Land cover	Monitoring period (T2)										
	Units in Hectares										
T1	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	287.60										287.60
Mining/dump		5.95									5.95
Agriculture	3.64		6668.97	2.26				13.53		0.67	6689.07
Plantation Horticulture			3.31	29.67							32.98
Forest			0.28		4830.42						4830.70
Forest Plantation											
Barren Rocky											
Scrub	1.26		123.14					431.72		2.24	558.35
Waterbody- Streams/River			1.67						182.69		184.36
Waterbody – Ponds										463.13	463.13
<b>Grand Total</b>	<b>292.49</b>	<b>5.95</b>	<b>6797.37</b>	<b>31.83</b>	<b>4830.42</b>			<b>445.25</b>	<b>182.69</b>	<b>466.03</b>	<b>13052.14</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 20.10 ha of the agriculture area has decreased and it is converted into built up, plantation, scrubland and water body in T2.
- In T2 128.41 ha of the agriculture area has increased from plantation, forest, scrubland and water body and of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16**

Land cover	Monitoring period (T3)										Units in Hectares		
T2	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	292.49												292.49
Mining/dump		5.95											5.95
Agriculture	1.83	0.02	6774.33					16.87			4.32		6797.37
Plantation Horticulture			1.83	30.09									31.92
Forest			3.69		4826.73								4830.42
Forest Plantation													
Barren Rocky													
Scrub	0.70	0.01	25.72					418.71			0.10		445.25
Waterbody- Streams/River			8.16						174.47		0.06		182.69
Waterbody – Ponds			1.96								464.08		466.03
<b>Grand Total</b>	<b>295.02</b>	<b>5.99</b>	<b>6815.70</b>	<b>30.10</b>	<b>4826.73</b>			<b>435.58</b>	<b>174.47</b>		<b>468.56</b>		<b>13052.14</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 23.04 ha of the agriculture area has decreased and it is converted into built up, mining/dump, scrubland and water body in T3.
- In T3 41.37 ha of the agriculture area has increased from plantation, forest, scrubland and water body and of T2. The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.



**Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17**

Land cover	Monitoring period (T4)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
<b>Built up</b>	295.02										295.02	
<b>Mining/dump</b>		5.99									5.99	
<b>Agriculture</b>	1.24		6808.28					1.35	0.16	4.67	6815.70	
<b>Plantation Horticulture</b>			0.72	29.38							30.10	
<b>Forest</b>			1.62		4825.11						4826.73	
<b>Forest Plantation</b>												
<b>Barren Rocky</b>												
<b>Scrub</b>			13.41					420.22	0.87	1.08	435.58	
<b>Waterbody- Streams/River</b>			1.36						171.94	1.16	174.47	
<b>Waterbody – Ponds</b>										468.56	468.56	
<b>Grand Total</b>	<b>296.26</b>	<b>5.99</b>	<b>6825.39</b>	<b>29.38</b>	<b>4825.11</b>			<b>421.58</b>	<b>172.98</b>	<b>475.46</b>	<b>13052.14</b>	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 7.42 ha of the agriculture area has decreased and it is converted into built up, scrubland and water body in T4.
- In T4 17.10 ha of the agriculture area has increased from plantation, forest, scrubland and water body and of T3. The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18**

Land cover	Monitoring period (T5)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
<b>Built up</b>	296.26										296.26	
<b>Mining/dump</b>		5.99									5.99	
<b>Agriculture</b>		0.16	6818.75	3.41				2.01		1.05	6825.39	
<b>Plantation Horticulture</b>				29.38							29.38	
<b>Forest</b>			0.53		4822.91					1.68	4825.11	
<b>Forest Plantation</b>												
<b>Barren Rocky</b>												
<b>Scrub</b>			16.48					404.07	0.88	0.15	421.58	
<b>Waterbody- Streams/River</b>			0.48						172.47	0.03	172.98	
<b>Waterbody – Ponds</b>			2.35							473.11	475.46	
<b>Grand Total</b>	<b>296.26</b>	<b>6.15</b>	<b>6838.58</b>	<b>32.79</b>	<b>4822.91</b>			<b>406.09</b>	<b>173.35</b>	<b>476.02</b>	<b>13052.14</b>	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 6.63 ha of the agriculture area has decreased and it is converted into mining/dump, plantation, scrubland and water body in T5.
- In T5 19.83 ha of the agriculture area has increased from forest, scrubland and water body and of T4. The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

# Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an increase of 12.61 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
4. There is an increase of 184.35, 108.30, 18.33, 9.68 & 13.20 Hectares From T0-T1, T1-T2, T2-T3, T3-T4 & T4-T5 respectively and overall increase of 382.23 Hectares in Crop land area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
5. There is a decrease of 348.63 Hectares in Scrubland area as compared between 2009-10 (T0) & 2017-18 (T5) years.
6. Farm ponds (2) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (2) verified from the portal.