

MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

KURNOOL -10/2009-10
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad
January-2021

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND
WATERSHED MONITORING
DIVISION
Land Resources and Land Use
Mapping and Monitoring Group,
Remote Sensing Application Area,
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

C O N T E N T S

- **EXECUTIVE SUMMARY**

01. STUDY AREA

02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS

03. MONITORING IN THE PROJECT AREA : Site wise changes in the project

04. CONCLUSIONS


E X E C U T I V E S U M M A R Y

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely - Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project - IWMP-10/2009-10, Kurnool District of Andhra Pradesh. The total geographical area of the project is 8,298 ha. It comprises of 17 micro watersheds.
- In the project area 187 Drishti photos were uploaded showing 48 civil works of check dams/Rock fill dam, 57 Farm ponds, 74 water harvesting structures and remaining showing others.
- Project area as per image analysis has witnessed distinguishable increase in farm ponds, showing 57 new farm ponds or dug out pits with 3.94 ha increase in the area.
- Major percentage i.e. 63.66% is covered by the agriculture, 28.17 % is covered by Scrub land, 1.72 % is covered by forest and remaining by other land use classes.

PROJECT : KURNOOL - IWMP-10/2009-10

DISTRICT : KURNOOL , STATE : ANDHRA PRADESH

- The study area falls in Tuggali Mandal of Kurnool district of Andhra Pradesh state. The total geographical area of the project is 8,298 ha. It comprises of 17 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2009-10 (T0) period (*Batch -1*) projects taking 2017-18 (T5) period satellite images



- The climate is tropical with temperatures ranging from 26 °C to 46 °C in the summer and 12 °C to 31 °C in the winter. The average annual rainfall is about 705 millimeters (28 in).
- The average annual rainfall of the district is 665.5mm, which ranges from nil rainfall in January and December to 139.6 mm in September. August and September are the wettest months. The mean seasonal rainfall distribution is 459.1mm in southwest monsoon (June September), 133.7mm in northeast monsoon (Oct-Dec), 1.9 mm rainfall in Winter (Jan Feb) and 70.8 mm in summer (March–May).


Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2009-10	2011-12	2017-18
LISS IV	2009-10		
SCENE 1			1-Apr-18
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2009-10		
SCENE 1			1-Apr-18
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishhti Photographs		
		Total	187
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishhti Points



Drishhti Upload Status

Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Block planting	1	1
2	Horticulture	0	0
3	Agriculture	0	0
4	Pasture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Terrace	0	0
8	Checks & Plugs	0	0
9	Gabion structure	0	0
10	Farm ponds/Dug out pit	57	57
11	Civil works -Check dams/Rock fill dam/Tanks etc.,	48	48
12	Nallah Bunds/Drainage treatment	6	6
13	Water harvesting structures-Percolation tanks / Ground water recharge structure	117	74
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities	0	0
16	Capacity Building Activities	0	0
17	Entry Point Activity	0	1
18	Others	0	0
	TOTAL	229	187

MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2009-10) and T5 is 2017-18 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-10/2009-10



T0

T0:2009-10



T1

T1: 5 February 2014



Drishti Sl no. 586615 MWS :4C3G4e1b

Drainage treatment



T0:2009-10



T1


T1: 5 February 2014



Drishti Sl no.1615447 MWS : 4C3G4e1d

Farm pond

Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-10/2009-10



T0

T0: 2009-10



T1

T1: 5 February 2014



Drishti Sl no. 564858 MWS :4C3G5e1b

Checkdam



T0

T0: 2009-10



T1

T1: 5 February 2014




Drishti Sl no. 568675 MWS :4C3G5e1c

Farm pond

Natural Color Composite – 2009-10 to 2017-18

Natural Color Composite- 2009-10




Source:Fusen data,NRSC

Natural Color Composite- 05th February 2014



Source:LISS-IV,NRSC

Natural Color Composite-22nd April 2015




Source:LISS-IV,NRSC

Natural Color Composite- 19th December 2016



Source:LISS-IV,NRSC

Natural Color Composite- 01st April 2018



Source:LISS-IV,NRSC



MONITORING IN THE PROJECT AREA

Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2009-10) and row represents the T5 (2017-18)



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2009-10 to 2013-14)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2013-14 to 2014-15)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)

Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000




Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Plantation



T0: 2009-10



T1: 5 February 2014

Scrub to Agriculture




T0: 2009-10



T1: 5 February 2014

Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to Water body




T0: 2009-10




T1: 5 February 2014

Scrub to Agriculture



T0: 2009-10



T1: 5 February 2014

Table showing change matrix depicting Land cover transitions during study period-2009-10 to 2013-14

Land cover	Monitoring period (T1)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	152.62												152.62
Mining/dump		1.85											1.85
Agriculture			5218.31	14.27							2.17		5234.75
Plantation Horticulture			2.64	65.42									68.07
Forest			1.54		142.93								144.47
Forest Plantation													
Barren Rocky							47.31						47.31
Scrub			57.59					2373.91			1.78		2433.27
Waterbody- Streams/River									85.40				85.40
Waterbody – Ponds											130.36		130.36
Grand Total	152.62	1.85	5280.08	79.69	142.93		48.43	2373.91	85.40		134.30		8298.11

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 16.44 ha of the agriculture area has decreased and it is converted into plantation and water body in T1.
- In T1 61.77 ha of the agriculture area has increased from plantation, forest and scrubland of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2013-14 to 2014-15

Land cover	Monitoring period (T2)										
	Units in Hectares										
T1	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	152.62										152.62
Mining/dump		1.85									1.85
Agriculture	0.67	0.68	5224.30	15.18				28.65	6.73	3.87	5280.08
Plantation Horticulture			17.05	62.65							79.69
Forest					142.93						142.93
Forest Plantation											
Barren Rocky							47.31				47.31
Scrub	0.48	2.70	558.12	6.16				1801.50		4.95	2373.91
Waterbody- Streams/River			0.87						84.54		85.40
Waterbody – Ponds			1.92							132.39	134.30
Grand Total	153.77	5.23	5802.26	83.98	142.93		48.43	1830.15	91.27	141.21	8298.11

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 55.78 ha of the agriculture area has decreased and it is converted into built-up, mining/dump, plantation, scrubland and water body in T2.
- In T2 577.96 ha of the agriculture area has increased from plantation, scrubland and water body of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16

Land cover	Monitoring period (T3)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	153.77												153.77
Mining/dump		5.23											5.23
Agriculture			5800.31					1.95					5802.26
Plantation Horticulture				83.98									83.98
Forest					142.93								142.93
Forest Plantation													
Barren Rocky							47.31						47.31
Scrub			4.23					1825.93					1830.15
Waterbody- Streams/River									91.27				91.27
Waterbody – Ponds			0.11								141.09		141.21
Grand Total	153.77	5.23	5804.65	83.98	142.93		48.43	1827.88	91.27		141.09		8298.11

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 1.95 ha of the agriculture area has decreased and it is converted into scrubland in T3.
- In T3 4.34 ha of the agriculture area has increased from scrubland and water body of T2. The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

Land cover	Monitoring period (T4)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
T3												
Built up	153.77										153.77	
Mining/dump		5.23									5.23	
Agriculture	0.10		5743.34	13.26				46.62		1.32	5804.65	
Plantation Horticulture			9.33	74.65							83.98	
Forest					142.93						142.93	
Forest Plantation												
Barren Rocky							47.31				47.31	
Scrub	0.14		34.09					1793.34		0.30	1827.88	
Waterbody- Streams/River									90.31	0.96	91.27	
Waterbody – Ponds			2.30							138.79	141.09	
Grand Total	154.02	5.23	5789.06	87.92	142.93		47.31	1839.96	90.31	141.37	8298.11	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 61.31 ha of the agriculture area has decreased and it is converted into built up, plantation, scrubland and water body in T4.
- In T4 45.72 ha of the agriculture area has increased from plantation, scrubland and water body of T3. The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitoring period (T5)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	153.81									0.21	154.02	
Mining/dump		5.23									5.23	
Agriculture	0.85		5762.47					22.14		3.61	5789.06	
Plantation Horticulture			18.06	69.86							87.92	
Forest			1.62		141.31						142.93	
Forest Plantation												
Barren Rocky							47.31				47.31	
Scrub	4.56		49.86					1783.06		2.49	1839.96	
Waterbody- Streams/River									90.14	0.17	90.31	
Waterbody – Ponds										141.37	141.37	
Grand Total	159.22	5.23	5832.01	69.86	141.31		47.31	1805.19	90.14	147.84	8298.11	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 26.59 ha of the agriculture area has decreased and it is converted into built up, scrubland and water body in T5.
- In T5 69.54 ha of the agriculture area has increased from plantation, forest and scrubland of T4. The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an increase of 22.22 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
4. There is an increase of 45.33, 522.17, 2.39 & 42.95 Hectares From T0-T1, T1-T2, T2-T3 & T4-T5 respectively and overall increase of 382.23 Hectares in Crop land area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
5. There is a decrease of 628.08 Hectares in Scrubland area as compared between 2009-10 (T0) & 2017-18 (T5) years.
6. Farm ponds (57) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (57) verified from the portal.