

MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

KURNOOL -12/2009-10
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad
January-2021

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND
WATERSHED MONITORING
DIVISION
Land Resources and Land Use
Mapping and Monitoring Group,
Remote Sensing Application Area,
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

C O N T E N T S

- **EXECUTIVE SUMMARY**

01. STUDY AREA
02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
04. CONCLUSIONS


E X E C U T I V E S U M M A R Y

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely - Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project - IWMP-12/2009-10, Kurnool District of Andhra Pradesh. The total geographical area of the project is 6296 ha. It comprises of 13 micro watersheds.
- In the project area 101 Drishti photos were uploaded showing 50 civil works of check dams/rockfill dam/tanks etc, 51 Livelihood measurements (Lm) and remaining showing others.
- Project area as per image analysis has witnessed distinguishable increase in farm ponds, showing new farm ponds or dug out pits with 8.33 ha increase in the area.
- Major percentage i.e. 90.21 % is covered by the agriculture, 1.82 % is covered by Scrub land, 2.73 % is covered by water bodies and remaining by other land use classes.

PROJECT : KURNOOL - IWMP-12/2009-10

DISTRICT : KURNOOL , STATE : ANDHRA PRADESH

- The study area falls in Nandyal and Gadivemula Mandal of Kurnool district of Andhra Pradesh state. The total geographical area of the project is 6296 ha. It comprises of 13 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2009-10 (T0) period (*Batch -1*) projects taking 2017-18 (T5) period satellite images



- The climate is tropical with temperatures ranging from 26 °C to 46 °C in the summer and 12 °C to 31 °C in the winter. The average annual rainfall is about 705 millimeters (28 in).
- The average annual rainfall of the district is 665.5mm, which ranges from nil rainfall in January and December to 139.6 mm in September. August and September are the wettest months. The mean seasonal rainfall distribution is 459.1mm in southwest monsoon (June September), 133.7mm in northeast monsoon (Oct-Dec), 1.9 mm rainfall in Winter (Jan Feb) and 70.8 mm in summer (March–May).


Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2009-10	2011-12	2017-18
LISS IV	2009-10		
SCENE 1			1-Apr-17
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2009-10		
SCENE 1			1-Apr-17
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishhti Photographs		
		Total	101
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishhti Points



Drishhti Upload Status

Classification of the Activities



Sr. No	Activity	Drishti Photo	Visible on satellite
1	Bund planting	0	0
2	Horticulture	0	0
3	Agriculture	0	0
4	Pasture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Terrace	0	0
8	Checks & Plugs	0	0
9	Gabion structure	0	0
10	Farm ponds/Dug out pit	0	0
11	Civil work - Check dams /Rockfill dams	53	50
12	Nallah Bunds/Drainage treatment	0	0
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood measurements (Activities)	51	51
16	New activity	0	0
17	Entry Point Activity	0	0
18	Others	0	0
	TOTAL	104	101

MONITORING IN THE PROJECT AREA


Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2009-10) and T5 is 2017-18 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.


Natural Color Composite – 2009-10 to 2017-18



Changes in Vegetation Cover




NDVI (2009-10)




NDVI (2013-14)

Changes in Vegetation Cover



NDVI (2013-14)



NDVI (2014-15)

Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-12/2009-10



T0:2009-10



T1: 21 December 2013



Drishti SI no. 153510 MWS : 4C3E8c1a

Horticulture



T0:2009-10



T1: 21 December 2013



Drishti SI no.155733 MWS : 4C3E8c1a

Horticulture

Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-12/2009-10



T0: 2009-10



T1: 21 December 2013




Drishti SI no. 157043 MWS :4C3E8c1a

Horticulture



T0: 2009-10



T1: 21 December 2013



Drishti SI no. 166941 MWS :4C3E8a1c

Farm pond



MONITORING IN THE PROJECT AREA

Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T1 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2009-10) and row represents the T5 (2017-18)



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2009-10 to 2013-14)

Scale: 1:10000



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2013-14 to 2014-15)


Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16)

Scale: 1:10000

Land Use and Land Cover 2014-15





Land Use and Land Cover- Third Monitoring 2015-16





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)

Scale: 1:10000



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000




Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Plantation



T0: 2009-10



T1: 21 December 2013

Agriculture to water body




T0: 2009-10



T1: 21 December 2013


Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to Agriculture



T0


T0: 2009-10



T1


T1: 21 December 2013

Scrub to Agriculture



T0

T0: 2009-10



T1

T1: 21 December 2013

Table showing change matrix depicting Land cover transitions during study period-2009-10 to 2013-14

Land cover	Monitoring period (T1)										
	Units in Hectares										
T0	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	134.34										134.34
Mining/dump		10.14									10.14
Agriculture	1.01	81.05	5712.51	28.69				4.32		8.36	5835.95
Plantation Horticulture				5.76							5.76
Forest											
Forest Plantation											
Barren Rocky											
Scrub			7.80	4.44				143.06			155.30
Waterbody- Streams/River									171.98		171.98
Waterbody – Ponds											
Grand Total	135.36	91.20	5720.32	38.89				147.37	171.98	8.36	6313.47

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 123.43 ha of the agriculture area has decreased and it is converted into built up, mining/dump, plantation, scrubland and water body in T1.
- In T1 7.80 ha of the agriculture area has increased from scrubland of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2013-14 to 2014-15

Land cover	Monitoring period (T2)										
	Units in Hectares										
T1	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	135.36										135.36
Mining/dump		66.62	24.55							0.03	91.20
Agriculture	4.28	4.65	5707.92							3.47	5720.32
Plantation Horticulture			11.34	27.55							38.89
Forest											
Forest Plantation											
Barren Rocky											
Scrub	0.36		32.83					114.01		0.18	147.37
Waterbody- Streams/River									171.98		171.98
Waterbody – Ponds										8.36	8.36
Grand Total	140.00	71.27	5776.63	27.55				114.01	171.98	12.03	6313.47

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 12.40 ha of the agriculture area has decreased and it is converted into built up, mining/dump and water body in T2.
- In T2 68.72 ha of the agriculture area has increased from mining /dump, plantation and scrubland of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16

Land cover	Monitoring period (T3)										
	Units in Hectares										
T2	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	140.00										140.00
Mining/dump		30.15	41.13								71.27
Agriculture	1.24		5769.97	3.36				1.92		0.15	5776.63
Plantation Horticulture			8.57	18.98							27.55
Forest											
Forest Plantation											
Barren Rocky											
Scrub			0.71					113.29			114.01
Waterbody- Streams/River									171.98		171.98
Waterbody – Ponds										12.03	12.03
Grand Total	141.23	30.15	5820.38	22.35				115.22	171.98	12.18	6313.47

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 6.67 ha of the agriculture area has decreased and it is converted into built up, mining/dump, plantation, scrubland and water body in T3.
- In T3 50.41 ha of the agriculture area has increased from mining/dump, plantation and scrubland of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

Land cover	Monitoring period (T4)										
	Units in Hectares										
T3	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	141.23										141.23
Mining/dump		13.77	16.37								30.15
Agriculture	0.57		5803.88	8.53						7.40	5820.38
Plantation Horticulture	0.07		0.47	17.37						4.44	22.35
Forest											
Forest Plantation											
Barren Rocky											
Scrub		15.36	5.98					91.96		1.92	115.22
Waterbody- Streams/River								1.39	170.59		171.98
Waterbody – Ponds			0.43							11.75	12.18
Grand Total	141.86	29.13	5827.13	25.90				93.34	170.59	25.51	6313.47

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 16.50 ha of the agriculture area has decreased and it is converted into built up, plantation and water body in T4.
- In T4 23.25 ha of the agriculture area has increased from mining/dump, plantation, scrubland and water body of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitoring period (T5)										
	Units in Hectares										
T4	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	141.86										141.86
Mining/dump		28.13	1.01								29.13
Agriculture	4.42	3.11	5805.32	13.86						0.41	5827.13
Plantation Horticulture			10.89	15.01							25.90
Forest											
Forest Plantation											
Barren Rocky											
Scrub	1.10							82.71	8.77	0.76	93.34
Waterbody- Streams/River			2.69						167.91		170.59
Waterbody – Ponds			0.12					4.44		20.95	25.51
Grand Total	147.39	31.24	5820.02	28.87				87.15	176.68	22.12	6313.47

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 21.81 ha of the agriculture area has decreased and it is converted into built up, mining/dump, plantation and water body in T5.
- In T5 14.70 ha of the agriculture area has increased from mining/dump, plantation and water body of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an increase of 26.82 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
4. There is an increase of 56.32, 43.74 & 6.75 Hectares From T1-T2, T2-T3 & T3-T4 respectively and overall increase of 106.81 Hectares in Crop land area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
5. There is a increase of 23 Hectares in Plantation/Horticulture area as compared between 2009-10 (T0) & 2017-18 (T5) years.
6. There is a decrease of 68.15 Hectares in Scrubland area as compared between 2009-10 (T0) & 2017-18 (T5) years.