

MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

KURNOOL -23/2010-11

Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad

July-2021

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND
WATERSHED MONITORING
DIVISION
Land Resources and Land Use
Mapping and Monitoring Group,
Remote Sensing Application Area,
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

C O N T E N T S

- **EXECUTIVE SUMMARY**

01. STUDY AREA
02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
04. CONCLUSIONS


E X E C U T I V E S U M M A R Y

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely - Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project - IWMP-22/2010-11, Kurnool District of Andhra Pradesh. The total geographical area of the project is 5,379 ha. It comprises of 10 micro watersheds.
- In the project area 141 Drishti photos were uploaded showing 3 check dams, 85 Farm ponds, 10 checks & plugins, and remaining showing others.
- Major percentage i.e. 92.80% is covered by the agriculture, 1.98 % is covered by Scrub land and remaining by other land use classes.

PROJECT : KURNOOL - IWMP-23/2010-11

DISTRICT : KURNOOL , STATE : ANDHRA PRADESH

- The study area falls in Nandavaram Mandal of Kurnool district of Andhra Pradesh state. The total geographical area of the project is 5,379 ha. It comprises of 10 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2010-11 (T0) period (*Batch -1*) projects taking 2018-19 (T5) period satellite images



- The climate is tropical with temperatures ranging from 26 °C to 46 °C in the summer and 12 °C to 31 °C in the winter. The average annual rainfall is about 705 millimeters (28 in).
- The average annual rainfall of the district is 665.5mm, which ranges from nil rainfall in January and December to 139.6 mm in September. August and September are the wettest months. The mean seasonal rainfall distribution is 459.1mm in southwest monsoon (June September), 133.7mm in northeast monsoon (Oct-Dec), 1.9 mm rainfall in Winter (Jan Feb) and 70.8 mm in summer (March-May).


Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2010-11	2011-12	2018-19
LISS IV	2010-11		
SCENE 1			23-Mar-19
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2010-11		
SCENE 1			23-Mar-19
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishiti Photographs		
		Total	141
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishiti Points



Drishiti Upload Status

Classification of the Activities

Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	3	3
2	Horticulture	0	0
3	Agriculture	0	0
4	Blockplanting	0	0
5	Bund planting	0	0
6	Drainage Treatment	0	0
7	Farm ponds/Dug out pit	98	85
8	Check dams (Civil work)	3	3
9	Checks & plugins	11	10
10	Om (Other measurement)	0	0
11	LM (Livelihood Measures)	0	0
12	Nallah Bunds/Drainage treatment	0	0
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities	0	0
16	Capacity Building Activities	0	0
17	Entry Point Activity	0	0
18	Others	87	40
	TOTAL	202	141

MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2010-11) and T5 is 2018-19 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Kurnool-IWMP-23/2010-11

2010-11



January-2015



November-2016



December-2017



Jan-2019



Drishti Sl.No: 138442
M.No.: 9100985821
Uuid: e71a7eea5f9aa79d


Activity : Farm pond

Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-23/2010-11



T0

T0:2010-11



T1

T1: 09 January 2015



Drishti Sl no. 153820 MWS : 4D3B5r2a

Farm pond



T0

T0:2010-11



T1

T1: 09 January 2015



Drishti Sl no. 143856 MWS :4D3B5s1c

Farm pond

Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-23/2010-11



T0: 2010-11




T1: 09 January 2015



Drishti Sl no. 2426720 MWS : 4D3B5s1c

Farm pond



T0: 2010-11



T1: 09 January 2015



Drishti Sl no. 2526994 MWS : 4D3B5s1a

Farm pond

Natural Color Composite – 2010 -11 to 2018 -19

Natural Color Composite- 2010-11



Source:Fusion data,NRSC

Natural Color Composite-09 th January 2015




Source:NCC,NRSC

Natural Color Composite- 2016



Source:Fusen data,NRSC

Natural Color Composite- 3rd February 2017




Source:NCC,NRSC

Natural Color Composite-15 th December 2017




Source:NCC,NRSC

Natural Color Composite- 23 rd March 2019



Sentinel-2

Changes in Vegetation Cover



NDVI (2010-11)

NDVI (09 January 2015)



MONITORING IN THE PROJECT AREA

Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2010-11) and row represents the T5 (2018-19)



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2010-11 to 2014-15)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)

Scale: 1:10000



Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to Water body



T0: 2010-11



T1: 30 November 2014

Scrub to water body




T0: 2010-11



T1: 30 November 2014

Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Built-up




T0: 2010-11




T1: 30 November 2014

Agriculture to Plantation



T0: 2010-11



T1: 30 November 2014

Table showing change matrix depicting Land cover transitions during study period-2010-11 to 2014-15

Land cover	Monitoring period (T1)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	88.19										88.19	
Mining/dump		20.99	3.82							0.73	25.55	
Agriculture	11.68	2.79	4898.69	7.28				2.82		13.49	4936.75	
Plantation Horticulture			8.40	17.36						0.14	25.90	
Forest												
Forest Plantation												
Barren Rocky												
Scrub	0.47	0.31	78.20					120.36		2.42	201.77	
Waterbody- Streams/River									35.65		35.65	
Waterbody – Ponds										65.54	65.54	
Grand Total	100.34	24.10	4989.12	24.64				123.18	35.65	82.32	5379.34	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 38 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation, scrubland and water body in T1.
- In T1 86 ha of the agriculture area has increased from mining/dump and plantations of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16

Land cover	Monitoring period (T2)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
T1												
Built up	100.34										100.34	
Mining/dump		24.10									24.10	
Agriculture	0.43		4987.36	0.58					0.75		4989.12	
Plantation Horticulture			20.25	4.39							24.64	
Forest												
Forest Plantation												
Barren Rocky												
Scrub			10.13					112.36		0.69	123.18	
Waterbody- Streams/River									35.65		35.65	
Waterbody – Ponds			7.41							74.90	82.32	
Grand Total	100.77	24.10	5025.16	4.97				112.36	35.65	76.34	5379.34	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 1.7 ha of the agriculture area has decreased and it is converted into Built-up, plantation and water body in T2.
- In T2 37 ha of the agriculture area has increased from plantations, scrubland and water body of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

Land cover	Monitoring period (T3)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	100.77												100.77
Mining/dump		24.10											24.10
Agriculture	0.71		5023.81								0.64		5025.16
Plantation Horticulture				4.97									4.97
Forest													
Forest Plantation													
Barren Rocky													
Scrub		0.89	2.44					108.10			0.93		112.36
Waterbody- Streams/River									35.50		0.15		35.65
Waterbody – Ponds			0.03								76.32		76.34
Grand Total	101.48	24.99	5026.28	4.97				108.10	35.50		78.03		5379.34

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 1.3 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation, scrubland and water body in T3.
- In T3 2.4 ha of the agriculture area has increased from mining/dump, plantations and scrubland of T1.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitoring period (T4)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	101.48												101.48
Mining/dump		24.99											24.99
Agriculture	0.17		5017.60							8.50			5026.28
Plantation Horticulture				4.97									4.97
Forest													
Forest Plantation													
Barren Rocky													
Scrub		0.38	2.79					103.45			1.48		108.10
Waterbody- Streams/River									35.43		0.06		35.50
Waterbody – Ponds			0.19								77.84		78.03
Grand Total	101.65	25.37	5020.58	4.97				103.45	35.43		87.89		5379.34

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 8.6 ha of the agriculture area has decreased and it is converted into Built-up and water body in T4.
- In T4 2.9 ha of the agriculture area has increased from scrubland and water body of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

Land cover	Monitoring period (T5)										Units in Hectares	
T4	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	101.65											101.65
Mining/dump		25.37										25.37
Agriculture	1.06	2.55	5016.71							0.26		5020.58
Plantation Horticulture				4.97								4.97
Forest												
Forest Plantation												
Barren Rocky												
Scrub	0.16		2.68					100.61				103.45
Waterbody- Streams/River									35.43			35.43
Waterbody – Ponds										87.89		87.89
Grand Total	102.87	27.92	5019.39	4.97				100.61	35.43	88.15		5379.34

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 3.8 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump and water body in T5.
- In T5 2.6 ha of the agriculture area has increased from scrubland of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an increase of 22 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
4. There is an increase of 52, 36 & 1.1 Hectares From T0 to T1, T1-T2 & T2 - T3 respectively and overall increase of 82 Hectares in Crop land area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
5. There is a decrease of 101 Hectares in Scrubland area as compared between 2010-11 (T0) & 2018-19 (T5) years.
6. Farm ponds (85) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (98) verified from the portal.