MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

KURNOOL -26/2010-11 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad
July-2021

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND
WATERSHED MONITORING
DIVISION

Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

CONTENTS

EXECUTIVE SUMMARY


- O1. STUDY AREA
- O2. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA: Site wise changes in the project
- O4. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-26/2010-11, Kurnool District of Andhra Pradesh. The total geographical area of the project is 2941.46 ha. It comprises of 9 micro watersheds.
- In the project area 98 Drishti photos were uploaded showing 8 check dams/checks & plugins, 65 Farm ponds and remaining showing others.
- Major percentage i.e. 88.69% is covered by the agriculture, 6.08 % is covered by Scrub land and remaining by other land use classes.

PROJECT: KURNOOL - IWMP-26/2010-11 DISTRICT: KURNOOL, STATE: ANDHRA PRADESH

• The study area falls in Mantralayam Mandal of Kurnool district of Andhra Pradesh state. The total geographical area of the project is 2941.46 ha. It comprises of 9 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2010-11 (T0) period (*Batch -2*) projects taking 2018-19 (T5) period satellite images



- The climate is tropical with temperatures ranging from 26 °C to 46 °C in the summer and 12 °C to 31 °C in the winter. The average annual rainfall is about 705 millimeters (28 in).
- The average annual rainfall of the district is 665.5mm, which ranges from nil rainfall in January and December to 139.6 mm in September. August and September are the wettest months. The mean seasonal rainfall distribution is 459.1mm in southwest monsoon (June September), 133.7mm in northeast monsoon (Oct-Dec), 1.9 mm rainfall in Winter (Jan Feb) and 70.8 mm in summer (March–May).

Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2010-11	2011-12	2018-19
LISS IV	2010-11		
SCENE 1			23-Mar-19
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2010-11		
SCENE 1			23-Mar-19
SCENE2			
SCENE 3			
SCENE 4		•	•

Ancillary Data

	Category	Sub category	Status
1	The matic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	98
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network




Legend





Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities

Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	0	0
2	Horticulture	0	0
3	Agriculture	0	0
4	Blockplanting	0	0
5	Bund planting	0	0
6	Drainage Treatment	0	0
7	Farm ponds/Dug out pit	65	65
8	Check dams (Civil work)	0	0
9	Checks & plugins	8	8
10	Om (Other measurement)	0	0
11	LM (Livelihood Measures)	0	0
12	Nallah Bunds/Drainage treatment	0	0
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities	0	0
16	Capacity Building Activities	0	0
17	Entry Point Activity	0	0
18	Others	39	25
	TOTAL	112	98

MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- To is the baseline period before implementation (2010-11) and T5 is 2018-19 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-26/2010-11







T0:2010-11

T1: 30 November 2014

Drishti Sl no. 181397

MWS: 4D3B6q1c

Dugout or Sunken pond



T0:2010-11




T1: 30 November 2014



Drishti SI no. 147968 MWS: 4D3B6c1d

Farm pond

Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-26/2010-11








T1: 30 November 2014

Drishti SI no. 163441 MWS:4D3B6cle

Farm pond









T1: 30 November 2014

Drishti SI no. 165139 MWS : 4D3B6C1e

Farmpond

Natural Color Composite — 2010-11 to 2018-19






MONITORING IN THE PROJECT AREA


Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2010-11) and row represents the T5 (2018-19)

Land Use and Land Cover changes for Pre and Post treatment dates


Scrub to Water body






T0: 2010-11


Scrub to Agriculture






Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to Agriculture and Water body







T0: 2010-11

T1: 30 November 2014

Scrub to Water body




T0: 2010-11




T1: 30 November 2014

Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2010-11 to 2014-15) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)

Scale: 1:10000



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)

Scale: 1:10000




Table showing change matrix depicting Land cover transitions during study period-2010-11 to 2014-15

Land cover	Monitoring period (T1) Units in Hectard										es
Т0	Built up	Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	47.64	ļ									47.64
Mining/dump											
Agriculture	2.01	•	2545.69							2.77	2550.47
Plantation Horticulture				1.01							1.01
Forest											
Forest Plantation											
Barren Rocky											
Scrub			31.62					221.75		3.02	256.40
Waterbody- Streams/River									79.80		79.80
Waterbody – Ponds										6.14	6.14
Grand Total	49.65		2577.32	1.01				221.75	79.80	11.93	2941.46

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 4.78 ha of the agriculture area has decreased and it is converted into Built-up and water body in T1.
- In T1 31.62 ha of the agriculture area has increased from scrubland of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16

Land cover	Monitor	Monitoring period (T2) Units in Hectares									
T1		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	49.65										49.65
Mining/dump											
Agriculture	0.09		2577.16							0.07	2577.32
Plantation Horticulture				1.01							1.01
Forest											
Forest Plantation											
Barren Rocky											
Scrub			15.86					205.80		0.09	221.75
Waterbody- Streams/River	0.03								79.77		79.80
Waterbody – Ponds										11.93	11.93
Grand Total	49.77	,	2593.02	1.01				205.80	79.77	12.09	2941.46

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 0.16 ha of the agriculture area has decreased and it is converted into Built-up and water body in T2.
- In T2 15.86 ha of the agriculture area has increased from forest and scrubland area of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

Land cover	Monitoring period (T3) Units in Hectares										es
Т2		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	49.77	,									49.77
Mining/dump											
Agriculture	0.11		2571.41	18.01						3.49	2593.02
Plantation Horticulture			1.01								1.01
Forest Forest											
Plantation											
Barren Rocky											
Scrub	0.18	.	4.85					199.71	0.27	0.79	205.80
Waterbody- Streams/River									79.77		79.77
Waterbody – Ponds										12.09	12.09
Grand Total	50.06		2577.27	18.01				199.71	80.04	16.38	2941.46

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 21.61 ha of the agriculture area has decreased and it is converted into Built-up, plantation and water body in T3.
- In T3 5.86 ha of the agriculture area has increased from plantation and scrubland of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitoring period (T4)									Units in Hectar	Units in Hectares	
Т3		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	50.06										50.06	
Mining/dump												
Agriculture	1.52		2569.29	5.31						1.15	2577.27	
Plantation Horticulture	0.10		9.90	7.98						0.04	18.01	
Forest												
Forest Plantation												
Barren Rocky												
Scrub			8.36					190.88		0.48	199.71	
Waterbody- Streams/River									80.04		80.04	
Waterbody – Ponds										16.38	16.38	
Grand Total	51.67		2587.55	13.29				190.88	80.04	18.04	2941.46	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 7.98 ha of the agriculture area has decreased and it is converted into Built-up, plantation and water body in T4.
- In T4 18.25 ha of the agriculture area has increased from plantation and scrubland of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

Land cover	Monitoring period (T5) Units in Hectares									es	
T 4		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	51.67										51.67
Mining/dump											
Agriculture	1.93		2584.02	1.42						0.17	2587.55
Plantation Horticulture			13.29								13.29
Forest											
Forest Plantation											
Barren Rocky											
Scrub	0.03		11.55					178.77	,	0.53	190.88
Waterbody- Streams/River									80.04		80.04
Waterbody – Ponds										18.04	18.04
Grand Total	53.63		2608.86	1.42				178.77	80.04	18.74	2941.46

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 3.52 ha of the agriculture area has decreased and it is converted into Built-up, plantation and water body in T5.
- In T5 24.84 ha of the agriculture area has increased from plantation and scrubland area of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- 3. There is an increase of 12.83 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
- 4. There is an increase of 26.85, 15.71, 10.28 & 21.32 Hectares From T0 to T1, T1 to T2, T3 to T4 & T4-T5 and there is an decrease of 15.76 Hectares From T2-T3. The overall increase of 58.39 Hectares in Crop land area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
- 5. There is a decrease of 77.62 Hectares in Scrubland area as compared between 2010-11 (T0) & 2018-19 (T5) years.
- 6. Farm ponds (65) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (65) verified from the portal.