MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

YSR KADAPA -30/2011-12 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad January-2022

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND WATERSHED MONITORING DIVISION

Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

CONTENTS

EXECUTIVE SUMMARY


- O1. STUDY AREA
- O2. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA: Site wise changes in the project
- O4. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web
 portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses
 high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-30/2011-12, Kurnool District of Andhra Pradesh. The total geographical area of the project is 3,564 ha. It comprises of 8 micro watersheds.
- In the project area 315 Drishti photos were uploaded showing 20 check dams/checks & plugins, 175 Farm ponds, 3 Livelihood measures and remaining showing others.
- Major percentage i.e. 89 % is covered by the agriculture, 4 % is covered by scrubland, 2.6 % is covered by water body and remaining by other land use classes.

PROJECT: KURNOOL - IWMP-30/2011-12 DISTRICT: KURNOOL, STATE: ANDHRA PRADESH

• The study area falls in Kowthalam Mandal of Kurnool district of Andhra Pradesh state. The total geographical area of the project is 3,564 ha. It comprises of 8 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2011-12 (T0) period (*Batch -1*) projects taking 2019-20 (T5) period satellite images



- The climate is tropical with temperatures ranging from 26 °C to 46 °C in the summer and 12 °C to 31 °C in the winter. The average annual rainfall is about 705 millimeters (28 in).
- The average annual rainfall of the district is 665.5mm, which ranges from nil rainfall in January and December to 139.6 mm in September. August and September are the wettest months. The mean seasonal rainfall distribution is 459.1mm in southwest monsoon (June September), 133.7mm in northeast monsoon (Oct-Dec), 1.9 mm rainfall in Winter (Jan Feb) and 70.8 mm in summer (March-May).

Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2011-12	2011-12	2019-20
LISS IV	2011-12		
SCENE 1			9-Dec-19
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2011-12		
SCENE 1			9-Dec-19
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	19
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend







Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	0	0
2	Horticulture	0	0
3	Agriculture	0	0
4	Blockplanting	0	0
5	Bund planting	0	0
6	Drainage Treatment	0	0
7	Farm ponds/Dug out pit	198	175
8	Check dams (Civil work)	0	0
9	Checks & plugins	24	20
10	Om (Other measurement)	0	0
11	LM (Livelihood Measures)	3	3
12	Nallah Bunds/Drainage treatment	0	0
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities	0	0
16	Capacity Building Activities	0	0
17	Entry Point Activity	0	0
18	Others	0	0
	TOTAL	352	315


MONITORING IN THE PROJECT AREA


Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- To is the baseline period before implementation (2011-12) and T1 is 2019-20 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Natural Color Composite-2011-12 to 2019-20











T0: 14 February 2016

T1: 03 February 2017

Drishti SI no. 2453177 MWS:4d3b7d2a

Farm pond



TO: 14 February 2016




T1: 03 February 2017



Drishti SI no. 2453189 MWS:4d3b7d2a

Farm pond







T0: 14 February 2016

T1: 03 February 2017

Drishti SI no. 7033761 MWS :4

MWS:4D3B7d2a

Farm pond



T0: 14 February 2016



T1: 03 February 2017



Drishti SI no. 7034609 MWS : 4D3B7d2a

Farm pond





bhuvan



T0:2010-11

T1: 14 February 2016

Drishti SI no. 1820601

MWS:4D3B7d3d

Dugout Pit



T1: 14 February 2016

Tl



Dugout Pit








T0: 2010-11

T1: 14 February 2016

Drishti SI no. 1817524

MWS:4D3B7d3d

Farm pond



T0: 2010-11



T1: 14 February 2016



Drishti SI no. 2453258 MWS: 4D3B7d3d


Farm pond

MONITORING IN THE PROJECT AREA


Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2011-12) and row represents the T5 (2019-20)


Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2011-12 to 2015-16)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20)



Scrub to Water body




T1: 2015-16




T2: 30 November 2014

Agriculture to water body





T1: 2015-16



T2: 30 November 2014








T1: 2015-16

T2: 30 November 2014


Scrub to Agriculture




T2: 30 November 2014

T2

Scrub to Water body




T0: 2011-12



T1: 30 November 2014


Agriculture to water body





T0: 2011-12



T1: 30 November 2014









T0: 2011-12

T1: 30 November 2014

Scrub to Agriculture



T0: 2011-12



T1: 30 November 2014

Table showing change matrix depicting Land cover transitions during study period-2011-12 to 2015-16

Land cover	Monitoring period (T1) Units in Hectares									res	
Т0	Built up	Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	66.24										66.24
Mining/dump		10.52									10.52
Agriculture	4.69)	3176.59							3.52	3184.80
Plantation Horticulture											
Forest											
Forest Plantation											
Barren Rocky							16.46	5			16.46
Scrub	3.20	6.34	20.00					177.19		1.29	208.02
Waterbody- Streams/River									49.01		49.01
Waterbody – Ponds										28.79	28.79
Grand Total	74.13	16.86	3196.59				16.46	177.19	49.01	33.60	3563.83

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 8.2 ha of the agriculture area has decreased and it is converted into Built-up and water body in T1.
- In T1 20 ha of the agriculture area has increased from scrubland area of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

Land cover	Monitoring period (T2) Units in Hectai								res		
T 1		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	74.13										74.13
Mining/dump		16.86									16.86
Agriculture	1.55	5	3192.21							2.82	3196.59
Plantation Horticulture											
Forest											
Forest Plantation											
Barren Rocky							16.46				16.46
Scrub	0.01		0.04					177.01		0.13	177.19
Waterbody- Streams/River									49.01		49.01
Waterbody – Ponds										33.60	33.60
Grand Total	75.69	16.86	3192.25				16.46	177.01	49.01	36.55	3563.83

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 4.37 ha of the agriculture area has decreased and it is converted into Built-up and water body in T2.
- In T2 0.5 ha of the agriculture area has increased from scrubland area of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitoring period (T3) Units in He								Units in Hecta	res	
T2		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	75.69										75.69
Mining/dump		16.86									16.86
Agriculture	0.38		3190.25							1.61	3192.25
Plantation Horticulture											
Forest											
Forest Plantation											
Barren Rocky							16.46				16.46
Scrub	0.47	0.12	7.28					166.84	ļ.	2.30	177.01
Waterbody- Streams/River									49.01		49.01
Waterbody – Ponds										36.55	36.55
Grand Total	76.55	16.98	3197.53				16.46	166.84	49.01	40.46	3563.83

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 2.0 ha of the agriculture area has decreased and it is converted into Built-up and water body in T3.
- In T3 7.2 ha of the agriculture area has increased from scrubland area of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

Land cover	Monitor	Monitoring period (T4) Units in Hectares										
Т3		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	76.55										76.55	
Mining/dump		16.98									16.98	
Agriculture	0.22		3195.55							1.77	3197.53	
Plantation Horticulture												
Forest												
Forest Plantation												
Barren Rocky							16.46				16.46	
Scrub	0.12		7.15					159.29)	0.28	166.84	
Waterbody- Streams/River									49.01		49.01	
Waterbody – Ponds										40.46	40.46	
Grand Total	76.89	16.98	3202.70				16.46	159.29	49.01	42.51	3563.83	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 2.0 ha of the agriculture area has decreased and it is converted into Built-up and water body in T4.
- In T4 7.1 ha of the agriculture area has increased from scrubland of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20

Land cover	Monitor	ing period	Units in Hecta	Units in Hectares							
Т4		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	76.89										76.89
Mining/dump		16.98									16.98
Agriculture	2.59)	3198.40							1.70	3202.70
Plantation Horticulture											
Forest											
Forest Plantation											
Barren Rocky							16.46	;			16.46
Scrub	0.21		2.82					155.71		0.55	159.29
Waterbody- Streams/River									49.01		49.01
Waterbody – Ponds										42.51	42.51
Grand Total	79.69	16.98	3201.22				16.46	155.71	49.01	44.76	3563.83

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- •In T4 4.3 ha of the agriculture area has decreased and it is converted into Built-up and water body in T5.
- •In T5 2.8 ha of the agriculture area has increased from scrubland of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- 3. There is an increase of 15.9 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
- 4. There is an increase of 11.4, 5.2, & 5.1 Hectares from T0 to T1, T2-T3 & T3 T4 and there is a decrease of 4.3 & 4.4 hectares from T-T2 & T4-T5 respectively and overall increase of 16.4 Hectares in Crop land area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
- 5. There is a decrease of 52 Hectares in Scrubland area as compared between 2011-12 (T0) & 2019-20 (T5) years.
- 6. Farm ponds (175) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (198) verified from the portal.