MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

YSR KADAPA -36/2011-12 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad January-2022

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND WATERSHED MONITORING DIVISION

Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

CONTENTS

EXECUTIVE SUMMARY


- O1. STUDY AREA
- O2. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA: Site wise changes in the project
- O4. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-36/2011-12, Kurnool District of Andhra Pradesh. The total geographical area of the project is 6,063 ha. It comprises of 10 micro watersheds.
- In the project area 236 Drishti photos were uploaded showing check dams/checks & plugins, Farm ponds, Livelihood measures and remaining showing others.
- Water bodies have shown an increased by 25 ha, which correspond to the other land use classes that have been converted into various water bodies in this period.
- Major percentage i.e. 76% is covered by the agriculture, 15 % is covered by scrub land 3.8 % is covered by water body and remaining by other land use classes.

PROJECT: KURNOOL - IWMP-36/2011-12 DISTRICT: KURNOOL, STATE: ANDHRA PRADESH

• The study area falls in Krishnagiri Mandal of Kurnool district of Andhra Pradesh state. The total geographical area of the project is 6,063 ha. It comprises of 10 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2011-12 (T0) period (*Batch -1*) projects taking 2019-20 (T5) period satellite images



- The climate is tropical with temperatures ranging from 26 °C to 46 °C in the summer and 12 °C to 31 °C in the winter. The average annual rainfall is about 705 millimeters (28 in).
- The average annual rainfall of the district is 665.5mm, which ranges from nil rainfall in January and December to 139.6 mm in September. August and September are the wettest months. The mean seasonal rainfall distribution is 459.1mm in southwest monsoon (June September), 133.7mm in northeast monsoon (Oct-Dec), 1.9 mm rainfall in Winter (Jan Feb) and 70.8 mm in summer (March–May).

Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2011-12	2011-12	2015-16
LISS IV	2011-12		
SCENE 1			14-Oct-15
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2011-12		
SCENE 1			14-Oct-15
SCENE2			
SCENE 3	•		
SCENE 4		•	

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	236
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



MWS Boundary

Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities

Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	2	2
2	Agriculture/Horticulture	4	4
3	Blockplanting	0	0
4	Bund planting	0	0
5	Drainage Treatment	0	0
6	Farm ponds/Dug out pit	151	125
7	Check dams (Civil work)	13	13
8	Checks & plugins	24	24
9	Om (Other measurement)	0	0
10	LM (Livelihood Measures)	0	0
11	Nallah Bunds/Drainage treatment	0	0
12	Percolation tanks / Ground water recharge structure	0	0
13	Production System and Micro-Enterprises	0	0
14	Livelihood Activities	0	0
15	Capacity Building Activities	0	0
16	Entry Point Activity	0	0
17	Others	68	68
	TOTAL	262	236

MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- To is the baseline period before implementation (2011-12) and T5 is 2019-20 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.







T1: 28 October 2015

T2: 30 April 2017

Drishti SI no. 1742579

MWS:4D3B3c3b

Check dam



T1: 28 October 2015



T2: 30 April 2017



Drishti SI no. 142399 MWS: 4D3B3c3b








T2: 30 April 2017




Drishti SI no. 142972 MWS: 4D3B3c3b

Farm pond




T1: 28 October 2015



T2: 30 April 2017



MWS: 4D3B3c2a Drishti Sl no. 690595







T0:2010-11

T1: 14 October 2015


Drishti SI no. 130186

MWS:4D3B3c2a

Farm pond




T0:2010-11




T1: 14 October 2015



Drishti SI no. 132858 MWS : $4D3B3c2\alpha$








T0: 2010-11

T1: 14 October 2015

Drishti SI no. 134147

MWS: 4D3B3c1d

Farm pond



T0: 2010-11





T1: 14 October 2015



Drishti SI no. 164061 MWS: 4D3B3c2a

Natural Color Composite






MONITORING IN THE PROJECT AREA


Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2011-12) and row represents the T5 (2019-20)


Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2011-12 to 2015-16)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20)








T1: 2015-16(77°47'0.302"E 15°31'6.52"N)




T2: 30 April 2017


Agriculture to water body




T1: 2015-16 (77°46'0.797"E 15°33'39.287"N)



T2: 30 April 2017





T1: 2015-16(77°47'32.348"E 15°31'13.74"N)



T2: 30 April 2017

Scrub to Agriculture




T1: 2015-16(77°46'25.787"E 15°32'41.393"N)



T2: 30 April 2017

Scrub to Agriculture








T1: 14 Oct 2015


Scrub to Agriculture




T0: 2011-12 (77°46'56.806"E 15°32'5.927"N)




T1: 14 Oct 2015






T0: 2011-12 (77°46'32.447"E 15°30'26.08"N)



T1: 14 Oct 2015

Scrub to Water body



T0: 2011-12 (77°48'49.264"E 15°31'17.451"N)



T1: 14 Oct 2015

Table showing change matrix depicting Land cover transitions during study period-2011-12 to 2015-16

Land cover	Monitoring period (T1) Units in Hectares										
Т0	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	97.11										97.11
Mining/dump		79.08									79.08
Agriculture	2.31	0.91	4517.72	7.01				4.31		4.43	4536.68
Plantation Horticulture			6.61	24.52							31.13
Forest Forest Plantation											
Barren Rocky							42.08				42.08
Scrub	0.15	2.15	61.01					984.93		19.38	1067.61
Waterbody- Streams/River									101.33		101.33
Waterbody – Ponds			0.72							107.80	108.52
Grand Total	99.57	82.13	4586.05	31.53			42.08	989.24	101.33	131.61	6063.54

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 14 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation, scrubland and water body in T1.
- In T1 61 ha of the agriculture area has increased from plantations, scrubland and water body of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

Land cover	Monitor	ing period	Units in Hectares								
T1	Built up	Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	99.57	,									99.5
Mining/dump		81.98								0.16	82.13
Agriculture	0.45	0.95	4581.71	0.93				0.75	5	1.26	4586.05
Plantation Horticulture			7.12	24.41							31.53
Forest											
Forest Plantation											
Barren Rocky							42.08	3			42.08
Scrub		0.39	28.25					958.31	0.96	1.33	989.24
Waterbody- Streams/River			7.70						93.62		101.33
Waterbody – Ponds			0.59							131.02	131.63
Grand Total	100.03	83.32	4625.37	25.35			42.08	959.06	94.58	133.76	6063.54

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 03 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation, scrubland and water body in T2.
- In T2 28 ha of the agriculture area has increased from plantations, scrubland, and water body of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitoring period (T3) Units in Hectares										res
Т2	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	100.03										100.03
Mining/dump		83.32									83.32
Agriculture	3.59	0.05	4617.47	3.66						0.61	4625.37
Plantation Horticulture			1.99	23.36							25.35
Forest											
Forest Plantation											
Barren Rocky							42.08	3			42.08
Scrub	0.12	4.55	14.03					939.16	, in the second	1.19	959.06
Waterbody- Streams/River									94.58		94.58
Waterbody – Ponds										133.76	133.76
Grand Total	103.74	87.92	4633.49	27.01			42.08	939.16	94.58	135.56	6063.54

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 07 ha of the agriculture area has decreased and it is converted into Built-up, plantations and water body in T3.
- In T3 14 ha of the agriculture area has increased from plantations and scrubland of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

Land cover	Monitoring period (T4) Units in									Units in Hecta	res
Т3		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	103.74										103.74
Mining/dump		87.82							0.10		87.92
Agriculture	1.42		4627.57	3.94						0.56	4633.49
Plantation Horticulture				27.01							27.01
Forest											
Forest Plantation											
Barren Rocky		0.37					41.71				42.08
Scrub	0.98	3.01	4.94					929.39		0.84	939.16
Waterbody- Streams/River									94.58		94.58
Waterbody – Ponds										135.56	135.56
Grand Total	106.14	91.19	4632.51	30.96			41.71	929.39	94.69	136.96	6063.54

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 05 ha of the agriculture area has decreased and it is converted into Built-up, plantations and water body in T4.
- In T4 04 ha of the agriculture area has increased from scrubland area of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20

Land cover	Monitoring period (T5) Units in Hectares										res
T 4		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	106.14										106.14
Mining/dump		90.84								0.35	91.19
Agriculture	0.69		4629.84	1.09						0.89	4632.51
Plantation Horticulture			0.65	30.30							30.96
Forest											
Forest Plantation											
Barren Rocky							41.71				41.71
Scrub		0.21	12.34					914.09		2.75	929.39
Waterbody- Streams/River									94.69		94.69
Waterbody – Ponds										136.96	136.96
Grand Total	106.83	91.05	4642.83	31.39			41.71	914.09	94.69	140.95	6063.54

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- •In T4 2.6 ha of the agriculture area has decreased and it is converted into Built-up, plantations and water body in T5.
- •In T5 12.3 ha of the agriculture area has increased from plantations and scrubland of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- 3. There is an increase of 25 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
- 4. There is an increase of 49, 39, 08 & 10 Hectares from T0 to T1, T1-T2, T2 to T3 & T4-T5 respectively and overall increase of 106 Hectares in Crop land area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
- 5. There is an increase of 0.2 ha of the Plantation/Horticulture area has been increased between 2011-12 (T0) & 2019-20 (T5) years.
- 6. There is a decrease of 153 Hectares in Scrubland area as compared between 2011-12 (T0) & 2019-20 (T5) years.
- 7. Farm ponds (125) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (151) verified from the portal.