

MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

YSR KADAPA -37/2011-12
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad
January-2022

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND
WATERSHED MONITORING
DIVISION
Land Resources and Land Use
Mapping and Monitoring Group,
Remote Sensing Application Area,
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

C O N T E N T S

- **EXECUTIVE SUMMARY**

01. STUDY AREA
02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
04. CONCLUSIONS


E X E C U T I V E S U M M A R Y

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely - Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project - IWMP-37/2011-12, Kurnool District of Andhra Pradesh. The total geographical area of the project is 6837.70 ha. It comprises of 8 micro watersheds.
- In the project area 413 Drishti photos were uploaded showing check dams/checks & plugins, Farm ponds, Livelihood measures and remaining showing others.
- Major percentage i.e. 40.7% is covered by the agriculture, 46.3% is covered by scrub land, 6.3 % is covered by mining/dump and remaining by other land use classes.

PROJECT : KURNOOL - IWMP-37/2011-12

DISTRICT : KURNOOL , STATE : ANDHRA PRADESH

- The study area falls in Kolimigundla Mandal of Kurnool district of Andhra Pradesh state. The total geographical area of the project is 6837.70 ha. It comprises of 8 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2011-12 (T0) period (*Batch -1*) projects taking 2015-16 (T1) period satellite images



- The climate is tropical with temperatures ranging from 26 °C to 46 °C in the summer and 12 °C to 31 °C in the winter. The average annual rainfall is about 705 millimeters (28 in).
- The average annual rainfall of the district is 665.5mm, which ranges from nil rainfall in January and December to 139.6 mm in September. August and September are the wettest months. The mean seasonal rainfall distribution is 459.1mm in southwest monsoon (June September), 133.7mm in northeast monsoon (Oct-Dec), 1.9 mm rainfall in Winter (Jan Feb) and 70.8 mm in summer (March–May).


Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2011-12	2011-12	2019-20
LISS IV	2011-12		
SCENE 1			3-Nov-19
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2011-12		
SCENE 1			3-Nov-19
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	413
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	1	1
2	Agriculture/Horticulture	11	11
3	Blockplanting	0	0
4	Bund planting	0	0
5	Drainage Treatment	0	0
6	Farm ponds/Dug out pit	63	63
7	Check dams (Civil work)	128	108
8	Checks & plugins	230	190
9	Om (Other measurement)	0	0
10	Field bunds	11	11
11	Nallah Bunds/Drainage treatment	0	0
12	Percolation tanks / Ground water recharge structure	0	0
13	Production System and Micro-Enterprises	0	0
14	Livelihood Activities	24	24
15	Capacity Building Activities	0	0
16	Entry Point Activity	4	4
17	Others	1	1
	TOTAL	473	413

MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2011-12) and T5 is 2019-20 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-37/2011-12



T1

T1:2016



T2

T2: 2018



Drishti Sl no. 2574130 MWS :4C3E4f2c

Check dam



T1

T1:2016



T2

T2: 2018



Drishti Sl no. 2584907 MWS :4C3E4f2c

Check dam

Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-37/2011-12



T1

T1: 14 November 2015



T2

T2: 30 October 2017




Drishti Sl no. 2501187 MWS : 4C3E4f2a

Farm pond



T1

T1: 14 November 2015



T2


T2: 2018



Drishti Sl no. 205294 MWS : 4C3E4f1d

Horticulture

Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-37/2011-12



T1: 26 January 2015



T2: 30 October 2017



Drishti Sl no. 2445037 MWS : 4C3E4f2a

Percolation tank



T1: 2016



T2: 2018



Drishti Sl no. 2573731 MWS : 4C3E4f2c

Percolation tank

Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-37/2011-12



T0

T0:2010-11



T1

T1: 16 February 2016




Drishti Sl no. 170093 MWS :4C3E4f5c

Farm pond



T0

T0:2010-11



T1

T1: 16 February 2016



Drishti Sl no. 196531 MWS :4C3E4f1d

Farm pond

Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-37/2011-12



T0

bhuvan

T0: 2010-11



T1

bhuvan

T1: 16 February 2016



Drishti Sl no. 2546125 MWS : 4C3E4f2a

Farm pond



T0

T0: 2010-11



T1

T1: 16 February 2016




Drishti Sl no. 2596675 MWS : 4C3E4f5c

Farm pond


Natural Color Composite

Natural Color Composite- 2011-12




Source:Fusion data,NRSC

Natural Color Composite- 30th December 2015




Source:NCC and LISS-IV,NRSC

Natural Color Composite- 03rd June 2017




Source:NCC and LISS-IV,NRSC

Natural Color Composite- 26th March 2018



Source:LISS-IV,NRSC

Natural Color Composite- 12th November 2018



Source:NCC,NRSC

Natural Color Composite- 03rd November 2019



Source:LISS-IV,NRSC


MONITORING IN THE PROJECT AREA

Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2011-12) and row represents the T5 (2019-20)


Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2011-12 to 2015-16)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)

Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20)


Scale: 1:10000



Agriculture to Plantation




T1: 2015-16(78°7'54.125"E 15°0'17.874"N)



T2: 03 June 2017

Agriculture to water body




T1: 2015-16 (78°6'57.194"E 15°0'17.979"N)




T2: 03 June 2017

Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to Agriculture




T1: 2015-16(78°8'51.428"E 14°58'19.068"N)



T2: 03 June 2017

Scrub to Agriculture



T1: 2015-16(78°7'43.189"E 15°0'50.329"N)




T2: 03 June 2017

Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to Agriculture



T0: 2011-12 (78°7'50.192"E 15°1'20.575"N)




T1: 16 Feb 2016

Scrub to Agriculture



T0: 2011-12 (78°7'33.52"E 15°1'9.243"N)



T1: 16 Feb 2016


Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Plantation



T0


T0: 2011-12 (78°6'45.859"E 14°58'44.473"N)



T1


T1: 16 Feb 2016

Scrub to Water body



T0

T0: 2011-12 (78°8'55.317"E 14°59'3.732"N)



T1

T1: 16 Feb 2016

Table showing change matrix depicting Land cover transitions during study period-2011-12 to 2015-16

Land cover	Monitoring period (T1)										
											Units in Hectares
T0	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	102.58										102.58
Mining/dump		353.66									353.66
Agriculture	1.84	7.58	2653.25	72.24				1.09		2.09	2738.08
Plantation Horticulture			29.94	22.12							52.06
Forest					19.93						19.93
Forest Plantation											
Barren Rocky											
Scrub	1.19	56.39	108.38	3.69				3303.82		1.58	3475.06
Waterbody- Streams/River									5.02		5.02
Waterbody – Ponds			47.59							43.72	91.31
Grand Total	105.61	417.62	2839.16	98.06	19.93			3304.91	5.02	47.39	6837.70

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 84.8 ha of the agriculture area has decreased and it is converted into Built-up, plantation, scrubland and water body in T1.
- In T1 185.9 ha of the agriculture area has increased from plantations, scrubland and water body of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

Land cover	Monitoring period (T2)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
T1												
Built up	105.61										105.61	
Mining/dump		417.62									417.62	
Agriculture		0.07	2808.51	28.46				0.83		1.28	2839.16	
Plantation Horticulture			7.98	89.95						0.13	98.06	
Forest					19.93						19.93	
Forest Plantation												
Barren Rocky												
Scrub		3.45	23.69	0.16				3277.54		0.07	3304.91	
Waterbody- Streams/River									5.02		5.02	
Waterbody – Ponds			11.32					0.85		35.22	47.39	
Grand Total	105.61	421.15	2851.51	118.56	19.93			3279.22	5.02	36.71	6837.70	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 30.6 ha of the agriculture area has decreased and it is converted into plantation, scrubland and water body in T2.
- In T2 42.9 ha of the agriculture area has increased from plantations, scrubland and water body of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitoring period (T3)										Units in Hectares		
T2	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	105.61												105.61
Mining/dump		418.80										2.35	421.15
Agriculture	0.04	3.31	2772.88	13.70								61.58	2851.51
Plantation Horticulture			32.65	85.76								0.16	118.56
Forest					19.93								19.93
Forest Plantation													
Barren Rocky													
Scrub	0.12	8.16	12.08					3256.75				2.11	3279.22
Waterbody- Streams/River									5.02				5.02
Waterbody – Ponds												36.71	36.71
Grand Total	105.76	430.27	2817.61	99.46	19.93			3256.75	5.02			102.90	6837.70

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 78.6 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations and water body in T3.
- In T3 44.7 ha of the agriculture area has increased from plantations and scrubland of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

Land cover	Monitoring period (T4)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
T3													
Built up	105.76												105.76
Mining/dump		419.34								10.94			430.27
Agriculture	1.40	1.28	2749.30	64.48						1.14			2817.61
Plantation Horticulture			27.01	72.37						0.08			99.46
Forest					19.93								19.93
Forest Plantation													
Barren Rocky													
Scrub	0.77	7.93	29.09					3215.82		3.14			3256.75
Waterbody- Streams/River									5.02				5.02
Waterbody – Ponds										102.90			102.90
Grand Total	107.92	428.56	2805.41	136.85	19.93			3215.82	5.02	118.20			6837.70

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 68.3 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations, scrubland and water body in T4.
- In T4 56 ha of the agriculture area has increased from plantations and scrubland of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20

Land cover	Monitoring period (T5)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
T4												
Built up	107.92										107.92	
Mining/dump		425.97								2.59	428.56	
Agriculture	0.49	2.81	2723.80	33.81					7.81	36.69	2805.41	
Plantation Horticulture			41.88	94.97							136.85	
Forest					19.93						19.93	
Forest Plantation												
Barren Rocky												
Scrub	0.09	3.73	17.25					3170.34		24.42	3215.82	
Waterbody- Streams/River									5.02		5.02	
Waterbody – Ponds										118.20	118.20	
Grand Total	108.50	432.50	2782.93	128.78	19.93			3170.34	12.83	181.89	6837.70	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 81 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations and water body in T5.
- In T5 59 ha of the agriculture area has increased from plantations and scrubland of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an increase of 98 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
4. There is an increase of 101 & 12 Hectares From T0 to T1 & T1-T2 respectively and there is an decrease of 33, 12 and 22 hectares from T2 –T3, T3-T4 & T4-T5 and overall increase of 44 Hectares in Crop land area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
5. There is an increase of 76 ha of the Plantation/Horticulture area has been increased between 2011-12 (T0) & 2019-20 (T5) years.
6. There is a decrease of 304 Hectares in Scrubland area as compared between 2011-12 (T0) & 2019-20 (T5) years.
7. Farm ponds (7) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (7) verified from the portal.