

MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

YSR KADAPA -45/2011-12
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad
January-2022

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND
WATERSHED MONITORING
DIVISION
Land Resources and Land Use
Mapping and Monitoring Group,
Remote Sensing Application Area,
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

C O N T E N T S

- **EXECUTIVE SUMMARY**

01. STUDY AREA

02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS

03. MONITORING IN THE PROJECT AREA : *Site wise changes in the project*

04. CONCLUSIONS


EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely – Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project – IWMP-45/2011-12, Kurnool District of Andhra Pradesh. The total geographical area of the project is 2,786 ha. It comprises of 5 micro watersheds.
- In the project area 263 Drishti photos were uploaded showing check dams/checks & plugs, Farm ponds, Livelihood measures and remaining showing others.
- Major percentage i.e. 96% is covered by the agriculture, 2 % is covered by scrubland and remaining by other land use classes.

PROJECT : KURNOOL – IWMP-45/2011-12

DISTRICT : KURNOOL , STATE : ANDHRA PRADESH

- The study area falls in Pagidiyala Mandal of Kurnool district of Andhra Pradesh state. The total geographical area of the project is 2,786 ha. It comprises of 5 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2011-12 (T0) period (**Batch -1**) projects taking 2019-20 (T5) period for satellite images



- The climate is tropical with temperatures ranging from 26 °C to 46 °C in the summer and 12 °C to 31 °C in the winter. The average annual rainfall is about 705 millimeters (28 in).
- The average annual rainfall of the district is 665.5mm, which ranges from nil rainfall in January and December to 139.6 mm in September. August and September are the wettest months. The mean seasonal rainfall distribution is 459.1mm in southwest monsoon (June-September), 133.7mm in northeast monsoon (October-December), 1.9 mm rainfall in Winter (January-February) and 70.8 mm in summer (March-May).


Satellite Data and Ancillary Data

| Satellite data* | T0-A** | T0-B** | T5 |
|-----------------|---------|---------|----------|
| | 2011-12 | 2011-12 | 2019-20 |
| LISS IV | 2011-12 | | |
| SCENE 1 | | | 3-Nov-19 |
| SCENE2 | | | |
| SCENE 3 | | | |
| SCENE 4 | | | |
| | | | |
| CARTO | 2011-12 | | |
| SCENE 1 | | | 3-Nov-19 |
| SCENE2 | | | |
| SCENE 3 | | | |
| SCENE 4 | | | |

Ancillary Data

| | Category | Sub category | Status |
|---|-------------------------|--------------|--------|
| 1 | Thematic maps | | |
| | LULC (1: 10 000) | | |
| | | DRAIANGE | YES |
| | | SETTLEMENT | YES |
| | | ROADS/RAILS | No |
| | LULC (1: 50 000) | | |
| | | 2005-06 | |
| | | 2008-09 | |
| 2 | Activity Plan Maps | | |
| 3 | Drishti Photographs | | |
| | | Total | 263 |
| 4 | Detailed Project Report | | |

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities

| Sr. No | Activity | Drishti Photo | Visible on satellite |
|--------|-----------------------------------------------------|---------------|----------------------|
| 1 | Afforestation | 9 | 9 |
| 2 | Agriculture/Horticulture | 8 | 7 |
| 3 | Blockplanting | 0 | 0 |
| 4 | Bund planting | 0 | 0 |
| 5 | Drainage Treatment | 0 | 0 |
| 6 | Farm ponds/Dug out pit | 67 | 60 |
| 7 | Check dams (Civil work) | 89 | 89 |
| 8 | Checks & plugins | 26 | 26 |
| 9 | Om (Other measurement) | 0 | 0 |
| 10 | LM (Livelihood Measures) | 0 | 0 |
| 11 | Nallah Bunds/Drainage treatment | 0 | 0 |
| 12 | Percolation tanks / Ground water recharge structure | 0 | 0 |
| 13 | Production System and Micro-Enterprises | 0 | 0 |
| 14 | Livelihood Activities | 14 | 10 |
| 15 | Capacity Building Activities | 0 | 0 |
| 16 | Entry Point Activity | 1 | 1 |
| 17 | Others | 65 | 60 |
| | TOTAL | 280 | 263 |

MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project


- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2011-12) and T5 is 2019-20 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-45/2011-12



T1

T1:2015



T2

T2: 03 June 2017



Drishti Sl no. 71668359 MWS :4C3E2h3a

Check dam



T1

T1:2015



T2

T2: 03 June 2017



Drishti Sl no. 2488796 MWS :4C3E2h3a

Check dam

Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-45/2011-12



T1

bhuvan

T1: 2015



T2


bhuvan

T2: 03 June 2017



Drishti Sl no. 1731117 MWS : 4C3E2h3a

Farm pond



T1

T1: 2015



T2


T2: 03 June 2017



Drishti Sl no. 2489038 MWS : 4C3E2h3a


Farm pond

Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-45/2011-12



T0

T0:2010-11



T1

T1: 14 November 2015



Drishti Sl no. 7018021- MWS :4D2A5b3a

Check dam



T0

T0:2010-11



T1

T1: 14 November 2015



Drishti Sl no. 162891 MWS :4D2A5b3c

Dugout pit

Monitoring of activities in Kurnool Dt Andhra Pradesh. IWMP-45/2011-12



T0: 2010-11




T1: 14 November 2015




Drishti Sl no. 2913422 MWS : 4D2A5b3c

Farm pond



T0: 2010-11



T1: 14 November 2015




Drishti Sl no. 2913953- MWS : 4D2A5a3b

Farm pond

Natural Color Composite

Natural Color Composite- 2011-12




Source:Fusion data,NRSC

Natural Color Composite- 14th November 2015




Source:NCC,NRSC

Natural Color Composite- 03rd June 2017



Source:NCC,NRSC

Natural Color Composite- 26th March 2018



Source:LISS-IV,NRSC

Natural Color Composite- 04th January 2019



Source:Sentinel,NRSC

Natural Color Composite- 03rd November 2019



Source:LISS-IV,NRSC



MONITORING IN THE PROJECT AREA

Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2011-12) and row represents the T5 (2019-20)



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2011-12 to 2015-16)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)

Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20)

Scale: 1:10000




Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to Agriculture



T1: 2015-16(78°21'40.114"E 15°55'4.627"N)



T2: 03 June 2017

Scrub to Agriculture




T1: 2015-16 (78°19'31.038"E 15°53'48.235"N)



T2: 03 June 2017

Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to Agriculture



T1


T1: 2015-16(78°20'0.958"E 15°54'39.106"N)



T2

T2: 03 June 2017

Scrub to Agriculture



T1

T1: 2015-16(78°20'23.712"E 15°54'32.658"N)



T2


T2: 03 June 2017

Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to Agriculture




T0: 2011-12 (78°18'46.331"E 15°55'37.361"N)




T1: 14 Nov 2015

Agriculture to water body




T0: 2011-12 (78°19'28.922"E 15°55'58.086"N)



T1: 14 Nov 2015

Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to water body



T0

T0: 2011-12 (78°19'7.476"E 15°56'6.916"N)



T1

T1: 14 Nov 2015

Agriculture to Built-up



T0

T0: 2011-12 (78°20'20.919"E 15°54'13.003"N)



T1

T1: 14 Nov 2015

Table showing change matrix depicting Land cover transitions during study period-2011-12 to 2015-16

| Land cover | Monitoring period (T1) | | | | | | | | | | Units in Hectares | | |
|-------------------------------------|------------------------|-----------------|----------------|----------------------------|--------|----------------------|-----------------|--------------|-----------------------------|---------------------|-------------------|--|----------------|
| | Built up | Mining/ dump | Agriculture | Plantation Horticulture | Forest | Forest Plantation | Barren Rocky | Scrub | Waterbody- Streams/River | Water body Ponds | Grand Total | | |
| T0 | | | | | | | | | | | | | |
| Built up | 19.46 | | | | | | | | | | | | 19.46 |
| Mining/dump | | 1.92 | | | | | | | | | | | 1.92 |
| Agriculture | 0.58 | | 2602.69 | | | | | 0.49 | | | 2.12 | | 2605.88 |
| Plantation Horticulture | | | | | | | | | | | | | |
| Forest | | | | | | | | | | | | | |
| Forest Plantation | | | | | | | | | | | | | |
| Barren Rocky | | | | | | | | | | | | | |
| Scrub | 0.14 | | 75.50 | | | | | 67.85 | | | 1.53 | | 145.02 |
| Waterbody- Streams/River | | | | | | | | | 8.56 | | | | 8.56 |
| Waterbody – Ponds | | | | | | | | | | | 5.29 | | 5.29 |
| Grand Total | 20.17 | 1.92 | 2678.19 | | | | | 68.34 | 8.56 | | 8.94 | | 2786.12 |

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 3.19 ha of the agriculture area has decreased and it is converted into Built-up, plantation, scrubland and water body in T1.
- In T1 75.50 ha of the agriculture area has increased from plantations, scrubland and water body of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

| Land cover | Monitoring period (T2) | | | | | | | | | | Units in Hectares | | |
|-------------------------------------|------------------------|-----------------|----------------|----------------------------|--------|----------------------|-----------------|--------------|-----------------------------|---------------------|-------------------|--|----------------|
| | Built up | Mining/ dump | Agriculture | Plantation Horticulture | Forest | Forest Plantation | Barren Rocky | Scrub | Waterbody- Streams/River | Water body Ponds | Grand Total | | |
| T1 | | | | | | | | | | | | | |
| Built up | 20.17 | | | | | | | | | | | | 20.17 |
| Mining/dump | | 1.92 | | | | | | | | | | | 1.92 |
| Agriculture | 0.29 | | 2677.50 | | | | | | | | 0.39 | | 2678.19 |
| Plantation Horticulture | | | | | | | | | | | | | |
| Forest | | | | | | | | | | | | | |
| Forest Plantation | | | | | | | | | | | | | |
| Barren Rocky | | | | | | | | | | | | | |
| Scrub | | | 4.13 | | | | | 64.05 | | | 0.17 | | 68.34 |
| Waterbody- Streams/River | | | | | | | | | 8.56 | | | | 8.56 |
| Waterbody – Ponds | | | | | | | | | | | 8.94 | | 8.94 |
| Grand Total | 20.47 | 1.92 | 2681.63 | | | | | 64.05 | 8.56 | | 9.50 | | 2786.12 |

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 0.69 ha of the agriculture area has decreased and it is converted into Built-up and water body in T2.
- In T2 4.13 ha of the agriculture area has increased from scrubland of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

| Land cover | Monitoring period (T3) | | | | | | | | | | Units in Hectares | | |
|-------------------------------------|------------------------|-----------------|----------------|----------------------------|--------|----------------------|-----------------|--------------|-----------------------------|---------------------|-------------------|--|----------------|
| | Built up | Mining/ dump | Agriculture | Plantation Horticulture | Forest | Forest Plantation | Barren Rocky | Scrub | Waterbody- Streams/River | Water body Ponds | Grand Total | | |
| Built up | 20.47 | | | | | | | | | | | | 20.47 |
| Mining/dump | | 1.92 | | | | | | | | | | | 1.92 |
| Agriculture | 0.23 | | 2681.25 | | | | | | | | 0.15 | | 2681.63 |
| Plantation Horticulture | | | | | | | | | | | | | |
| Forest | | | | | | | | | | | | | |
| Forest Plantation | | | | | | | | | | | | | |
| Barren Rocky | | | | | | | | | | | | | |
| Scrub | | | 5.15 | | | | | 58.39 | | | 0.50 | | 64.05 |
| Waterbody- Streams/River | | | | | | | | | 8.56 | | | | 8.56 |
| Waterbody – Ponds | | | | | | | | | | | 9.50 | | 9.50 |
| Grand Total | 20.70 | 1.92 | 2686.40 | | | | | 58.39 | 8.56 | | 10.15 | | 2786.12 |

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 0.37 ha of the agriculture area has decreased and it is converted into Built-up and water body in T3.
- In T3 5.15 ha of the agriculture area has increased from scrubland of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

| Land cover | Monitoring period (T4) | | | | | | | | | | Units in Hectares | | |
|-------------------------------------|------------------------|-----------------|----------------|----------------------------|--------|----------------------|-----------------|--------------|-----------------------------|---------------------|-------------------|--|----------------|
| | Built up | Mining/ dump | Agriculture | Plantation Horticulture | Forest | Forest Plantation | Barren Rocky | Scrub | Waterbody- Streams/River | Water body Ponds | Grand Total | | |
| T3 | | | | | | | | | | | | | |
| Built up | 20.70 | | | | | | | | | | | | 20.70 |
| Mining/dump | | 1.92 | | | | | | | | | | | 1.92 |
| Agriculture | 0.59 | | 2685.81 | | | | | | | | | | 2686.40 |
| Plantation Horticulture | | | | | | | | | | | | | |
| Forest | | | | | | | | | | | | | |
| Forest Plantation | | | | | | | | | | | | | |
| Barren Rocky | | | | | | | | | | | | | |
| Scrub | | | 1.33 | | | | | 57.06 | | | | | 58.39 |
| Waterbody- Streams/River | | | | | | | | | 8.56 | | | | 8.56 |
| Waterbody – Ponds | | | | | | | | | | | 10.15 | | 10.15 |
| Grand Total | 21.29 | 1.92 | 2687.14 | | | | | 57.06 | 8.56 | | 10.15 | | 2786.12 |

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 0.59 ha of the agriculture area has decreased and it is converted into Built-up land in T4.
- In T4 1.33 ha of the agriculture area has increased from scrubland of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20

| Land cover | Monitoring period (T5) | | | | | | | | | | Units in Hectares | | |
|-------------------------------------|------------------------|-----------------|----------------|----------------------------|--------|----------------------|-----------------|--------------|-----------------------------|---------------------|-------------------|--|----------------|
| | Built up | Mining/ dump | Agriculture | Plantation Horticulture | Forest | Forest Plantation | Barren Rocky | Scrub | Waterbody- Streams/River | Water body Ponds | Grand Total | | |
| T4 | | | | | | | | | | | | | |
| Built up | 21.29 | | | | | | | | | | | | 21.29 |
| Mining/dump | | 1.92 | | | | | | | | | | | 1.92 |
| Agriculture | 0.60 | | 2685.26 | | | | | | | | 1.28 | | 2687.14 |
| Plantation Horticulture | | | | | | | | | | | | | |
| Forest | | | | | | | | | | | | | |
| Forest Plantation | | | | | | | | | | | | | |
| Barren Rocky | | | | | | | | | | | | | |
| Scrub | | | | | | | | 56.48 | | | 0.58 | | 57.06 |
| Waterbody- Streams/River | | | | | | | | | 8.56 | | | | 8.56 |
| Waterbody – Ponds | | | | | | | | | | | 10.15 | | 10.15 |
| Grand Total | 21.89 | 1.92 | 2685.26 | | | | | 56.48 | 8.56 | | 12.01 | | 2786.12 |

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 1.88 ha of the agriculture area has decreased and it is converted into Built-up and water body in T5.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an increase of 06 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
4. There is an increase of 72, 03, 4 & 0.7 Hectares From T0 to T1, T1-T2, T2-T3 & T3-T4 respectively and overall increase of 79 Hectares in Crop land area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
5. There is a decrease of 88 Hectares in Scrubland area as compared between 2011-12 (T0) & 2019-20 (T5) years.
6. Farm ponds (60) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (67) verified from the portal.