MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

YSR KADAPA -50/2011-12 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad February-2022

Т 0 - Т 1 - Т 2 - Т 3 - Т 4 - Т 5



AGRICULTURE & SOIL DIVISION Andhra Pradesh Space Applications Centre (APSAC) ITE&C Department Govt. of Andhra Pradesh



RURAL DEVELOPMENT AND WATERSHED MONITORING DIVISION Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND RESOURCES Ministry of Rural Development Government of India

$\textbf{C} \ \textbf{O} \ \textbf{N} \ \textbf{T} \ \textbf{E} \ \textbf{N} \ \textbf{T} \ \textbf{S}$

• EXECUTIVE SUMMARY


- 01. STUDY AREA
- **02**. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
- 04. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-50/2011-12, Kurnool District of Andhra Pradesh. The total geographical area of the project is 4,136 ha. It comprises of 9 micro watersheds.
- In the project area 72 Drishti photos were uploaded showing check dams/checks & plugins, Farm ponds,
 Livelihood measures and remaining showing others.
- Water bodies have shown an increased by 11 ha, which correspond to the other land use classes that have been converted into various water bodies in this period.
- Major percentage i.e. 88% is covered by the agriculture, 4 % is covered by built-up, 3 % is covered by water body and remaining by other land use classes.

PROJECT : KURNOOL – IWMP-50/2011-12 DISTRICT : KURNOOL , STATE : ANDHRA PRADESH

The study area falls in Gudur Mandal of Kurnool district of Andhra Pradesh state. The total geographical area of the project is 4,136 ha. It comprises of 9 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2011-12 (T0) period (*Batch -1*) projects taking 2019-20 (T5) period satellite images



- The climate is tropical with temperatures ranging from 26 °C to 46 °C in the summer and 12 °C to 31 °C in the winter. The average annual rainfall is about 705 millimeters (28 in).
- The average annual rainfall of the district is 665.5mm, which ranges from nil rainfall in January and December to 139.6 mm in September. August and September are the wettest months. The mean seasonal rainfall distribution is 459.1mm in southwest monsoon (June September), 133.7mm in northeast monsoon (Oct-Dec), 1.9 mm rainfall in Winter (Jan Feb) and 70.8 mm in summer (March–May).

Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	Τ5
	2011-12	2011-12	2019-20
LISS IV	2011-12		
SCENE 1			19-Feb-20
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2011-12		
SCENE 1			19-Feb-20
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	72
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend




Drainage (1:10000 Scale)

MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	0	0
2	Agriculture/Horticulture	0	0
3	Blockplanting	0	0
4	Bund planting	0	0
5	Drainage Treatment	0	0
6	Farm ponds/Dug out pit	15	12
7	Check dams (Civil work)	0	0
8	Checks & plugins	25	25
9	Om (Other measurement)	0	0
10	LM (Livelihood Measures)	0	0
11	Nallah Bunds/Drainage treatment	0	0
12	Percolation tanks / Ground water recharge structure	0	0
13	Production System and Micro-Enterprises	34	30
14	Livelihood Activities	5	5
15	Capacity Building Activities	0	0
16	Entry Point Activity	0	0
17	Others	0	0
	TOTAL	79	72


MONITORING IN THE PROJECT AREA


Site Wise Changes in the Project


- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2011-12) and T5 is 2019-20 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.


Natural Color Composite















MONITORING IN THE PROJECT AREA


Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody –ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2011-12) and row represents the T5 (2019-20)


Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2011-12 to 2015-16) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18) Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20) Scale: 1:10000










Agriculture to water body











Agriculture to water body





Agriculture to Built-up

Land cover	Monitor	ing period	Units in Hectares								
<u>T0</u>		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	160.71										160.71
Mining/dump		6.96									6.96
Agriculture	2.21	1.55	3630.19							6.60	3640.56
Plantation Horticulture			4.52	27.85						0.33	32.71
Forest											
Forest Plantation											
Barren Rocky							3.66	ò			3.66
Scrub	0.61		22.57	,				151.74	ŀ	0.55	175.47
Waterbody- Streams/River			0.24	-					23.67		23.91
Waterbody – Ponds			0.14							92.39	92.53
Grand Total	163.54	8.51	3657.66	27.85			3.66	151.74	23.67	99.88	4136.51

Table showing change matrix depicting Land cover transitions during study period-2011-12 to 2015-16

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

- In T0 10 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump and water body in T1.
- In T1 27 ha of the agriculture area has increased from plantations, scrubland and water body of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Land cover	Monitor	ing period	Units in Hecta	Units in Hectares							
T1		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	163.54										163.54
Mining/dump		8.51									8.51
Agriculture	1.37		3640.03	14.14						2.13	3657.66
Plantation Horticulture			1.01	26.82						0.03	27.85
Forest											
Forest Plantation											
Barren Rocky							3.66				3.66
Scrub	10.06		12.34					129.32		0.02	151.74
Waterbody- Streams/River									23.67		23.67
Waterbody – Ponds			2.75							97.13	99.88
Grand Total	174.97	8.51	3656.12	40.95			3.66	129.32	23.67	99.30	4136.51

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T1 17 ha of the agriculture area has decreased and it is converted into Built-up, plantation and water body in T2.

• In T2 16 ha of the agriculture area has increased from plantations, scrubland and water body of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Land cover	Monitor	ing period	Units in Hectares								
T2		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	174.97										174.97
Mining/dump		8.51									8.51
Agriculture	5.88	0.29	3632.45	16.91						0.60	3656.12
Plantation Horticulture			0.60	40.35							40.95
Forest											
Forest Plantation											
Barren Rocky							3.66				3.66
Scrub	1.09		5.21					122.70		0.31	129.32
Waterbody- Streams/River									23.67		23.67
Waterbody – Ponds			0.38							98.93	99.30
Grand Total	181.95	8.80	3638.63	57.26			3.66	122.70	23.67	99.84	4136.51

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T2 23 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations and water body in T3.

• In T3 06 ha of the agriculture area has increased from plantations, scrubland and water body of T2.

• The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Land cover	Monitor	ing period	Units in Hecta	Units in Hectares							
Т3		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation			Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	181.95										181.95
Mining/dump		8.80									8.80
Agriculture	0.15		3637.98							0.50	
Plantation Horticulture			1.87	55.39							57.26
Forest											
Forest Plantation											
Barren Rocky							3.66				3.66
Scrub	2.82		0.82					118.65		0.41	122.70
Waterbody- Streams/River									23.67		23.67
Waterbody – Ponds										99.84	99.84
Grand Total	184.92	8.80	3640.68	55.39			3.66	118.65	23.67	100.75	4136.51

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

- In T3 0.65 ha of the agriculture area has decreased and it is converted into Built-up and water body in T4.
- In T4 2.7 ha of the agriculture area has increased from plantations and scrubland of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Land cover	Monitor	ing period	Units in Hecta	res							
T4		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	184.92										184.92
Mining/dump		8.80									8.80
Agriculture	1.45	0.39	3635.08	0.95						2.80	3640.68
Plantation Horticulture			1.29	54.10							55.39
Forest											
Forest Plantation											
Barren Rocky							3.66				3.66
Scrub	0.19		0.43					117.24		0.79	118.65
Waterbody- Streams/River									22.96	0.71	23.67
Waterbody – Ponds			0.08							100.67	100.75
Grand Total	186.56	9.19	3636.87	55.05			3.66	117.24	22.96	104.97	4136.51

Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

•In T4 5.6 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations and water body in T5.

•In T5 1.8 ha of the agriculture area has increased from plantations, scrubland and water body of T4.

• The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- There is an decrease of 11 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2010-11 (T0) & 2019-20 (T5) years.
- 4. There is an increase of 17 & 02 Hectares from T0 to T1 & T3 to T4, there is a decrease of 1.5, 17 & 3.8 from T1-T2, T2-T3 & T4-T5 respectively and overall decrease of 3.6 Hectares in Crop land area as compared between baseline LU/LC data 2010-11 (T0) & 2019-20 (T5) years.
- There is an increase of 22 ha of the Plantation/Horticulture area has been increased between 2010-11
 (T0) & 2019-20 (T5) years.
- 6. There is a decrease of 58 Hectares in Scrubland area as compared between 2010-11 (T0) & 2019-20 (T5) years.
- Farm ponds (12) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (15) verified from the portal.