

MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION SUMMARY REPORT

PRAKASAM - 10/2009-10
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad
January-2021

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND
WATERSHED MONITORING
DIVISION
Land Resources and Land Use
Mapping and Monitoring Group,
Remote Sensing Application Area,
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

C O N T E N T S

- **EXECUTIVE SUMMARY**

01. STUDY AREA
02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
04. CONCLUSIONS


E X E C U T I V E S U M M A R Y

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely - Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project - IWMP-10/2009-10, Prakasam District of Andhra Pradesh. The total geographical area of the project is 7,091.99 ha. It comprises of 11 micro watersheds.
- In the project area 41 Drishti photos were uploaded showing 9 check dams/Rock fill dam,30 Farm ponds, and 2 others.
- Major percentage i.e. 55 % is covered by the agriculture, 21% is covered by scrub, 17% by forest and remaining by other land use classes.

PROJECT : PRAKASAM - IWMP-10/2009-10

DISTRICT : PRAKASAM , STATE : ANDHRA PRADESH

- The study area falls in Dornala Mandal of Prakasam district of Andhra Pradesh state. The total geographical area of the project is 7091.99 ha. It comprises of 11 micro watersheds. Location Map of the study area is shown in Figure below
- Analysis is done for 2009-10 (T0) period (*Batch -1*) projects taking 2017-18 (T5) period satellite images



- Project area witnesses tropical wet and dry climate characterized by year round high temperatures. Prakasam has a record of reaching more than 46°C.
- The average annual rainfall of the district is 798.6 mm, monthly rainfall ranges from nil in March to 182.9 mm in October. October is the wettest month of the year. Southwest monsoon contributes significant rainfall in southern part of the district and Northeast monsoon contributes more than 70% of the rainfall.
- December is the coldest month with normal mean maximum temperature of about 27.1°C and mean minimum temperature of 19.2°C. Temperature begins to rise after February. May is the hottest month with mean daily maximum temperature of about 36.1°C and the mean daily minimum temperature of about 27.7°C. During May and early June the maximum temperature rises occasionally to 46°C and with the onset of SW monsoon by about second week of June, temperature begins to drop rapidly.

Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2009-10	2011-12	2017-18
LISS IV	2009-10		
SCENE 1			2-Oct-18
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2009-10		
SCENE 1			2-Oct-18
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	41
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities

Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	0	0
2	Horticulture	0	0
3	Agriculture	0	0
4	Bund planting	1	1
5	Rock fill dam	4	4
6	Civil work	0	0
7	Terrace	0	0
8	Checks & Plugs	0	0
9	Gabion structure	0	0
10	Farm ponds	37	28
11	Check dams	5	5
12	Nallah Bunds	0	0
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities	0	0
16	Capacity Building Activities	00	0
17	Entry Point Activity	0	0
18	Others	2	1
	TOTAL	49	39


MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures
- T0 is the baseline period before implementation (2009-10) and T5 is 2017-18 period for monitoring
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.


Natural Color Composite 2009-10 to 2017-18

Natural Color Composite- 2009-10



Source:Fusen data,NRSC

Natural Color Composite- 23rd May 2013




Source:Fusen data,NRSC

Natural Color Composite- 12th February 2015




Source:LISS-IV,NRSC

Natural Color Composite- 10th January 2016




Source:Fusen data,NRSC

Natural Color Composite- 14th February 2017




Source:Fusen data,NRSC

Changes in Vegetation Cover





NDVI (2009-10)




NDVI (2013-14)

Changes in Vegetation Cover



Changes in Vegetation Cover



Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-10/2009-10



T0:2009-10



T1: 07 Jan 2014



Drishti Sl no. 6810099 MWS :4C4C5m1a

Dug out pit



T0:2009-10



T1: 07 Jan 2014



Drishti Sl no.688494 MWS : 4C4C5o2a


Rockfill dam

Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-10/2009-10



T0

T0: 2009-10




T1

T1: 07 Jan 2014



Drishti Sl no. 650245 MWS :4C4C5o1c

Dug out pit



T0

T0: 2009-10



T1

T1: 07 Jan 2014



Drishti Sl no. 713428 MWS : 4C4C5o1c

Dug out pit



MONITORING IN THE PROJECT AREA

Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the pre implementation period as T0 (2009-10) and row represents the post implementation period as T5 (2017-18) .



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2009-10 to 2013-14)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2013-14 to 2014-15)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)

Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000




Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to Agriculture



T0: 2009-10




T1: 07 Jan 2014

Scrub to Agriculture




T0: 2009-10




T1: 07 Jan 2014

Land Use and Land Cover changes for Pre and Post treatment dates

Plantation to Agriculture



T0: 2009-10



T1: 07 Jan 2014

Agriculture to Plantation



T0: 2009-10



T1: 07 Jan 2014

Table showing change matrix depicting Land cover transitions during study period-2009-10 to 2013-14

Land cover	Monitoring period (T1)										
	Units in Hectares										
T0	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	153.20										153.20
Mining/dump		5.59									5.59
Agriculture			3827.83						24.05		3851.88
Plantation Horticulture				15.95							15.95
Forest					1213.74						1213.74
Forest Plantation											
Barren Rocky											
Scrub			63.90					1582.41			1646.31
Waterbody- Streams/River									36.79		36.79
Waterbody – Ponds									133.34	34.90	168.24
Grand Total	153.20	5.59	3891.73	15.95	1213.74			1582.41	194.17	34.90	7091.69

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 24 ha of agriculture are decreased and it is converted into water body and in T1.
- In T1 63 ha of agriculture are increased from scrubland of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2013-14 to 2014-15

Land cover	Monitoring period (T2)										
	Units in Hectares										
T1	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	153.20										153.20
Mining/dump		5.59									5.59
Agriculture			3861.66					28.71	1.31	0.06	3891.73
Plantation Horticulture			1.48	14.47							15.95
Forest					1213.74						1213.74
Forest Plantation											
Barren Rocky											
Scrub	1.42		206.63					1374.12		0.24	1582.41
Waterbody- Streams/River			24.05						170.12		194.17
Waterbody – Ponds										34.90	34.90
Grand Total	154.62	5.59	4093.81	14.47	1213.74			1402.83	171.43	35.20	7091.69

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 30 ha of agriculture are decreased and it is converted into scrubland and water body in T2.
- In T2 232 ha of agriculture are increased from plantation, scrub land and water body of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16

Land cover	Monitoring period (T3)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	154.62												154.62
Mining/dump		5.59											5.59
Agriculture	32.39	0.29	4057.40	3.67						0.06			4093.81
Plantation Horticulture			10.27	4.20									14.47
Forest					1213.74								1213.74
Forest Plantation													
Barren Rocky													
Scrub	1.36		145.43					1256.05					1402.83
Waterbody- Streams/River			5.43						166.00				171.43
Waterbody – Ponds										35.20			35.20
Grand Total	188.37	5.88	4218.53	7.87	1213.74			1256.05	166.00	35.27			7091.69

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 36 ha of agriculture are decreased and it is converted into built-up, mining, plantation and water body area in T3.
- In T3 161 ha of agriculture are increased from scrub land, plantation and water body of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

Land cover	Monitoring period (T4)										
	Units in Hectares										
T3	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	188.37										188.37
Mining/dump		5.88									5.88
Agriculture	5.29	0.67	4180.01	31.31						1.25	4218.53
Plantation Horticulture			2.99	4.89							7.87
Forest			10.39		1203.34						1213.74
Forest Plantation											
Barren Rocky											
Scrub	6.98	3.12	186.21					1059.70		0.04	1256.05
Waterbody- Streams/River			4.80						160.93	0.27	166.00
Waterbody – Ponds										35.27	35.27
Grand Total	200.64	9.66	4384.39	36.20	1203.34			1059.70	160.93	36.83	7091.69

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 38 ha of agriculture are decreased and it is converted into Built-up, mining, plantation, and water body in T4.
- In T4 204 ha of agriculture are increased from scrub land, plantation, forest and waterbody of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitoring period (T5) Units in Hectares										
T4	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	200.64										200.64
Mining/dump		9.66									9.66
Agriculture	1.22		4372.41	6.15						4.61	4384.39
Plantation Horticulture			34.17	2.03							36.20
Forest			6.19		1196.00					1.15	1203.34
Forest Plantation											
Barren Rocky											
Scrub	1.60		17.08					1040.62		0.40	1059.70
Waterbody- Streams/River			1.76						159.17		160.93
Waterbody – Ponds			0.27							36.56	36.83
Grand Total	203.46	9.66	4431.89	8.18	1196.00			1040.62	159.17	42.72	7091.69

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 11 ha of agriculture are decreased and it is converted into built-up, plantation, and water body in T5.
- In T5 59 ha of agriculture are increased from scrub land, plantation, forest and waterbody of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an decrease of 3 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
4. There is an increase of 39, 202, 124, 165 & 47 Hectares From T0-T1, T1-T2, T2-T3, T3-T4 & T4-T5 respectively and overall increase of 580 Hectares in Crop land area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
5. There is a decrease of 605 Hectares in Scrubland area as compared between 2009-10 (T0) & 2017-18 (T5) years.
6. Farm ponds (28) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (37) verified from the portal.