

MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION SUMMARY REPORT

PRAKASAM -13/2009-10
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad
January-2021

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND
WATERSHED MONITORING
DIVISION
Land Resources and Land Use
Mapping and Monitoring Group,
Remote Sensing Application Area,
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

C O N T E N T S

- **EXECUTIVE SUMMARY**

- 01. STUDY AREA
- 02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
- 04. CONCLUSIONS


E X E C U T I V E S U M M A R Y

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely – Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project - IWMP-13/2009-10, Prakasam District of Andhra Pradesh. The total geographical area of the project is 6828.23 ha. It comprises of 15 micro watersheds.
- In the project area 9 Drishti photos were uploaded showing 5 check dams,1 Dug out pit, 1 Percolation tank and 2 plantations.
- Project area as per image analysis has witnessed distinguishable increase in farm ponds, showing 5 new farm ponds or dug out ponds with 18.27 ha increase in the area.
- Major percentage i.e. 78.77% is covered by the agriculture, 11.10% is covered by scrubland, 5.37% by water bodies and remaining by other land use classes.

PROJECT : PRAKASAM - IWMP-13/2009-10

DISTRICT : PRAKASAM , STATE : ANDHRA PRADESH

- The study area falls in Mundlamarru Mandal of Prakasam district of Andhra Pradesh state. The total geographical area of the project is 6828.23 ha. It comprises of 15 micro watersheds. Location Map of the study area is shown in Figure below
- Analysis is done for 2009-10 (T0) period (*Batch -1*) projects taking 2017-18 (T5) period satellite images



- Project area witnesses tropical wet and dry climate characterized by year round high temperatures. Prakasam has a record of reaching more than 46°C.
- December is the coldest month with normal mean maximum temperature of about 27.1°C and mean minimum temperature of 19.2°C. Temperature begins to rise after February. May is the hottest month with mean daily maximum temperature of about 36.1°C and the mean daily minimum temperature of about 27.7°C. During May and early June the maximum temperature rises occasionally to 46°C and with the onset of SW monsoon by about second week of June, temperature begins to drop rapidly.


Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2009-10	2011-12	2017-18
LISS IV	2009-10		
SCENE 1			16-Apr-18
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2009-10		
SCENE 1			16-Apr-18
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	9
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities

Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	0	0
2	Horticulture	0	0
3	Agriculture Plantation	4	2
4	Pasture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Terrace	0	0
8	Checks & Plugs	0	0
9	Gabion structure	0	0
10	Farm ponds /Dugout pit	1	1
11	Check dams	5	5
12	Nallah Bunds	0	0
13	Percolation tanks / Ground water recharge structure	1	1
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities	0	0
16	Capacity Building Activities	0	0
17	Entry Point Activity	0	0
18	Others	5	0
	TOTAL	16	9

MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures
- T0 is the baseline period before implementation (2009-10) and T5 is 2017-18 period for monitoring
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.


Natural Color Composite- 2009-10 to 2017-18

Natural Color Composite- 2009-10




Source: Fusen data, NRSC

Natural Color Composite- 2013-2014



Source: Fusen data, NRSC

Natural Color Composite- 2014-2015



Source: Fusen data, NRSC

Natural Color Composite- 03rd May 2016




Source: LISS-IV, NRSC

Natural Color Composite- 26th March 2017




Source: Fusen data, NRSC

Changes in Vegetation Cover





NDVI (2009-10)





NDVI (2013-14)

Changes in Vegetation Cover



Changes in Vegetation Cover



Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-13/2009-10



T0:2009-10




T1: 17 May 2013



Drishti SI no. 90410 MWS :4C4C1h2d

Check Dam



T0:2009-10




T1: 17 May 2013



Drishti SI no.90407 MWS : 4C4C1h2d

Dug out sunken pond

Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-13/2009-10



T0: 2009-10




T1: 17 May 2013



Drishti SI no. 111558 MWS :4C4C1h2d

Percolation Tank



T0: 2009-10



T1: 17 May 2013



Drishti SI no. 90405 MWS :4C4C1h2c

Check dam



MONITORING IN THE PROJECT AREA

Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2009-10) and row represents the T5 (2017-18)



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2009-10 to 2013-14)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2013-14 to 2014-15)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)

Scale: 1:10000



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000



Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Plantation



T1


T1: 2013



T2


T2: 22 June 2014

Agriculture to Plantation



T1

T1: 2013



T2

T2: 22 June 2014


Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Built up



T0


T0: 2009-10



T1


T1: 17 May 2013

Agriculture to Plantation



T0

T0: 2009-10




T1


T1: 17 May 2013

Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to Agriculture




T0: 2009-10




T1: 17 May 2013

Scrub to Agriculture




T0: 2009-10




T1: 17 May 2013

Scrub to Water body




T0: 2009-10




T1: 17 May 2013

Agriculture to Plantation



T0: 2009-10



T1: 17 May 2013

Table showing change matrix depicting Land cover transitions during study period-2009-10 to 2013-14

Land cover	Monitoring period (T1) Units in Hectares										
		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
T0	Built up		Agriculture								
Built up	136.13										136.13
Mining/dump											
Agriculture	8.11		5049.83	54.56						0.53	5113.04
Plantation Horticulture			84.62	109.03							193.65
Forest											
Forest Plantation											
Barren Rocky											
Scrub	0.76		84.84	9.66				902.54		6.12	1003.92
Waterbody- Streams/River									46.92		46.92
Waterbody – Ponds			0.55							334.37	334.91
Grand Total	145.00		5219.84	173.25				902.54	46.92	341.02	6828.57

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 63 ha of agriculture are decreased and it is converted into Built-up, plantation and water body and in T1.
- In T1 170 ha of agriculture are increased from plantation, forest and scrubland of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2013-14 to 2014-15

Land cover	Monitoring period (T2) Units in Hectares										
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
T1	Built up										
Built up	145.00										145.00
Mining/dump											
Agriculture	10.40	2.76	4916.50	155.77				131.72	0.78	1.90	5219.84
Plantation Horticulture			10.28	162.94						0.04	173.25
Forest											
Forest Plantation											
Barren Rocky											
Scrub	0.61	7.70	58.18	2.36				832.54		1.15	902.54
Waterbody- Streams/River									46.92		46.92
Waterbody – Ponds			2.10	4.63				1.83		332.44	341.02
Grand Total	156.01	10.46	4987.07	325.70				966.09	47.69	335.54	6828.57

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 303 ha of agriculture are decreased and it is converted into plantation, Built-up, mining, scrub and water body in T2.
- In T2 70 ha of agriculture are increased from plantation, scrub land and forest of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16

Land cover	Monitoring period (T3) Units in Hectares										
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
T2	Built up										
Built up	156.01										156.01
Mining/dump		10.01	0.45								10.46
Agriculture	1.47		4952.06	31.53						2.01	4987.07
Plantation Horticulture	0.68		190.88	134.14							325.70
Forest											
Forest Plantation											
Barren Rocky											
Scrub			78.87					880.34		6.89	966.09
Waterbody- Streams/River									47.69		47.69
Waterbody – Ponds			1.32							334.22	335.54
Grand Total	158.16	10.01	5223.58	165.67				880.34	47.69	343.12	6828.57

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 35 ha of agriculture are decreased and it is converted into built-up, plantation and water body in T3.
- In T3 271 ha of agriculture are increased from scrub land, plantation and water body of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

Land cover	Monitoring period (T4) Units in Hectares										
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
T3	Built up										
Built up	158.16										158.16
Mining/dump		10.01									10.01
Agriculture	1.04		5115.81	84.58					18.07	4.08	5223.58
Plantation Horticulture			36.37	129.16						0.14	165.67
Forest											
Forest Plantation											
Barren Rocky											
Scrub		0.43	50.35	13.09				801.56	10.40	4.50	880.34
Waterbody- Streams/River									47.69		47.69
Waterbody – Ponds			13.18	2.84					3.36	323.75	343.12
Grand Total	159.20	10.44	5215.71	229.67				801.56	79.53	332.47	6828.57

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 107 ha of agriculture are decreased and it is converted into plantation, Built-up and water body in T4.
- In T4 99 ha of agriculture are increased from scrub land, plantation and waterbody of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitoring period (T5) Units in Hectares										
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
T4	Built up										
Built up	159.20										159.20
Mining/dump		10.44									10.44
Agriculture	0.51		4717.06	497.66						0.47	5215.71
Plantation Horticulture	0.07		60.77	168.75						0.08	229.67
Forest											
Forest Plantation											
Barren Rocky											
Scrub	0.07		42.56					758.88		0.05	801.56
Waterbody- Streams/River									79.53		79.53
Waterbody – Ponds			8.42	1.50						322.55	332.47
Grand Total	159.85	10.44	4828.82	667.90				758.88	79.53	323.15	6828.57

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 498 ha of agriculture are decreased and it is converted into plantation, Built-up and water body in T5.
- In T5 111 ha of agriculture are increased from scrub land, plantation and waterbody of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an increase of 20 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
4. There is an increase of 106 & 236 Hectares of crop land area From T0-T1 & T2-T3 and there is a decrease of 236, 7 & 386 Hectares of crop land area from T1-T2, T3-T4 & T4-T5 respectively and overall decrease of 386 Hectares in Crop land area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
5. There is an increase of 474 ha of the Plantation/Horticulture area has been increased between 2009-10 (t0) & 2017-18 (T5) years.
6. There is a decrease of 245 Hectares in Scrubland area as compared between 2009-10 (T0) & 2017-18 (T5) years.
7. Farm ponds (3) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (3) verified from the portal.