

MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

PRAKASAM -34/2011-12

Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad

January-2022

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND
WATERSHED MONITORING
DIVISION
Land Resources and Land Use
Mapping and Monitoring Group,
Remote Sensing Application Area,
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

C O N T E N T S

- **EXECUTIVE SUMMARY**

01. STUDY AREA
02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
04. CONCLUSIONS


EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely - Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project - IWMP-34/2011-12, Prakasam District of Andhra Pradesh. The total geographical area of the project is **6291** ha. It comprises of 11 micro watersheds.
- In the project area 287 Drishti photos were uploaded showing 129 check dams, 111 Farm ponds/Percolation tanks, 17 entry point activities, 10 checkds & plugins and 18 others.
- Major percentage i.e. 78% is covered by the agriculture, 12% is covered by scrub land, 5.31% covered by water body and remaining by other land use classes.

PROJECT : PRAKASAM - IWMP-34/2011-12

DISTRICT : PRAKASAM , STATE : ANDHRA PRADESH

- The study area falls in Kurichedu Mandal of Prakasam district of Andhra Pradesh state. The total geographical area of the project is **6457.14** ha. It comprises of 11 micro watersheds. Location Map of the study area is shown in Figure below Analysis is done for 2011-12 (T0) period (*Batch -1*) projects taking 2019-20 (T5) period satellite images.



- Project area witnesses tropical wet and dry climate characterized by year round high temperatures. Prakasam has a record of reaching more than 46°C.
- The average annual rainfall of the district is 798.6 mm, monthly rainfall ranges from nil in March to 182.9 mm in October. October is the wettest month of the year. Southwest monsoon contributes significant rainfall in southern part of the district and Northeast monsoon contributes more than 70% of the rainfall.
- December is the coldest month with normal mean maximum temperature of about 27.1°C and mean minimum temperature of 19.2°C. Temperature begins to rise after February. May is the hottest month with mean daily maximum temperature of about 36.1°C and the mean daily minimum temperature of about 27.7°C. During May and early June the maximum temperature rises occasionally to 46°C and with the onset of SW monsoon by about second week of June, temperature begins to drop rapidly.


Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2011-12	2012-13	2019-20
LISS IV	2011-12		
SCENE 1			28-Aug-19
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2011-12		
SCENE 1			28-Aug-19
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishiti Photographs		
		Total	212
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishiti Points



Drishiti Upload Status

Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Agriculture/Horticulture	2	2
2	Afforestation	0	0
3	Pasture	0	0
4	Trench	0	0
5	Field Bunds	0	0
6	Terrace	0	0
7	Checks & Plugs	10	10
8	Gabion structure	0	0
9	Farm ponds/Dug out pit	118	111
10	Civil work-Check dams/Rock fill dam	133	129
11	Nallah Bunds/Drainage treatment	0	0
12	Percolation tanks / Ground water recharge structure	0	0
13	Production System and Micro-Enterprises	0	0
14	Livelihood Activities	0	0
15	Capacity Building Activities	0	0
16	Entry Point Activity	17	17
17	Others	18	18
	TOTAL	298	287

MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures
- T0 is the baseline period before implementation (2011-12) and T5 is 2019-20 period for monitoring
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Natural Color Composite



Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-34/2011-12



T0

T0:2011-12



T1

T1: 10 January 2016



Drishti Sl no. 166447 MWS :4C4C2c2h

Dugout pond



T0

T0:2011-12



T1

T1: 10 January 2016



Drishti Sl no. 166282 MWS : 4C4C2c2h

Farm pond


Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-34/2011-12



T0

bhuvan

T0: 2011-12



T1

bhuvan

T1: 10 January 2016



Drishti Sl no. 693592 MWS :

Farm pond



T0

bhuvan

T0: 2011-12



T1

bhuvan

T1: 10 January 2016



Drishti Sl no. 692707 MWS :4C1C2d3g

Farm pond



MONITORING IN THE PROJECT AREA

Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture , plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the pre implementation period as T0 (2011-12) and row represents the post implementation period as T5 (2019-20) .



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2011-12 to 2015-16)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)

Scale: 1:10000



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20)

Scale: 1:10000



Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Plantation



T0


T0: 2011-12(79°35'2.289"E 15°56'3.603"N)



T1

T1: 10th January 2016

Scrub to water body



T0

T0: 2011-12 (79°32'51.015"E 15°54'0.189"N)



T1


T1: 10th January 2016

Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to water body




T0: 2011-12(79°33'39.515"E 15°56'8.709"N)



T1: 10th January 2016

Scrub to Agriculture



T0: 2011-12(79°34'26.867"E 15°56'4.943"N)



T1: 10th January 2016

Table showing change matrix depicting Land cover transitions during study period-2011-12 to 2015-16

Land cover	Monitoring period (T1)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	164.93		0.63							0.10	165.66	
Mining/dump		1.18	1.17								2.35	
Agriculture	28.90	2.32	4230.08	54.76					16.93	13.48	4346.48	
Plantation Horticulture	0.45	0.08	24.78	4.84						0.10	30.24	
Forest					4.95					0.11	5.06	
Forest Plantation												
Barren Rocky												
Scrub	8.88	1.05	665.51	6.19				756.61	11.37	37.41	1487.02	
Waterbody- Streams/River									74.58		74.58	
Waterbody – Ponds			0.43							180.01	180.43	
Grand Total	203.16	4.63	4922.60	65.79	4.95			756.61	102.88	231.20	6291.83	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 99.4 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation and water body in T1.
- In T1 690.2 ha of the agriculture area has increased from plantations, scrubland and water body of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

Land cover	Monitoring period (T2)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
T1												
Built up	188.45										188.45	
Mining/dump		2.49									2.49	
Agriculture	0.27		4470.35					16.93	0.42		4487.97	
Plantation Horticulture			114.20	262.92							377.13	
Forest					4.95						4.95	
Forest Plantation												
Barren Rocky												
Scrub			19.43					917.33	11.37	1.03	949.16	
Waterbody- Streams/River								74.58			74.58	
Waterbody – Ponds										207.09	207.09	
Grand Total	188.72	2.49	4603.99	262.92	4.95			917.33	102.88	208.55	6291.83	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 0.69 ha of the agriculture area has decreased and it is converted into Built-up and water body in T2.
- In T2 133 ha of the agriculture area has increased from plantations and scrubland of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitoring period (T3)										Units in Hectares		
T2	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	188.72												188.72
Mining/dump		2.49											2.49
Agriculture	1.77	1.32	4591.35	7.73							1.80		4603.99
Plantation Horticulture	0.31		218.67	43.94									262.92
Forest					4.95								4.95
Forest Plantation													
Barren Rocky													
Scrub	0.19		53.23					862.99			0.93		917.33
Waterbody- Streams/River									102.88				102.88
Waterbody – Ponds											208.55		208.55
Grand Total	191.00	3.81	4863.25	51.67	4.95			862.99	102.88		211.27		6291.83

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 12.6 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations and water body in T3.
- In T3 271 ha of the agriculture area has increased from plantations and scrubland of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

Land cover	Monitoring period (T4)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
T3													
Built up	191.00												191.00
Mining/dump		3.81											3.81
Agriculture	8.39	0.82	4851.91								2.13		4863.25
Plantation Horticulture			9.75	41.92									51.67
Forest					4.95								4.95
Forest Plantation													
Barren Rocky													
Scrub	3.70		34.53					818.86			5.90		862.99
Waterbody- Streams/River									102.88				102.88
Waterbody – Ponds											211.27		211.27
Grand Total	203.09	4.63	4896.18	41.92	4.95			818.86	102.88		219.31		6291.83

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 11.35 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump and water body in T4.
- In T4 44.28 ha of the agriculture area has increased from plantations and scrubland of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20

Land cover	Monitoring period (T5)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
T4													
Built up	203.09												203.09
Mining/dump		4.63											4.63
Agriculture	0.07		4861.47	29.85						4.80			4896.18
Plantation Horticulture			5.98	35.95									41.92
Forest					4.95								4.95
Forest Plantation													
Barren Rocky													
Scrub			54.11					756.61			8.14		818.86
Waterbody- Streams/River									102.88				102.88
Waterbody – Ponds			1.05								218.26		219.31
Grand Total	203.16	4.63	4922.60	65.79	4.95			756.61	102.88		231.20		6291.83

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 34.71 ha of the agriculture area has decreased and it is converted into Built-up, plantations and water body in T5.
- In T5 60.08 ha of the agriculture area has increased from plantations, scrubland and water body of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an increase of 79 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
4. There is an increase of 141, 116, 259, 32 & 26 Hectares From T0 to T1, T1-T2, T2 to T3, T3-T4 & T4-T5 respectively and overall increase of 576 Hectares in Crop land area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
5. There is an increase of 35 ha of the Plantation/Horticulture area has been increased between 2011-12 (T0) & 2019-20 (T5) years.
6. There is a decrease of 730 Hectares in Scrubland area as compared between 2011-12 (T0) & 2019-20 (T5) years.
7. Farm ponds (111) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (118) verified from the portal.