MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

PRAKASAM -41/2011-12 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad January-2022

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND WATERSHED MONITORING DIVISION

Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

CONTENTS

EXECUTIVE SUMMARY


- O1. STUDY AREA
- O2. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA: Site wise changes in the project
- O4. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-41/2011-12, Prakasam District of Andhra Pradesh. The total geographical area of the project is **5477** ha. It comprises of 10 micro watersheds.
- In the project area 329 Drishti photos were uploaded showing 87 check dams, 19 Farm ponds/Percolation tanks, 10 afforestation, 8 checks & plugins and 201 others.
- Major percentage i.e. 83% is covered by the agriculture, 11% is covered by scrub land, 2.6% covered by water body and remaining by other land use classes.

PROJECT: PRAKASAM - IWMP-41/2011-12 DISTRICT: PRAKASAM, STATE: ANDHRA PRADESH

• The study area falls in Podili Mandal of Prakasam district of Andhra Pradesh state. The total geographical area of the project is **5477** ha. It comprises of 10 micro watersheds. Location Map of the study area is shown in Figure below Analysis is done for 2011-12 (T0) period (*Batch -1*) projects taking 2019-20 (T5) period satellite images.



- Project area witnesses tropical wet and dry climate characterized by year round high temperatures. Prakasam has a record of reaching more than 46°C.
- The average annual rainfall of the district is 798.6 mm, monthly rainfall ranges from nil in March to 182.9 mm in October. October is the wettest month of the year. Southwest monsoon contributes significant rainfall in southern part of the district and Northeast monsoon contributes more than 70% of the rainfall.
- December is the coldest month with normal mean maximum temperature of about 27.1°c and mean minimum temperature of 19.2°C. Temperature begins to rise after February. May is the hottest month with mean daily maximum temperature of about 36.1°C and the mean daily minimum temperature of about 27.7°C. During May and early June the maximum temperature rises occasionally to 46°C and with the onset of SW monsoon by about second week of June, temperature begins to drop rapidly.


Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2011-12	2012-13	2019-20
LISS IV	2011-12		_
SCENE 1			28-Aug-19
SCENE2			_
SCENE 3			
SCENE 4			
CARTO	2011-12		
SCENE 1			28-Aug-19
SCENE2			
SCENE 3			
SCENE 4	•	•	

Ancillary Data

Status
YFS
YES
YES
0
YES
No
212

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Agriculture/Horticulture	4	4
2	Afforestation	10	10
3	Pasture	0	0
4	Trench	0	0
5	Field Bunds	0	0
6	Terrace	0	0
7	Checks & Plugs	8	8
8	Gabion structure	0	0
9	Farm ponds/Dug out pit	19	19
10	Civil work-Check dams/Rock fill dam	91	87
11	Nallah Bunds/Drainage treatment	0	0
12	Percolation tanks / Ground water recharge structure	0	0
13	Production System and Micro-Enterprises	0	0
14	Livelihood Activities	0	0
15	Capacity Building Activities	0	0
16	Entry Point Activity	0	0
17	Others	207	201
	TOTAL	339	329


MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures
- To is the baseline period before implementation (2011-12) and T5 is 2019-20 period for monitoring
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Natural Color Composite-2011-12 TO 2019-20





Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-41/2011-12








T0:2011-12

T1: 10 January 2016

Drishti SI no. 647285 MWS :4C4B4c3f

Check dam



T0:2011-12



T1: 10 January 2016




Drishti SI no. 7009054 MWS : 4C4B4a2b

Check dam

Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-41/2011-12








T0: 2011-12


T1: 10 January 2016

Drishti SI no. 7013275 MWS:4C4B4c3f

Check dam



T0: 2011-12



T1: 10 January 2016



Drishti SI no. 7028946 MWS :4C4B4a2c


Check dam

MONITORING IN THE PROJECT AREA


Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody-ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the pre implementation period as T0 (2011-12) and row represents the post implementation period as T5 (2019-20).


Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2011-12 to 2015-16)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20)



Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Plantation





T4: 2018-19 (79°38'13.511"E 15°39'11.118"N)

T5: 28 August 2019

Agriculture to Water body



T4: 2018-19 (79°40'36.22"E 15°38'0.457"N)



T5: 28 August 2019

Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to Plantation




T1 20 January 2016


T0: 2011-12 (79°39'0.019"E 15°38'19.985"N)

T1: 10 January 2016

Scrub to Water body




T0: 2011-12 (79°39'37.847"E 15°38'11.651"N)



T1: 10 January 2016

Land Use and Land Cover changes for Pre and Post treatment dates








T0: 2011-12 (79°39'45.305"E 15°38'39.715"N)

T1: 10 January 2016

Agriculture to Water body



T0: 2011-12(79°37'55.556"E 15°39'5.319"N)



T1: 10 January 2016

Table showing change matrix depicting Land cover transitions during study period-2011-12 to 2015-16

Land cover	Monitoring period (T1) Units in Hectares										res
Т0	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	70.29										70.29
Mining/dump											
Agriculture	5.33	0.17	4195.70	9.64				41.57	,	0.59	4253.00
Plantation Horticulture			7.43	5.06							12.48
Forest Forest Plantation											
Barren Rocky											
Scrub	3.11		181.16	6.63				854.98		8.79	1054.66
Waterbody- Streams/River									43.45		43.45
Waterbody – Ponds										43.07	43.07
Grand Total	78.74	0.17	4384.29	21.32				896.55	43.45	52.45	5476.96

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In TO 15.7 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation, scrubland and water body in T1.
- In T1 188.5 ha of the agriculture area has increased from plantations and scrubland of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

Land cover	Monitoring period (T2) Units in Hectares										res
T 1		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	78.74	L									78.74
Mining/dump		0.17									0.17
Agriculture	7.18		4326.14	47.12				3.26	5	0.58	4384.29
Plantation Horticulture			4.08	17.24							21.32
Forest											
Forest Plantation											
Barren Rocky											
Scrub	0.29		110.17	4.10				767.76	9.35	4.89	896.55
Waterbody- Streams/River									43.45		43.45
Waterbody – Ponds										52.45	52.45
Grand Total	86.22	0.17	4440.39	68.46				771.02	52.79	57.92	5476.96

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 54.8 ha of the agriculture area has decreased and it is converted into Built-up, plantation, scrubland and water body in T2.
- In T2 114.2 ha of the agriculture area has increased from plantations and scrubland of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitoring period (T3) Units in Hectares										res
Т2		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	86.22										86.22
Mining/dump			0.17								0.17
Agriculture	0.80		4410.52	27.15				0.86	0.66	0.40	4440.39
Plantation Horticulture			10.45	58.00							68.46
Forest											
Forest Plantation											
Barren Rocky											
Scrub			102.45					668.01		0.56	771.02
Waterbody- Streams/River			0.32						52.47		52.79
Waterbody – Ponds										57.92	57.92
Grand Total	87.02		4523.91	85.15				668.87	53.13	58.88	5476.96

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 28.3 ha of the agriculture area has decreased and it is converted into Built-up, plantations, scrubland and water body in T3.
- In T3 112.9 ha of the agriculture area has increased from plantations, scrubland and water body of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

Land cover	Monitoring period (T4) Units in Hectares										res
Т3		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	87.02										87.02
Mining/dump											
Agriculture	0.92		4514.46	4.87				3.29		0.36	4523.91
Plantation Horticulture			11.05	74.10							85.15
Forest											
Forest Plantation											
Barren Rocky											
Scrub			33.37	,				630.46	3.92	1.12	668.87
Waterbody- Streams/River									53.13		53.13
Waterbody – Ponds										58.88	58.88
Grand Total	87.94		4558.89	78.97				633.75	57.05	60.37	5476.96

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 6.1 ha of the agriculture area has decreased and it is converted into Built-up, plantations, scrubland and water body in T4.
- In T4 44.4 ha of the agriculture area has increased from plantations and scrubland of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20

Land cover	Monitoring period (T5)									Units in Hectares		
T 4		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	87.94										87.94	
Mining/dump												
Agriculture	0.08	1.19	4525.80	8.69					21.83	1.30	4558.89	
Plantation Horticulture			1.99	76.98							78.97	
Forest												
Forest Plantation												
Barren Rocky												
Scrub			27.66					602.58	1.57	1.94	633.75	
Waterbody- Streams/River									57.05		57.05	
Waterbody – Ponds										60.37	60.37	
Grand Total	88.02	1.19	4555.4 5	85. 6 7				602.58	80.46	63.61	5476.96	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- •In T4 11.2 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations and water body in T5.
- •In T5 29.6 ha of the agriculture area has increased from plantations and scrubland of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- 3. There is an increase of 57.5 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
- 4. There is an increase of 131, 56, 83 & 34 Hectares From T1 to T2, T2-T3, T3 to T4 & T4-T5 respectively and overall increase of 302 Hectares in Crop land area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
- 5. There is an increase of 73 ha of the Plantation/Horticulture area has been increased between 2011-12 (T0) & 2019-20 (T5) years.
- 6. There is a decrease of 452 Hectares in Scrubland area as compared between 2011-12 (T0) & 2019-20 (T5) years.
- 7. Farm ponds (19) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (19) verified from the portal.