# MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

## SUMMARY REPORT

PRAKASAM -17/2010-11 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad February-2021

## Т 0 - Т 1 - Т 2 - Т 3 - Т 4 - Т 5



AGRICULTURE & SOIL DIVISION Andhra Pradesh Space Applications Centre (APSAC) ITE&C Department Govt. of Andhra Pradesh



RURAL DEVELOPMENT AND WATERSHED MONITORING DIVISION Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND RESOURCES Ministry of Rural Development Government of India

## $\textbf{C} \ \textbf{O} \ \textbf{N} \ \textbf{T} \ \textbf{E} \ \textbf{N} \ \textbf{T} \ \textbf{S}$

#### • EXECUTIVE SUMMARY


- 01. STUDY AREA
- **02**. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
- 04. CONCLUSIONS

### EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-17/2010-11, Prakasam District of Andhra Pradesh. The total geographical area of the project is 4988.39 ha. It comprises of 11 micro watersheds.
- In the project area 70 Drishti photos were uploaded showing 20 Farm ponds/Percolation tanks, 6 check dams/checks & plugins, 3 afforestation and 40 others.
- Major percentage i.e. 54.11% is covered by the agriculture, 18.06% is covered by plantation, 12.78% by scrub land, 3.22% is covered by water body and remaining by other land use classes.

## PROJECT : PRAKASAM - IWMP-17/2010-11 DISTRICT : PRAKASAM , STATE : ANDHRA PRADESH

The study area falls in Voletivaripalem and Lingasamudram Mandal of Prakasam district of Andhra Pradesh state. The total geographical area of the project is 4988.39 ha. It comprises of 11 micro watersheds. Location Map of the study area is shown in Figure below Analysis is done for 2010-11 (T0) period (*Batch -1*) projects taking 2018-19 (T5) period satellite images.



- Project area witnesses tropical wet and dry climate characterized by year round high temperatures. Prakasam has a record of reaching more than 46°C.
- The average annual rainfall of the district is 798.6 mm, monthly rainfall ranges from nil in March to 182.9 mm in October. October is the wettest month of the year. Southwest monsoon contributes significant rainfall in southern part of the district and Northeast monsoon contributes more than 70% of the rainfall.
- December is the coldest month with normal mean maximum temperature of about 27.1°c and mean minimum temperature of 19.2°C. Temperature begins to rise after February. May is the hottest month with mean daily maximum temperature of about 36.1°C and the mean daily minimum temperature of about 27.7°C. During May and early June the maximum temperature rises occasionally to 46°C and with the onset of SW monsoon by about second week of June, temperature begins to drop rapidly.

## Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	Т5
	2010-11	2011-12	2018-19
LISS IV	2010-11		
SCENE 1			9-Jan-19
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2013-14		
SCENE 1			9-Jan-19
SCENE2			
SCENE 3			
SCENE 4			

## Natural Color Composite overlaid with Project boundaries and high detail stream network



Drainage (1:10000 Scale)

**MWS Boundary** 

**Project Boundary** 

Legend

 $\sim$ 

## Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC ( 1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	70
4	Detailed Project Report		

## Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

5

## Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	3	3
2	Horticulture	0	0
3	Agriculture	0	0
4	Pasture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Terrace	0	0
8	Checks & Plugs	6	6
9	Gabion structure	0	0
10	Farm ponds	20	20
11	Check dams	0	0
12	Nallah Bunds	0	0
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities	1	1
16	Capacity Building Activities	0	0
17	Entry Point Activity	0	0
18	Others	75	40
	TOTAL	105	70

## MONITORING IN THE PROJECT AREA


## Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures
- T0 is the baseline period before implementation (2010-11) and T5 is 2018-19 period for monitoring
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

#### Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-17/2010-11



#### Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-17/2010-11




Prakasam–IWMP-17/2010-11

2009-10

April-2014

March-2017




Oct-2018

Feb-2019




Activity : Dug Out Pit

## Natural Color Composite – 2009-10 to 2017-18



#### **Natural Color Composite**




## MONITORING IN THE PROJECT AREA


#### Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T1 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody –ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the pre implementation period as T0 (2010-11) and row represents the post implementation period as T5 (2018-19).


#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2010-11 to 2014-15) Scale: 1:10000




#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16) Scale: 1:10000




#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17) Scale: 1:10000



#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18) Scale: 1:10000




#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19) Scale: 1:10000





## Land Use and Land Cover changes for Pre and Post treatment dates







## Land Use and Land Cover changes for Pre and Post treatment dates





## Land Use and Land Cover changes for Pre and Post treatment dates





## Scrub to Agriculture

Land cover	Monitor	Monitoring period (T1) Units in Hectares									
ТО		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	117.43										117.43
Mining/dump											
Agriculture	5.84		3108.69	60.90				40.91	14.49	1.21	3232.05
Plantation Horticulture	1.50		43.30	106.73				9.81			161.34
Forest					160.94						160.94
Forest Plantation											
Barren Rocky											
Scrub	4.82		124.46	5.04				708.51	0.22	10.39	853.44
Waterbody- Streams/River			5.34						74.41		79.75
Waterbody – Ponds			27.86	5.95						349.64	383.45
Grand Total	129.60		3309.64	178.62	160.94			759.23	89.12	361.23	4988.39

Table showing change matrix depicting Land cover transitions during study period-2010-11 to 2014-15

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In TO 123.36 ha of agriculture are decreased and it is converted into built-up, plantation, scrubland and water body of T1.

• In T1 200.95 ha of agriculture are increased from plantation, scrubland and water body of T0. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

#### Units in Hectares Monitoring period (T2) Land cover Mining/ Forest Waterbody-Plantation Barren Streams/River dump Water body Plantation Built up **T1** Agriculture Horticulture Forest Rocky Scrub Ponds **Grand Total** Built up 129.60 129.60 Mining/dump Agriculture 0.20 2746.37 561.41 1.67 3309.64 Plantation Horticulture 3.88 174.68 0.06 178.62 160.53 160.94 Forest 0.41 Forest Plantation Barren Rocky Scrub 24.14 728.12 2.24 4.73 759.23 Waterbody-Streams/River 0.31 88.82 89.12 Waterbody -Ponds 5.04 356.20 361.23

Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

728.12

91.06

363.07

4988.39

736.08 160.53

**Grand Total** 

129.79

2779.74

• In T1 563.27 ha of agriculture are decreased and it is converted into built-up, plantation and water body of T2.

• In T2 33.37 ha of agriculture are increased from plantation, scrubland and water body of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

#### Units in Hectares Monitoring period (T3) Land cover Mining/ Forest Waterbody-Plantation Barren Streams/River dump Plantation Water body Built up Agriculture Horticulture **T2** Forest Rocky Scrub Ponds **Grand Total** Built up 129.79 129.79 Mining/dump Agriculture 0.55 2501.24 277.29 0.66 2779.74 Plantation Horticulture 735.35 0.64 0.10 736.08 160.53 160.53 Forest Forest Plantation **Barren Rocky** Scrub 0.82 19.71 688.98 2.39 16.22 728.12 Waterbody-Streams/River 91.06 91.06 Waterbody – Ponds 8.89 354.19 363.07

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

688.98

91.06

357.33

4988.39

1028.86 160.53

**Grand Total** 

131.16

2530.48

• In T2 278.49 ha of agriculture are decreased and it is converted into built-up, plantation and water body of T3.

• In T3 29.23 ha of agriculture are increased from plantation, scrubland and water body of T2. The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Land cover	Monitor	ing period	l (T4)		Units in Hectares					
T3		Mining/ dump	Agriculture	Plantation Horticulture		Forest Plantation	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	131.16									131.16
Mining/dump										
Agriculture	5.52		2459.90	65.05					0.01	2530.48
Plantation Horticulture			143.41	885.44					0.01	1028.86
Forest					160.53					160.53
Forest Plantation										
Barren Rocky										
Scrub			28.95	0.94			658.93		0.16	688.98
Waterbody- Streams/River								91.03	0.02	91.06
Waterbody – Ponds			9.80						347.53	357.33
Grand Total	136.68		2642.06	951.42	160.53		658.93	91.03	347.73	4988.39

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T3 70.58 ha of agriculture are decreased and it is converted into built-up, plantation and water body of T4.

• In T4 182.16 ha of agriculture are increased from plantation, scrubland and water body of T3. The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Land cover	Monitor	ing period	l (T5)		Units in Hectares					
T4		Mining/ dump	Agriculture	Plantation Horticulture		Forest Plantation	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	136.68									136.68
Mining/dump										
Agriculture	12.53		2625.37	3.97					0.20	2642.06
Plantation Horticulture	0.27		54.82	896.33						951.42
Forest					160.53					160.53
Forest Plantation										
Barren Rocky										
Scrub	2.23		19.05				637.66			658.93
Waterbody- Streams/River								91.03		91.03
Waterbody – Ponds				0.71					347.02	347.73
Grand Total	151.70		2699.23	901.01	160.53		637.66	91.03	347.22	4988.39

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T4 16.70 ha of agriculture are decreased and it is converted into built-up, plantation and water body of T5.

• In T5 73.87 ha of agriculture are increased from plantation and scrubland of T4. The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

## Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- There is an decrease of 24.94 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data
  2010-11 (T0) & 2018-19 (T5) years.
- 4. There is an increase of 77.60, 111.58 & 57.17 Hectares From T0 to T1, T3 to T4 & T4 to T5 and there is an decrease of 529.90 & 249.26 Hectares From T1 to T2 & T2 to T3. The overall decrease of 532.81 Hectares in Crop land area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
- There is increase of 739.67 ha of the Plantation/Horticulture area has been increased between 2010-11 (T0)
  & 2018-19 (T5) years.
- 6. There is a decrease of 215.77 Hectares in Scrubland area as compared between 2010-11 (T0) & 2018-19 (T5) years.
- Farm ponds (20) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (20) verified from the portal.