MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

PRAKASAM -20/2010-11 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad February-2021

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND
WATERSHED MONITORING
DIVISION

Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

CONTENTS

EXECUTIVE SUMMARY


- O1. STUDY AREA
- O2. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA: Site wise changes in the project
- O4. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-20/2010-11, Prakasam District of Andhra Pradesh. The total geographical area of the project is 8763.32 ha. It comprises of 16 micro watersheds.
- In the project area 115 Drishti photos were uploaded showing 13 check dams, 33 Farm ponds/Percolation tanks, 9 entry point activities, 3 afforestation and 69 others.
- Major percentage i.e. 57.63% is covered by the agriculture, 33.49% is covered by scrub land, 3.89% is covered by water body and remaining by other land use classes.

PROJECT: PRAKASAM - IWMP-20/2010-11 DISTRICT: PRAKASAM, STATE: ANDHRA PRADESH

• The study area falls in Peda Araveedu Mandal of Prakasam district of Andhra Pradesh state. The total geographical area of the project is 8763.32 ha. It comprises of 16 micro watersheds. Location Map of the study area is shown in Figure below Analysis is done for 2010-11 (T0) period (*Batch -1*) projects taking 2018-19 (T5) period satellite images.



- Project area witnesses tropical wet and dry climate characterized by year round high temperatures. Prakasam has a record of reaching more than 46°C.
- The average annual rainfall of the district is 798.6 mm, monthly rainfall ranges from nil in March to 182.9 mm in October. October is the wettest month of the year. Southwest monsoon contributes significant rainfall in southern part of the district and Northeast monsoon contributes more than 70% of the rainfall.
- December is the coldest month with normal mean maximum temperature of about 27.1°c and mean minimum temperature of 19.2°C. Temperature begins to rise after February. May is the hottest month with mean daily maximum temperature of about 36.1°C and the mean daily minimum temperature of about 27.7°C. During May and early June the maximum temperature rises occasionally to 46°C and with the onset of SW monsoon by about second week of June, temperature begins to drop rapidly.


Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2010-11	2011-12	2018-19
LISS IV	2010-11		
SCENE 1			2-Oct-18
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2010-11		
SCENE 1			2-Oct-18
SCENE2			
SCENE 3			
SCENE 4	•		

Ancillary Data

Category	Sub category	Status
Thematic maps		
LULC (1: 10 000)		
	DRAIANGE	YES
	SETTLEMENT	YES
	ROADS/RAILS	No
LULC (1: 50 000)		
	2005-06	
	2008-09	
Activity Plan Maps		
Drishti Photographs		
	Total	115
Detailed Project Report		
	Thematic maps LULC (1: 10 000) LULC (1: 50 000) Activity Plan Maps Drishti Photographs	Thematic maps LULC (1: 10 000) DRAIANGE SETTLEMENT ROADS/RAILS LULC (1: 50 000) 2005-06 2008-09 Activity Plan Maps Drishti Photographs Total

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities

Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	3	3
2	Horticulture	0	0
3	Agriculture	0	0
4	Pasture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Terrace	0	0
8	Checks & Plugs	2	2
9	Gabion structure	0	0
10	Farm ponds	33	30
11	Check dams	11	11
12	Nallah Bunds	0	0
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities	0	0
16	Capacity Building Activities	0	0
17	Entry Point Activity	9	9
18	Others	69	60
	TOTAL	127	115

MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures
- To is the baseline period before implementation (2010-11) and T5 is 2018-19 period for monitoring
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-20/2010-11







T1:2010-11

T2: 26 May 2015

Drishti SI no. 563673

MWS:4C4C6e2b

Farm pond



T1:2010-11



T2: 26 May 2015




Drishti SI no. 7032049

MWS:4C4C6e2b

Farm pond

Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-20/2010-11








T0: 2010-11

T1: 26 May 2015

Drishti SI no. 7038449 MWS:4C4C6e1c

Farm pond



T0: 2010-11



T2: 26 May 2015



Drishti Sl no. 7028395 MWS :4C4C5a1d

Farm pond


PRAKASAM-CUMBUMPADU – IWMP-20/2010-11


2009-10 May-2015 June-2014 bhuvan bhuvan bhuvan February-2017 April-2018 bbuvan bhuvan


Activity: Dugout Pit


Natural Color Composite — 2009-10 to 2017-18


Natural Color Composite















MONITORING IN THE PROJECT AREA


Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody-ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the pre implementation period as T0 (2010-11) and row represents the post implementation period as T5 (2018-19).


Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2010-11 to 2014-15)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)



Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Built-up




T1: 2010-11




T2: 26 May 2014

Agriculture to Plantation




T1: 2010-11



T2: 26 May 2014

Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Water body



T0: 2010-11




T1: 26 May 2014

Agriculture to Water body





T0: 2010-11




T1: 26 May 2014

Land Use and Land Cover changes for Pre and Post treatment dates








T2: 2015-16 (79°21'22.667"E 15°53'36.312"N)

T3: 29 October 2017

Scrub to Agriculture



T2: 2015-16 (79°18'16.559"E 15°51'44.674"N)



T3: 29 October 2017

Table showing change matrix depicting Land cover transitions during study period-2010-11 to 2014-15

Land cover	Monitor	Monitoring period (T1) Units in Hectares										
Т0	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	46.96	j									46.96	
Mining/dump												
Agriculture	83.24		4448.18	53.86				109.97	,	2.55	4697.80	
Plantation Horticulture			61.63	131.51							193.14	
Forest												
Forest Plantation												
Barren Rocky												
Scrub	10.99	1.20	461.92	0.26				3007.31		11.56	3493.23	
Waterbody- Streams/River									104.76		104.76	
Waterbody – Ponds	0.90									226.52	227.43	
Grand Total	142.09	1.20	4971.73	185.63				3117.28	104.76	240.63	8763.32	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 249.63 ha of agriculture are decreased and it is converted into built-up, plantation, scrubland and water body of T1.
- In T1 523.56 ha of agriculture are increased from plantation and scrubland of T0. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16

Land cover	Monitor	Monitoring period (T2) Units in Hectares									
T1		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation			Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	142.09										142.09
Mining/dump		1.20									1.20
Agriculture	1.94		4943.29	22.51				3.91		0.08	4971.73
Plantation Horticulture			9.37	176.20						0.06	185.63
Forest											
Forest Plantation											
Barren Rocky											
Scrub	1.90	16.32	28.69	11.57				3057.45		1.35	3117.28
Waterbody- Streams/River									104.76		104.76
Waterbody – Ponds			14.42							226.21	240.63
Grand Total	145.94	17.52	4995.76	210.28				3061.37	104.76	227.69	8763.32

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 28.45 ha of agriculture are decreased and it is converted into built-up, plantation, scrubland and water body of T2.
- In T2 38.06 ha of agriculture are increased from plantation, scrubland and water body of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

Land cover	Monitoring period (T3) Units in Hectares										
Т2		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	145.94										145.94
Mining/dump		17.52									17.52
Agriculture	0.50	1.53	4947.11	45.52						1.11	4995.76
Plantation Horticulture			3.70	206.58							210.28
Forest Forest Plantation											
Barren Rocky											
Scrub	0.54	1.68	111.98					2938.26		8.90	3061.37
Waterbody- Streams/River									104.76		104.76
Waterbody – Ponds			3.82							223.87	227.69
Grand Total	146.98	20.73	5066.61	252.10				2938.26	104.76	233.88	8763.32

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 47.13 ha of agriculture are decreased and it is converted into built-up, mining/dump, plantation and water body of T3.
- In T3 115.68 ha of agriculture are increased from plantation, scrubland and water body of T2. The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitor	Monitoring period (T4) Units in Hectares									
Т3		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	146.98										146.98
Mining/dump		20.73									20.73
Agriculture	8.81	4.83	5051.92	1.06							5066.61
Plantation Horticulture			0.77	251.32							252.10
Forest											
Forest Plantation											
Barren Rocky											
Scrub			2.52					2935.74			2938.26
Waterbody- Streams/River									104.76		104.76
Waterbody – Ponds										233.88	233.88
Grand Total	155.79	25.56	5055.21	252.38				2935.74	104.76	233.88	8763.32

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 9.86 ha of agriculture are decreased and it is converted into built-up, mining/dump and plantation of T4.
- In T4 3.29 ha of agriculture are increased from plantation and scrubland of T3. The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

Land cover	Monitor	Monitoring period (T5) Units in Hectares									
Т4		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	155.79										155.79
Mining/dump		25.56									25.56
Agriculture	12.58		5041.70							0.93	5055.21
Plantation Horticulture			8.55	243.83							252.38
Forest											
Forest Plantation											
Barren Rocky											
Scrub								2934.73		1.01	2935.74
Waterbody- Streams/River									104.76		104.76
Waterbody – Ponds										233.88	233.88
Grand Total	168.37	25.56	5050.25	243.83				2934.73	104.76	235.82	8763.32

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 13.52 ha of agriculture are decreased and it is converted into built-up and water body of T5.
- In T5 8.55 ha of agriculture are increased from plantation of T4. The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- 3. There is an increase of 8.40 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
- 4. There is an increase of 273.93, 24.03 & 70.85Hectares From T0 to T1, T1 to T2 & T2 to T3 and there is an decrease of 11.40 & 4.96 Hectares From T3 to T4 & T4 to T5. The overall increase of 352.45 Hectares in Crop land area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
- 5. There is increase of 50.68 ha of the Plantation/Horticulture area has been increased between 2010-11 (T0) & 2018-19 (T5) years.
- 6. There is a decrease of 558.50 Hectares in Scrubland area as compared between 2010-11 (T0) & 2018-19 (T5) years.
- 7. Farm ponds (127) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (115) verified from the portal.