MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

PRAKASAM -29/2010-11 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad February-2021

Т 0 - Т 1 - Т 2 - Т 3 - Т 4 - Т 5



AGRICULTURE & SOIL DIVISION Andhra Pradesh Space Applications Centre (APSAC) ITE&C Department Govt. of Andhra Pradesh



RURAL DEVELOPMENT AND WATERSHED MONITORING DIVISION Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND RESOURCES Ministry of Rural Development Government of India

$\textbf{C} \ \textbf{O} \ \textbf{N} \ \textbf{T} \ \textbf{E} \ \textbf{N} \ \textbf{T} \ \textbf{S}$

• EXECUTIVE SUMMARY


- 01. STUDY AREA
- **02**. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
- 04. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web
 portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses
 high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-29/2010-11, Prakasam District of Andhra Pradesh. The total geographical area of the project is 8,727.96 ha. It comprises of 18 micro watersheds.
- In the project area 354 Drishti photos were uploaded showing 185 check dams/Checks & plugins, 115Agriculture/horticulture, 20 livelihood activities, 10 farmponds, 5 afforestation and 19 others.
- Major percentage i.e. 76.65% is covered by the agriculture, 16.20% is covered by plantation, 0.49% is covered by scrub land, 3.65% by water body and remaining by other land use classes.

PROJECT : PRAKASAM - IWMP-29/2010-11 DISTRICT : PRAKASAM , STATE : ANDHRA PRADESH

The study area falls in Janakavarampanguluru Mandal of Prakasam district of Andhra Pradesh state. The total geographical area of the project is 8,727.96 ha. It comprises of 18 micro watersheds. Location Map of the study area is shown in Figure below Analysis is done for 2010-11 (T0) period (*Batch -1*) projects taking 2018-19 (T5) period satellite images.



- Project area witnesses tropical wet and dry climate characterized by year round high temperatures. Prakasam has a record of reaching more than 46°C.
- The average annual rainfall of the district is 798.6 mm, monthly rainfall ranges from nil in March to 182.9 mm in October. October is the wettest month of the year. Southwest monsoon contributes significant rainfall in southern part of the district and Northeast monsoon contributes more than 70% of the rainfall.
- December is the coldest month with normal mean maximum temperature of about 27.1°c and mean minimum temperature of 19.2°C. Temperature begins to rise after February. May is the hottest month with mean daily maximum temperature of about 36.1°C and the mean daily minimum temperature of about 27.7°C. During May and early June the maximum temperature rises occasionally to 46°C and with the onset of SW monsoon by about second week of June, temperature begins to drop rapidly.

Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	Τ5
	2010-11	2011-12	2018-19
LISS IV	2010-11		
SCENE 1			14-Feb-19
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2010-11		
SCENE 1			14-Feb-19
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	354
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend




Drainage (1:10000 Scale)

MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	5	5
	Horticulture/Agriculture		
2		128	115
3	Block planting	0	0
4	Pasture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Terrace	0	0
8	Checks & Plugs	9	0
9	Gabion structure	0	0
10	Farm ponds	10	10
11	Check dams	240	185
12	Nallah Bunds	0	0
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities	28	20
16	Production system and Micro-Enterprises	0	0
17	Entry Point Activity	0	0
18	Others	38	19
	TOTAL	499	354

MONITORING IN THE PROJECT AREA


Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures
- T0 is the baseline period before implementation (2010-11) and T5 is 2018-19 period for monitoring
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-29/2010-11



Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-29/2010-11



Prakasam–IWMP-29/2010-11






March-2017


Feb-2019



Activity : Dug out Sunken pond








MONITORING IN THE PROJECT AREA


Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody –ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the pre implementation period as T0 (2010-11) and row represents the post implementation period as T5 (2018-19).


Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2010-11 to 2014-15) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19) Scale: 1:10000




Land Use and Land Cover changes for Pre and Post treatment dates







Land Use and Land Cover changes for Pre and Post treatment dates





Land Use and Land Cover changes for Pre and Post treatment dates





Agriculture to Plantation

Agriculture to Water body

Land cover	Monitor	ing period	(T1)			-	_	-	L	Jnits in Hectares	
ТО		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	236.59										236.59
Mining/dump		0.84									0.84
Agriculture	4.68	0.54	7718.63					8.45		7.39	7739.70
Plantation Horticulture			63.77	4.57				0.40			68.74
Forest											
Forest Plantation											
Barren Rocky											
Scrub	0.45		78.76					282.61		4.14	365.96
Waterbody- Streams/River									74.47		74.47
Waterbody – Ponds	0.05		16.92							224.69	241.66
Grand Total	241.78	1.38	7878.08	4.57				291.46	74.47	236.22	8727.96

Table showing change matrix depicting Land cover transitions during study period-2010-11 to 2014-15

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In TO 21.07ha of agriculture are decreased and it is converted into built-up, mining/dump, scrubland and water body of T1.

• In T1 159.45 ha of agriculture are increased from plantation, scrubland and water body of T0. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Land cover	Monitor	ing period	l (T2)	L	Units in Hectares					
T1		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	241.78									241.78
Mining/dump		1.38								1.38
Agriculture	3.82	1.75	7520.75	346.11			1.78		3.86	7878.08
Plantation Horticulture				4.57						4.57
Forest										
Forest Plantation										
Barren Rocky										
Scrub			55.52				235.24		0.70	291.46
Waterbody- Streams/River								74.47		74.47
Waterbody – Ponds									236.22	236.22
Grand Total	245.60	3.13	7576.27	350.68			237.02	74.47	240.78	8727.96

Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T1 357.33 ha of agriculture are decreased and it is converted into built-up, mining/dump, plantation, scrubland and water body of T2.

• In T2 55.22 ha of agriculture are increased from scrubland of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Units in Hectares Monitoring period (T3) Land cover Mining/ Forest Waterbody-Plantation Barren Streams/River dump Water body Plantation Agriculture Horticulture **T2** Built up Forest Rocky Scrub Ponds **Grand Total** Built up 245.60 245.60 3.13 Mining/dump 3.13 Agriculture 6.70 7318.84 246.61 2.71 7576.27 1.41 Plantation Horticulture 273.00 77.68 350.68 Forest Forest Plantation **Barren Rocky** Scrub 0.19 31.88 204.19 0.76 237.02 Waterbody-Streams/River 74.47 74.47 Waterbody – 0.22 Ponds 0.63 239.93 240.78

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

206.90

74.47

242.10

8727.96

Grand Total

252.70

3.13

7624.36

324.28

• In T2 257.43 ha of agriculture are decreased and it is converted into built-up, plantation, scrubland and water body of T3.

• In T3 305.52 ha of agriculture are increased from plantation, scrubland and water body of T2. The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Land cover	Monitor	ing period	l (T4)			Units in Hectares					
T3		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	252.70										252.70
Mining/dump		3.13									3.13
Agriculture	0.81		6237.98	1385.19						0.39	7624.36
Plantation Horticulture			221.29	102.99							324.28
Forest											
Forest Plantation											
Barren Rocky											
Scrub			108.99					97.61		0.30	206.90
Waterbody- Streams/River									74.47		74.47
Waterbody – Ponds										242.10	242.10
Grand Total	253.51	3.13	6568.26	1488.18				97.61	74.47	242.80	8727.96

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T3 1386.38 ha of agriculture are decreased and it is converted into built-up, plantation and water body of T4.

• In T4 330.29 ha of agriculture are increased from plantation and scrubland of T3. The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Land cover	Monitor	ing period	L	Units in Hectares						
T4		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	253.51									253.51
Mining/dump		3.13								3.13
Agriculture	6.79		6379.30	181.08					1.09	6568.26
Plantation Horticulture			255.36	1232.81						1488.18
Forest										
Forest Plantation										
Barren Rocky										
Scrub			55.16				42.45			97.61
Waterbody- Streams/River								74.47		74.47
Waterbody – Ponds									242.80	242.80
Grand Total	260.30	3.13	6689.83	1413.89			42.45	74.47	243.88	8727.96

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T4 188.96 ha of agriculture are decreased and it is converted into built-up, plantation and water body of T5.

• In T5 310.52 ha of agriculture are increased from plantation and scrubland of T4. The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- There is an increase of 2.22 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
- 4. There is an increase of 138.38, 48.09 & 121.56 Hectares From T0 to T1, T2 to T3 & T4 to T5 and there is an decrease of 301.81 & 1056.10 Hectares From T1 to T2 & T3 to T4. The overall decrease of 1049.87 Hectares in Crop land area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
- There is increase of 1345.16 ha of the Plantation/Horticulture area has been increased between 2010-11
 (T0) & 2018-19 (T5) years.
- 6. There is a decrease of 323.51 Hectares in Scrubland area as compared between 2010-11 (T0) & 2018-19 (T5) years.
- Farm ponds (10) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (10) verified from the portal.