

# MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

## SUMMARY REPORT

PRAKASAM -30/2010-11  
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad  
February-2021

**T 0 - T 1 - T 2 - T 3 - T 4 - T 5**



AGRICULTURE & SOIL  
DIVISION  
Andhra Pradesh Space  
Applications Centre (APSAC)  
ITE&C Department Govt. of  
Andhra Pradesh



RURAL DEVELOPMENT AND  
WATERSHED MONITORING  
DIVISION  
Land Resources and Land Use  
Mapping and Monitoring Group,  
Remote Sensing Application Area,  
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND  
RESOURCES  
Ministry of Rural Development  
Government of India

# C O N T E N T S

- **EXECUTIVE SUMMARY**

01. STUDY AREA

02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS

03. MONITORING IN THE PROJECT AREA : Site wise changes in the project

04. CONCLUSIONS


## **E X E C U T I V E   S U M M A R Y**

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely - Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project - IWMP-30/2010-11, Prakasam District of Andhra Pradesh. The total geographical area of the project is 7399.42 ha. It comprises of 15 micro watersheds.
- In the project area 396 Drishti photos were uploaded showing 235 check dams/Checks & plugins,
- 9 farm ponds, 31 Entry point activities, 9 farmponds, 1 afforestation and 120 others.
- Major percentage i.e. 52.71% is covered by the agriculture, 16.30% is covered by scrub land, 23.79% by forest, 4.19% by water body and remaining by other land use classes.

# PROJECT : PRAKASAM – IWMP-30/2010-11

## DISTRICT : PRAKASAM , STATE : ANDHRA PRADESH

- The study area falls in Cumbum and Racherla Mandal of Prakasam district of Andhra Pradesh state. The total geographical area of the project is 7399.42 ha. It comprises of 15 micro watersheds. Location Map of the study area is shown in Figure below Analysis is done for 2010-11 (T0) period (*Batch -1*) projects taking 2018-19 (T5) period satellite images.



- Project area witnesses tropical wet and dry climate characterized by year round high temperatures. Prakasam has a record of reaching more than 46°C.
- The average annual rainfall of the district is 798.6 mm, monthly rainfall ranges from nil in March to 182.9 mm in October. October is the wettest month of the year. Southwest monsoon contributes significant rainfall in southern part of the district and Northeast monsoon contributes more than 70% of the rainfall.
- December is the coldest month with normal mean maximum temperature of about 27.1°C and mean minimum temperature of 19.2°C. Temperature begins to rise after February. May is the hottest month with mean daily maximum temperature of about 36.1°C and the mean daily minimum temperature of about 27.7°C. During May and early June the maximum temperature rises occasionally to 46°C and with the onset of SW monsoon by about second week of June, temperature begins to drop rapidly.


# Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2010-11	2011-12	2018-19
LISS IV	2010-11		
SCENE 1			25-Oct-18
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2010-11		
SCENE 1			25-Oct-18
SCENE2			
SCENE 3			
SCENE 4			

## Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC ( 1: 10 000)		
		DRAINAGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	396
4	Detailed Project Report		

# Natural Color Composite overlaid with Project boundaries and high detail stream network



## Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

# Natural Color Composite overlaid with Drishti Points



## Drishti Upload Status

## Classification of the Activities

Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	1	1
2	Horticulture/Agriculture	0	0
3	Block planting	0	0
4	Pasture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Terrace	0	0
8	Checks & Plugs	27	25
9	Gabion structure	0	0
10	Farm ponds	9	9
11	Check dams	227	210
12	Nallah Bunds	0	0
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities	0	0
16	Production system and Micro-Enterprises	0	0
17	Entry Point Activity	31	31
18	Others	170	120
	<b>TOTAL</b>	<b>465</b>	<b>396</b>

## MONITORING IN THE PROJECT AREA

### Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures
- T0 is the baseline period before implementation (2010-11) and T5 is 2018-19 period for monitoring
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

# Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-30/2010-11



T1:2010-11



T2: 26 May 2014




Drishti SI no. 7025142 MWS : 4C4C7i3b

**Gabion structure**



T1:2010-11



T2: 26 May 2014




Drishti SI no. 162117 MWS :4C4C7i3b

**Percolation tank / Ground Water Recharge Structure**



Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-30/2010-11



T0: 2010-11



T1: 26 May 2014



Drishti Sl no. 165302 MWS : 4C4C7i3a

Horticulture



T0: 2010-11



T2: 26 May 2014




Drishti Sl no. 715029 MWS :4C4C7i1g

Water harvesting Structure

Prakasam-IWMP-30/2010-11

2009-10



June-2014



Feb-2015



Nov-2017




Jan-2019



Activity : Farm pond

# Natural Color Composite – 2009-10 to 2017-18

## Natural Color Composite




## MONITORING IN THE PROJECT AREA

### Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the pre implementation period as T0 (2010-11) and row represents the post implementation period as T5 (2018-19).


# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2010-11 to 2014-15)

Scale: 1:10000





# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16)

Scale: 1:10000





# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)

Scale: 1:10000



# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)



Scale: 1:10000






# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)

Scale: 1:10000



## Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Water body



T0

T0: 2010-11



T1

T2: 26 May 2014

Agriculture to Water body



T0

T0: 2010-11




T1

T2: 26 May 2014

## Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Water body




T1: 2014-15(79°1'30.757"E 15°32'47.586"N)




T2: 05 April 2016

Agriculture to Water body




T1: 2014-15 (79°0'25.462"E 15°31'55.226"N)




T2: 05 April 2016

## Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to Water body




T1: 2014-15 (79°0'23.112"E 15°33'19.474"N)



T2: 05 April 2016

Scrub to Agriculture



T1: 2014-15(79°2'8.524"E 15°33'12.171"N)



T2: 05 April 2016

**Table showing change matrix depicting Land cover transitions during study period-2010-11 to 2014-15**

Land cover	Monitoring period (T1)										
	Units in Hectares										Grand Total
T0	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	
Built up	101.59										101.59
Mining/dump		9.46									9.46
Agriculture	4.39		2760.90	7.74						1.47	2774.50
Plantation Horticulture				9.54							9.54
Forest			2.30		1762.44						1764.75
Forest Plantation											
Barren Rocky											
Scrub	6.77		250.50	0.86				1744.66		4.24	2007.02
Waterbody- Streams/River									169.69		169.69
Waterbody – Ponds			4.99							557.88	562.87
<b>Grand Total</b>	<b>112.75</b>	<b>9.46</b>	<b>3018.69</b>	<b>18.13</b>	<b>1762.44</b>			<b>1744.66</b>	<b>169.69</b>	<b>563.59</b>	<b>7399.42</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 13.60 ha of agriculture are decreased and it is converted into built-up, plantation and water body of T1.
- In T1 257.79 ha of agriculture are increased from forest, scrubland and water body of T0. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16**

Land cover	Monitoring period (T2)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
<b>T1</b>												
<b>Built up</b>	112.75										112.75	
<b>Mining/dump</b>		9.46									9.46	
<b>Agriculture</b>	0.59	2.09	2981.17	32.49						2.35	3018.69	
<b>Plantation Horticulture</b>			7.71	10.42							18.13	
<b>Forest</b>			1.30		1761.14						1762.44	
<b>Forest Plantation</b>												
<b>Barren Rocky</b>												
<b>Scrub</b>	2.36	22.83	371.49					1344.55		3.43	1744.66	
<b>Waterbody- Streams/River</b>									169.69		169.69	
<b>Waterbody – Ponds</b>			479.42	0.56						83.61	563.59	
<b>Grand Total</b>	<b>115.70</b>	<b>34.38</b>	<b>3841.08</b>	<b>43.47</b>	<b>1761.14</b>			<b>1344.55</b>	<b>169.69</b>	<b>89.39</b>	<b>7399.42</b>	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 37.52 ha of agriculture are decreased and it is converted into built-up, mining/dump, plantation and water body of T2.
- In T2 859.91 ha of agriculture are increased from plantation, forest, scrubland and water body of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17**

Land cover	Monitoring period (T3)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
<b>Built up</b>	115.70										115.70	
<b>Mining/dump</b>		34.38									34.38	
<b>Agriculture</b>		0.43	3806.07	5.77						28.81	3841.08	
<b>Plantation Horticulture</b>			12.52	30.95							43.47	
<b>Forest</b>					1761.14						1761.14	
<b>Forest Plantation</b>												
<b>Barren Rocky</b>												
<b>Scrub</b>		0.70	14.59					1329.27			1344.55	
<b>Waterbody- Streams/River</b>									169.69		169.69	
<b>Waterbody – Ponds</b>										89.39	89.39	
<b>Grand Total</b>	<b>115.70</b>	<b>35.50</b>	<b>3833.18</b>	<b>36.73</b>	<b>1761.14</b>			<b>1329.27</b>	<b>169.69</b>	<b>118.20</b>	<b>7399.42</b>	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 35.01 ha of agriculture are decreased and it is converted into mining/dump, plantation and water body of T3.
- In T3 27.11 ha of agriculture are increased from plantation and scrubland of T2. The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18**

Land cover	Monitoring period (T4)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
<b>T3</b>												
<b>Built up</b>	115.70										115.70	
<b>Mining/dump</b>		35.50									35.50	
<b>Agriculture</b>			3820.66	7.52				4.44		0.56	3833.18	
<b>Plantation Horticulture</b>			14.34	22.39							36.73	
<b>Forest</b>					1761.14						1761.14	
<b>Forest Plantation</b>												
<b>Barren Rocky</b>												
<b>Scrub</b>								1329.27			1329.27	
<b>Waterbody- Streams/River</b>									169.69		169.69	
<b>Waterbody – Ponds</b>		0.11	0.18							117.92	118.20	
<b>Grand Total</b>	<b>115.70</b>	<b>35.61</b>	<b>3835.18</b>	<b>29.91</b>	<b>1761.14</b>			<b>1333.70</b>	<b>169.69</b>	<b>118.48</b>	<b>7399.42</b>	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 12.52 ha of agriculture are decreased and it is converted into plantation, scrubland and water body of T4.
- In T4 14.51 ha of agriculture are increased from plantation and water body of T3. The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.



**Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19**

Land cover	Monitoring period (T5)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
<b>Built up</b>	115.70										115.70	
<b>Mining/dump</b>		35.11								0.50	35.61	
<b>Agriculture</b>	29.49	15.12	3772.96							17.61	3835.18	
<b>Plantation Horticulture</b>			3.68	26.23							29.91	
<b>Forest</b>			0.35		1760.23					0.57	1761.14	
<b>Forest Plantation</b>												
<b>Barren Rocky</b>												
<b>Scrub</b>	1.03		123.05					1205.97		3.65	1333.70	
<b>Waterbody- Streams/River</b>									169.69		169.69	
<b>Waterbody – Ponds</b>			0.56							117.92	118.48	
<b>Grand Total</b>	<b>146.22</b>	<b>50.23</b>	<b>3900.60</b>	<b>26.23</b>	<b>1760.23</b>			<b>1205.97</b>	<b>169.69</b>	<b>140.25</b>	<b>7399.42</b>	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 62.22 ha of agriculture are decreased and it is converted into built-up, mining/dump and water body of T5.
- In T5 127.63 ha of agriculture are increased from plantation, forest, scrubland and water body of T4. The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

# Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an decrease of 422.62 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
4. There is an increase of 244.19, 822.39, 2.00 & 65.42 Hectares From T0 to T1, T1 to T2 , T3 to T4 & T4 to T5 and there is an decrease of 7.90 Hectares T2 to T3. The overall increase of 1126.10 Hectares in Crop land area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
5. There is increase of 16.70 ha of the Plantation/Horticulture area has been increased between 2010-11 (T0) & 2018-19 (T5) years.
6. There is a decrease of 801.05 Hectares in Scrubland area as compared between 2010-11 (T0) & 2018-19 (T5) years.
7. Farm ponds (9) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (9) verified from the portal.