

# MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

## SUMMARY REPORT

PRAKASAM -51/2011-12

Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad

January-2022

**T 0 - T 1 - T 2 - T 3 - T 4 - T 5**



AGRICULTURE & SOIL  
DIVISION  
Andhra Pradesh Space  
Applications Centre (APSAC)  
ITE&C Department Govt. of  
Andhra Pradesh



RURAL DEVELOPMENT AND  
WATERSHED MONITORING  
DIVISION  
Land Resources and Land Use  
Mapping and Monitoring Group,  
Remote Sensing Application Area,  
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND  
RESOURCES  
Ministry of Rural Development  
Government of India

# C O N T E N T S

- **EXECUTIVE SUMMARY**

01. STUDY AREA
02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
04. CONCLUSIONS


## EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely - Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project - IWMP-51/2011-12, Prakasam District of Andhra Pradesh. The total geographical area of the project is **4275.38** ha. It comprises of 9 micro watersheds.
- In the project area 358 Drishti photos were uploaded showing 18 land development, 1 checks & plugins and 339 others.
- Major percentage i.e. 73.9% is covered by the Agriculture, 11% is covered by Scrubland, 8.2% covered by plantation/horticulture and remaining by other land use classes.

# PROJECT : PRAKASAM - IWMP-51/2011-12

## DISTRICT : PRAKASAM , STATE : ANDHRA PRADESH

- The study area falls in Chimakurthi Mandal of Prakasam district of Andhra Pradesh state. The total geographical area of the project is **4275.38** ha. It comprises of 9 micro watersheds. Location Map of the study area is shown in Figure below Analysis is done for 2011-12 (T0) period (*Batch -1*) projects taking 2019-20 (T5) period satellite images.



- Project area witnesses tropical wet and dry climate characterized by year round high temperatures. Prakasam has a record of reaching more than 46°C.
- The average annual rainfall of the district is 798.6 mm, monthly rainfall ranges from nil in March to 182.9 mm in October. October is the wettest month of the year. Southwest monsoon contributes significant rainfall in southern part of the district and Northeast monsoon contributes more than 70% of the rainfall.
- December is the coldest month with normal mean maximum temperature of about 27.1°C and mean minimum temperature of 19.2°C. Temperature begins to rise after February. May is the hottest month with mean daily maximum temperature of about 36.1°C and the mean daily minimum temperature of about 27.7°C. During May and early June the maximum temperature rises occasionally to 46°C and with the onset of SW monsoon by about second week of June, temperature begins to drop rapidly.


# Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2011-12	2012-13	2019-20
LISS IV	2011-12		
SCENE 1			28-Aug-19
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2011-12		
SCENE 1			28-Aug-19
SCENE2			
SCENE 3			
SCENE 4			

## Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC ( 1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	212
4	Detailed Project Report		

# Natural Color Composite overlaid with Project boundaries and high detail stream network



## Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

# Natural Color Composite overlaid with Drishti Points



## Drishti Upload Status

## Classification of the Activities



Sr. No	Activity	Drishti Photo	Visible on satellite
1	Agriculture/Horticulture	0	0
2	Afforestation	18	18
3	Pasture	0	0
4	Trench	0	0
5	Field Bunds	0	0
6	Terrace	0	0
7	Checks & Plugs	1	1
8	Gabion structure	0	0
9	Farm ponds/Dug out pit	0	0
10	Civil work-Check dams/Rock fill dam	0	0
11	Nallah Bunds/Drainage treatment	0	0
12	Percolation tanks / Ground water recharge structure	0	0
13	Production System and Micro-Enterprises	0	0
14	Livelihood Activities	0	0
15	Capacity Building Activities	0	0
16	Entry Point Activity	0	0
17	Others	348	339
	<b>TOTAL</b>	<b>367</b>	<b>358</b>

## MONITORING IN THE PROJECT AREA

### Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures
- T0 is the baseline period before implementation (2011-12) and T5 is 2019-20 period for monitoring
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

# Natural Color Composite





Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-51/2011-12



T0

T0:2011-12




T1

T1: 09 January 2015



Drishti Sl no. 7012622 MWS : 4C4B5g1b

Check dam



T0

T0:2011-12



T1

T1: 09 January 2015




Drishti Sl no. 7012633 MWS :4C4B5g1b

Check dam

Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-51/2011-12



T0: 2011-12



T1: 09 January 2015



Drishti SI no7018955 MWS :4C4B5g1b

**Check dam**



T0: 2011-12



T1: 09 January 2015



Drishti SI no. 7012651 MWS :4C4B5g1b

**Horticulture**



## MONITORING IN THE PROJECT AREA

### Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the pre implementation period as T0 (2011-12) and row represents the post implementation period as T5 (2019-20) .



# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2011-12 to 2015-16)

Scale: 1:10000





# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)

Scale: 1:10000





# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000





# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)

Scale: 1:10000



# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20)


Scale: 1:10000






## Land Use and Land Cover changes for Pre and Post treatment dates

### Scrub To Agriculture




T0: 2011-12 (79°36'25.71"E 15°48'8.334"N )




T1: 09 January 2015

### Agriculture to Plantation



T0: 2011-12 (79°36'24.64"E 15°47'55.715"N )




T1: 09 January 2015

## Land Use and Land Cover changes for Pre and Post treatment dates

Plantation to Agriculture




T0: 2011-12(79°39'13.142"E 15°48'47.36"N )




T1: 09 January 2015

Scrub to Water body



T0: 2011-12(79.924360 15.628708 )



T1: 09 January 2015

**Table showing change matrix depicting Land cover transitions during study period-2011-12 to 2015-16**

Land cover	Monitoring period (T1)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
<b>Built up</b>	100.97												<b>100.97</b>
<b>Mining/dump</b>		0.28											<b>0.28</b>
<b>Agriculture</b>	3.98		2559.10	203.62							13.15		<b>2779.86</b>
<b>Plantation Horticulture</b>	1.84	0.73	293.13	351.21				15.13			1.17		<b>663.20</b>
<b>Forest</b>													
<b>Forest Plantation</b>													
<b>Barren Rocky</b>													
<b>Scrub</b>	2.17		27.12	3.08				560.75			8.07		<b>601.18</b>
<b>Waterbody- Streams/River</b>								9.58	55.23				<b>64.81</b>
<b>Waterbody – Ponds</b>											65.22		<b>65.22</b>
<b>Grand Total</b>	<b>108.96</b>	<b>1.00</b>	<b>2879.35</b>	<b>557.91</b>				<b>585.46</b>	<b>55.23</b>		<b>87.61</b>		<b>4275.52</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 220 ha of the agriculture area has decreased and it is converted into Built-up, plantation and water body in T1.
- In T1 320 ha of the agriculture area has increased from plantations and scrubland of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17**

Land cover	Monitoring period (T2)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
<b>T1</b>												
<b>Built up</b>	108.96										<b>108.96</b>	
<b>Mining/dump</b>		1.00									<b>1.00</b>	
<b>Agriculture</b>	9.51	2.02	2854.80	13.01							<b>2879.35</b>	
<b>Plantation Horticulture</b>	0.05		44.59	513.27							<b>557.91</b>	
<b>Forest</b>												
<b>Forest Plantation</b>												
<b>Barren Rocky</b>												
<b>Scrub</b>	0.16		11.31					574.00			<b>585.46</b>	
<b>Waterbody- Streams/River</b>									55.23		<b>55.23</b>	
<b>Waterbody – Ponds</b>			2.12							85.49	<b>87.61</b>	
<b>Grand Total</b>	<b>118.69</b>	<b>3.03</b>	<b>2912.81</b>	<b>526.28</b>				<b>574.00</b>	<b>55.23</b>	<b>85.49</b>	<b>4275.52</b>	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 24 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump and plantation in T2.
- In T2 58 ha of the agriculture area has increased from plantations, scrubland and water body of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18**

Land cover	Monitoring period (T3)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
<b>Built up</b>	118.69												<b>118.69</b>
<b>Mining/dump</b>		3.03											<b>3.03</b>
<b>Agriculture</b>	10.25	0.27	2800.81	99.59							1.89		<b>2912.81</b>
<b>Plantation Horticulture</b>	1.39		201.78	317.85				5.26					<b>526.28</b>
<b>Forest</b>													
<b>Forest Plantation</b>													
<b>Barren Rocky</b>													
<b>Scrub</b>	0.06		71.31					502.62					<b>574.00</b>
<b>Waterbody- Streams/River</b>									55.23				<b>55.23</b>
<b>Waterbody – Ponds</b>			5.96								79.53		<b>85.49</b>
<b>Grand Total</b>	<b>130.39</b>	<b>3.29</b>	<b>3079.86</b>	<b>417.44</b>				<b>507.88</b>	<b>55.23</b>		<b>81.42</b>		<b>4275.52</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 112 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations and water body in T3.
- In T3 279 ha of the agriculture area has increased from plantations, scrubland and water body of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19**

Land cover	Monitoring period (T4)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
<b>T3</b>													
<b>Built up</b>	130.39												<b>130.39</b>
<b>Mining/dump</b>		3.29											<b>3.29</b>
<b>Agriculture</b>	4.61	0.65	3017.90	56.71									<b>3079.86</b>
<b>Plantation Horticulture</b>	1.04		105.56	310.84									<b>417.44</b>
<b>Forest</b>													
<b>Forest Plantation</b>													
<b>Barren Rocky</b>													
<b>Scrub</b>	0.73	5.89	15.19	1.70				484.37					<b>507.88</b>
<b>Waterbody- Streams/River</b>									55.23				<b>55.23</b>
<b>Waterbody – Ponds</b>			1.81								79.62		<b>81.42</b>
<b>Grand Total</b>	<b>136.77</b>	<b>9.83</b>	<b>3140.45</b>	<b>369.25</b>				<b>484.37</b>	<b>55.23</b>		<b>79.62</b>		<b>4275.52</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 61.9 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump and plantations in T4.
- In T4 122.5 ha of the agriculture area has increased from plantations, scrubland and water body of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20**

Land cover	Monitoring period (T5)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
<b>T4</b>													
<b>Built up</b>	136.77												<b>136.77</b>
<b>Mining/dump</b>		9.83											<b>9.83</b>
<b>Agriculture</b>	5.96		3116.31	18.18									<b>3140.45</b>
<b>Plantation Horticulture</b>	0.37		36.13	332.75									<b>369.25</b>
<b>Forest</b>													
<b>Forest Plantation</b>													
<b>Barren Rocky</b>													
<b>Scrub</b>			7.75					476.53			0.08		<b>484.37</b>
<b>Waterbody- Streams/River</b>									55.23				<b>55.23</b>
<b>Waterbody – Ponds</b>											79.62		<b>79.62</b>
<b>Grand Total</b>	<b>143.10</b>	<b>9.83</b>	<b>3160.20</b>	<b>350.93</b>				<b>476.53</b>	<b>55.23</b>		<b>79.70</b>		<b>4275.52</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 24 ha of the agriculture area has decreased and it is converted into Built-up and plantations in T5.
- In T5 43 ha of the agriculture area has increased from plantations and scrubland of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

# Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an increase of 4.9 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
4. There is an increase of 99, 33, 167, 60 & 19 Hectares From T0 to T1, T1-T2, T2-T3, T3-T4 & T4-T5 respectively and overall increase of 380 Hectares in Crop land area as compared between baseline LU/LC data 2011-12 (T0) & 2019-20 (T5) years.
5. There is a decrease of 124 Hectares in Scrubland area as compared between 2011-12 (T0) & 2019-20 (T5) years.