MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

Srikakulam -08/2010-11 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad February-2021

Т 0 - Т 1 - Т 2 - Т 3 - Т 4 - Т 5



AGRICULTURE & SOIL DIVISION Andhra Pradesh Space Applications Centre (APSAC) ITE&C Department Govt. of Andhra Pradesh



RURAL DEVELOPMENT AND WATERSHED MONITORING DIVISION Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND RESOURCES Ministry of Rural Development Government of India

$\textbf{C} \ \textbf{O} \ \textbf{N} \ \textbf{T} \ \textbf{E} \ \textbf{N} \ \textbf{T} \ \textbf{S}$

• EXECUTIVE SUMMARY

- 01. STUDY AREA
- **02**. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
- 04. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-08/2010-11, Srikakulam District of Andhra Pradesh. The total geographical area of the project is 6422.60 ha. It comprises of 8 micro watersheds.
- In the project area 129 Drishti photos were uploaded showing 40 Agriculture/horticulture, 1 aforestation, 58 check dams/checks & plugins, 23 farm ponds etc, and remaining showing other activities.
- Project area as per image analysis has witnessed distinguishable increase in farm ponds, showing 23 new farm ponds or dug out pits and 58 check dams/checks & plugins and drainage treatments with 17.89 ha increase in the area.
- Major percentage i.e. 45.73% is covered by the agriculture, 29.21% is covered by plantation, 5.66% is covered by scrubland and remaining by other land use classes.

PROJECT : SRIKAKULAM - IWMP-08/2010-11 DISTRICT : SRIKAKULAM , STATE : ANDHRA PRADESH

The study area falls in Ranastalam Mandal of Srikakulam district of Andhra Pradesh state. The total geographical area of the project is 6422.60 ha. It comprises of 8 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2010-11 (T0) period (*Batch -1*) projects taking 2018-19 (T5) period satellite images.



- The climate of the region is generally tropical, the mean maximum temperature is 30-40°C April-May and the mean minimum temperature is 17.4°C December-January during the summer season till the onset of the South-West monsoon the heat is oppressive and the day temperature is May sometimes go about 43°C.
- The rainfall in the region is considerably more in the hilly areas as compared to the plains, the annual normal rainfall is 1131 mm (i.e., 61% from South West monsoon and 2.2% from Northeast monsoon) is shared by summer showers and winter rains.

Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	Τ5
	2010-11	2011-12	2018-19
LISS IV	2010-11		
SCENE 1			15-Jan-19
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2010-11		
SCENE 1			15-Jan-19
SCENE2			
SCENE 3			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	129
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



Drainage (1:10000 Scale)

MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities

Sr. No	Activity	Drishti Photo	Visible on satellite
1	Agriculture/Horticulture	40	40
2	Afforestation	1	1
3	Black planting	0	0
4	Bund Planting	0	0
5	Checkdam	33	30
6	Field Bunds	2	2
7	Terrace	0	0
8	Checks & Plugs	34	28
9	Gabion structure	0	0
10	Farm ponds/Dug out pit	23	23
11	Civil work-Check dams /Rock fill dam	0	0
	Drainage treatment /Nala Revetment, loose boulder		
12	structure, gully check	0	0
	Land Developments (afforestation, horticulture and bund		
13	plantation of teak)	0	0
14	Lm	0	0
15	Soil moisture conservation	0	0
	Water harvesting structures (recharge pits and check		
16	dams)	0	0
17	Entry Point Activity	4	4
18	Others	0	0
	TOTAL	138	129

MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2010-11) and T5 is 2018-19 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Monitoring of activities in Srikakulam Dt Andhra Pradesh. IWMP-08/2010-11



Monitoring of activities in Srikakulam Dt Andhra Pradesh. IWMP-08/2010-11



Srikakulam–IWMP-08/2010-11

2009-10 March-2013



2019



Activity : Farm pond

Natural Color Composite – 2009-10 to 2017-18





MONITORING IN THE PROJECT AREA

Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody –ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2010-11) and row represents the T5 (2018-19)

Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2010-11 to 2014-15) Scale: 1:10000



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16) Scale: 1:10000



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17) Scale: 1:10000



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18) Scale: 1:10000



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19) Scale: 1:10000



Land Use and Land Cover changes for Pre and Post treatment dates





Scrub to Agriculture

Land Use and Land Cover changes for Pre and Post treatment dates





Land Use and Land Cover changes for Pre and Post treatment dates





Land cover	Monitor	Monitoring period (T1) Units in Hectares										
то	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	188.87										188.87	
Mining/dump		216.74									216.74	
Agriculture	40.60	4.29	2854.08	246.78					8.94	9.73	3164.42	
Plantation Horticulture Forest	1.89		106.27	1559.40						1.19	1668.74	
Forest Plantation												
Barren Rocky												
Scrub	1.99		94.36	23.25				516.40		1.87	637.86	
Waterbody- Streams/River									86.39		86.39	
Waterbody – Ponds			0.71							458.86	459.57	
Grand Total	233.35	221.03	3055.41	1829.43				516.40	95.33	471.65	6422.60	

Table showing change matrix depicting Land cover transitions during study period-2010-11 to 2014-15

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In TO 310.34 ha of agriculture are decreased and it is converted into built-up, mining/dump, plantation and water body of T1.

• In T1 201.33 ha of agriculture are increased from plantation, scrubland and water body of T0. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Land cover	Monitor	onitoring period (T2) Units in Hectares											
T1	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	233.35										233.35		
Mining/dump		221.03									221.03		
Agriculture	25.40	5.18	2792.61	231.62						0.61	3055.41		
Plantation Horticulture	7.90	1.74	101.41	1716.79						1.58	1829.43		
Forest													
Forest Plantation													
Barren Rocky													
Scrub	0.97	3.13	75.00	11.08				425.64		0.58	516.40		
Waterbody- Streams/River									95.33		95.33		
Waterbody – Ponds	0.36		0.46	2.66						468.17	471.65		
Grand Total	267.97	231.09	2969.49	1962.15				425.64	95.33	470.94	6422.60		

Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T1 262.81 ha of agriculture are decreased and it is converted into built-up, mining/dump, plantation and water body of T2.

• In T2 176.88 ha of agriculture are increased from plantation, scrubland and water body of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Units in Hectares Monitoring period (T3) Land cover Mining/ Forest Waterbody-Plantation Barren Streams/River dump Plantation Water body Agriculture Horticulture **T2** Built up Forest Rocky Scrub **Ponds Grand Total** 267.97 Built up 267.97 231.09 Mining/dump 231.09 Agriculture 8.38 52.78 2787.48 120.19 0.65 2969.49 Plantation Horticulture 43.88 13.75 1786.51 117.91 0.10 1962.15 Forest Forest Plantation Barren Rocky Scrub 38.72 8.26 0.63 378.04 425.64 Waterbody-Streams/River 95.33 95.33 Waterbody – 0.07 470.94 Ponds 470.88

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

378.04

95.33

471.62

6422.60

1914.96

Grand Total

320.30

298.25

2944.11

• In T2 182.00 ha of agriculture are decreased and it is converted into built-up, mining/dump, plantation and water body of T3.

• In T3 156.63 ha of agriculture are increased from plantation and scrubland of T2. The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Land cover	Monitor	Ionitoring period (T4) Units in Hectares											
T3	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	320.30										320.30		
Mining/dump		298.25									298.25		
Agriculture	3.65	7.85	2852.90	78.46						1.25	2944.11		
Plantation Horticulture	0.88	0.05	110.78	1803.24							1914.96		
Forest													
Forest Plantation													
Barren Rocky													
Scrub	0.36	0.26	8.33					368.99		0.09	378.04		
Waterbody- Streams/River									95.33		95.33		
Waterbody – Ponds										471.62	471.62		
Grand Total	325.20	306.41	2972.01	1881.71				368.99	95,33	472.96	6422.60		

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T3 91.22 ha of agriculture are decreased and it is converted into built-up, mining/dump, plantation and water body of T4.

• In T4 119.11 ha of agriculture are increased from plantation and scrubland of T3. The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Land cover	Monitoring period (T5) Units in Hectares											
T4	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	325.20										325.20	
Mining/dump		306.41									306.41	
Agriculture	8.21	24.71	2882.18	48.50						8.42	2972.01	
Plantation Horticulture	0.77	0.37	52.52	1827.71						0.34	1881.71	
Forest												
Forest Plantation												
Barren Rocky												
Scrub		3.24	2.22					363.54			368.99	
Waterbody- Streams/River									95.33		95.33	
Waterbody – Ponds	0.43									472.53	472.96	
Grand Total	334.61	334.72	2936.91	1876.21				363.54	95.33	481.29	6422.60	

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T4 89.84 ha of agriculture are decreased and it is converted into built-up, mining/dump, plantation and water body of T5.

• In T5 54.73 ha of agriculture are increased from plantation and scrubland of T4. The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- There is an increase of 30.66 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data
 2010-11 (T0) & 2018-19 (T5) years.
- 4. There is an increase of 27.90 Hectares From T3 to T4 and there is an decrease of 109.01, 85.93, 25.37 & 35.11 Hectares From T0 to T1, T1 to T2, T2 to T3 & T4 to T5. The overall decrease of 227.51 Hectares in Crop land area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
- There is increase of 207.47 ha of the Plantation/Horticulture area has been increased between 2010-11 (T0)
 & 2018-19 (T5) years.
- 6. There is a decrease of 274.33 Hectares in Scrubland area as compared between 2010-11 (T0) & 2018-19 (T5) years.
- Farm ponds (23) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (23) verified from the portal.