MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

YSR KADAPA -14/2010-11 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad July-2021

Т 0 - Т 1 - Т 2 - Т 3 - Т 4 - Т 5



AGRICULTURE & SOIL DIVISION Andhra Pradesh Space Applications Centre (APSAC) ITE&C Department Govt. of Andhra Pradesh



RURAL DEVELOPMENT AND WATERSHED MONITORING DIVISION Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND RESOURCES Ministry of Rural Development Government of India

$\textbf{C} \ \textbf{O} \ \textbf{N} \ \textbf{T} \ \textbf{E} \ \textbf{N} \ \textbf{T} \ \textbf{S}$

• EXECUTIVE SUMMARY


- 01. STUDY AREA
- **02**. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
- 04. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project– IWMP-14/2010-11, YSR Kadapa District of Andhra Pradesh. The total geographical area of the project is 8,132 ha. It comprises of 7 micro watersheds.
- In the project area 405 Drishti photos were uploaded showing 3 check dams/Rock fill dam, 1 farm ponds/dug out pit, and remaining showing other activities.
- Project area as per image analysis has witnessed distinguishable increase in farm ponds, showing new farm ponds or dug out pits and 4 check dams and drainage treatments with 10.71 ha increase in the area.
- Major percentage i.e. 36 % is covered by the agriculture, 9.2 % is covered by scrubland, 22 % is plantations, 17.5 % is forest area and remaining by other land use classes.

PROJECT : YSR KADAPA - IWMP-14/2010-11 DISTRICT : YSR KADAPA , STATE : ANDHRA PRADESH

The study area falls in Koduru Mandal of YSR Kadapa district of Andhra Pradesh state. The total geographical area of the project is 8,132 ha. It comprises of 7 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2010-11 (T0) period (*Batch -1*) projects taking 2018-19 (T5) period satellite images



- YSR Kadapa has a semi-arid climate, with hot and dry conditions for most of the year. Summers start in late February and peak in May with average high temperatures around the 38 °C range and it reaches around 44 °C to 45 °C.
- The average annual rainfall of the YSR Kadapa District is 710 mm, which ranges from nil rainfall in January to 137 mm in October. October is the wettest month of the year. The mean seasonal rainfall distribution is 402.4 mm in southwest monsoon (June September), 239.1 mm in northeast monsoon (October December), distribution of rainfall in season wise 56.7 % in south west monsoon, 33.7 % in north east monsoon period.

Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	Τ5
	2010-11	2011-12	2018-19
LISS IV	2010-11		
SCENE 1			23-Feb-19
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2010-11		
SCENE 1			23-Feb-19
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	210
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



Drainage (1:10000 Scale)

MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Agronomic measures	0	0
2	Afforestation	1	1
3	Black planting	0	0
4	Bund Planting/Horticulture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Terrace	0	0
8	Checks & Plugs	3	3
	New activity (boulder removal, farm ponds, dug out pits		
9	etc.,)	0	0
10	Farm ponds/Dug out pit	1	1
11	Civil work-Check dams /Rock fill dam	0	0
	Drainage treatment /Nala Revetment, loose boulder		
12	structure, gully check	0	0
	Land Developments (afforestation, horticulture and bund		
13	plantation of teak)	0	0
14	Lm (fodder development, varmi compost)	0	0
15	Soil moisture conservation	0	0
	Water harvesting structures (recharge pits and check		
16	dams)	0	0
17	Entry Point Activity	0	0
18	Others	595	400
	TOTAL	600	405

MONITORING IN THE PROJECT AREA


Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2010-11) and T5 is 2018-19 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.


Monitoring of activities in YSR Kadapa Dt Andhra Pradesh. IWMP-14/2010-11




Monitoring of activities in YSR Kadapa Dt Andhra Pradesh. IWMP-14/2010-11



Farm pond






MONITORING IN THE PROJECT AREA


Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody –ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2010-11) and row represents the T5 (2018-19)

Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2010-11 to 2014-15) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16) Scale: 1:10000




13


Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17) Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18) Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19) Scale: 1:10000













Scrub to Agriculture



Agriculture to Water body



Land cover	Monitor	ing period	Units in Hectares								
то		Mining/ dump	Agriculture	Plantation Horticulture		Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	409.94										409.94
Mining/dump		45.35							4.89		50.23
Agriculture	2.73	2.37	2712.91	9.46				0.53		0.52	2728.52
Plantation Horticulture		1.14	32.03	1574.47							1607.64
Forest					1425.92					0.78	1426.71
Forest Plantation											
Barren Rocky							8.23				8.23
Scrub	1.35	20.67	175.53					1158.72	0.32	0.30	1356.89
Waterbody- Streams/River			2.62						391.01		393.63
Waterbody – Ponds										150.50	150.50
Grand Total	414.02	69.53	2923.09	1583.92	1425.92		8.23	1159.25	396.22	152.10	8132.28

Table showing change matrix depicting Land cover transitions during study period-2010-11 to 2014-15

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

- In T0 15.6 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation, scrubland and water body in T1.
- In T1 210.8 ha of the agriculture area has increased from plantations, scrubland and water body of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Land cover	Monitor	ing period	Units in Hecta	res							
T1		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	414.02										414.02
Mining/dump		69.53									69.53
Agriculture	15.08	14.59	2616.65	264.48				1.68	3.94	6.67	2923.09
Plantation Horticulture	0.06	3.25	51.16	1529.41						0.06	1583.92
Forest					1425.64					0.29	1425.92
Forest Plantation											
Barren Rocky							8.23				8.23
Scrub	19.18	4.08	189.86					923.61	. 12.81	9.70	1159.25
Waterbody- Streams/River									396.22		396.22
Waterbody – Ponds										152.10	152.10
Grand Total	448.33	91.45	2857.67	1793.88	1425.64		8.23	925.29	412.96	168.82	8132.28

Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T1 302 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation, scrubland and water body in T2.

• In T2 241 ha of the agriculture area has increased from plantations and scrubland of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Land cover	Monitor	Monitoring period (T3) Units in										
T2		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	448.33										448.33	
Mining/dump		91.45									91.45	
Agriculture	6.02	3.22	2543.52	289.03				15.35		0.54	2857.67	
Plantation Horticulture	0.93	0.26	26.81	1765.64						0.25	1793.88	
Forest					1425.64						1425.64	
Forest Plantation												
Barren Rocky							8.23	6			8.23	
Scrub	2.60	0.71	52.12					868.63	0.85	0.39	925.29	
Waterbody- Streams/River			0.93						412.03		412.96	
Waterbody – Ponds			1.41							167.41	168.82	
Grand Total	457.88	95.64	2624.79	2054.67	1425.64		8.23	883.97	412.88	168.58	8132.28	

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T2 314 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations and water body in T3.

• In T3 81 ha of the agriculture area has increased from plantations, scrubland and water body of T2.

• The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Land cover	Monitor	ing period	Units in Hecta	Units in Hectares							
T3		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	457.88										457.88
Mining/dump		95.64									95.64
Agriculture	5.23	0.14	2614.52	3.90				0.94		0.05	2624.79
Plantation Horticulture	0.48	0.07	45.38	2008.74							2054.67
Forest					1425.64						1425.64
Forest Plantation											
Barren Rocky							8.23				8.23
Scrub	2.16	3.27	41.63					836.89		0.02	883.97
Waterbody- Streams/River			1.23						411.65		412.88
Waterbody – Ponds										168.58	168.58
Grand Total	465.76	99.12	2702.76	2012.65	1425.64		8.23	837.83	411.65	168.65	8132.28

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T3 10 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation and water body in T4.

• In T4 88 ha of the agriculture area has increased from plantations, scrubland and water body of T3.

• The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Land cover	Monitor	ing period	Units in Hectares								
T4		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	465.76										465.76
Mining/dump		98.61	0.51								99.12
Agriculture	3.03		2699.73								2702.76
Plantation Horticulture			144.37	1868.28							2012.65
Forest			0.44		1425.20						1425.64
Forest Plantation											
Barren Rocky							8.23				8.23
Scrub	0.28		82.61					754.93			837.83
Waterbody- Streams/River			1.27	,					410.38		411.65
Waterbody – Ponds										168.65	168.65
Grand Total	469.07	98.61	2928.92	1868.28	1425.20		8.23	754.93	410.38	168.65	8132.28

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

- •In T3 3.03 ha of the agriculture area has decreased and it is converted into Built-up in T4.
- •In T5 228 ha of the agriculture area has increased from plantations, forest, scrubland and water body of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- There is an increase of 34 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
- There is an increase of 194, 77 & 226 Hectares From T0 to T1, T3 to T4 & T4-T5 respectively and overall increase of 200 Hectares in Crop land area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
- There is an increase of 260 ha of the Plantation/Horticulture area has been increased between 2010-11 (T0)
 & 2018-19 (T5) years.
- 6. There is a decrease of 601 Hectares in Scrubland area as compared 2010-11 (T0) & 2018-19 (T5) years.
- Farm ponds (0) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (1) verified from the portal.