

# MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

## SUMMARY REPORT

YSR KADAPA 22/2010-11  
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad  
July-2021

**T 0 - T 1 - T 2 - T 3 - T 4 - T 5**



AGRICULTURE & SOIL  
DIVISION  
Andhra Pradesh Space  
Applications Centre (APSAC)  
ITE&C Department Govt. of  
Andhra Pradesh



RURAL DEVELOPMENT AND  
WATERSHED MONITORING  
DIVISION  
Land Resources and Land Use  
Mapping and Monitoring Group,  
Remote Sensing Application Area,  
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND  
RESOURCES  
Ministry of Rural Development  
Government of India

# C O N T E N T S

- **EXECUTIVE SUMMARY**

01. STUDY AREA

02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS

03. MONITORING IN THE PROJECT AREA : Site wise changes in the project

04. CONCLUSIONS


## **E X E C U T I V E   S U M M A R Y**

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely - Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project- IWMP-22/2010-11, YSR Kadapa District of Andhra Pradesh. The total geographical area of the project is 4,946 ha. It comprises of 7 micro watersheds.
- In the project area 525 Drishti photos were uploaded showing 16 check dams/Rock fill dam, 05 farm ponds/dugout pits and remaining showing other activities.
- Project area as per image analysis has witnessed distinguishable increase in farm ponds, showing new farm ponds or dug out pits and 4 check dams and drainage treatments with 10.71 ha increase in the area.
- Major percentage i.e. 43 % is covered by the agriculture, 25 % is covered by scrubland, 22 % is plantation area and remaining by other land use classes.

# PROJECT : YSR KADAPA - IWMP-22/2010-11

## DISTRICT : YSR KADAPA , STATE : ANDHRA PRADESH

- The study area falls in Chitvel Mandal of YSR Kadapa district of Andhra Pradesh state. The total geographical area of the project is 4,946 ha. It comprises of 7 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2010-11 (T0) period (*Batch -1*) projects taking 2018-19 (T5) period satellite images



- YSR Kadapa has a semi-arid climate, with hot and dry conditions for most of the year. Summers start in late February and peak in May with average high temperatures around the 38 °C range and it reaches around 44 °C to 45 °C .
- The average annual rainfall of the YSR Kadapa District is 710 mm, which ranges from nil rainfall in January to 137 mm in October. October is the wettest month of the year. The mean seasonal rainfall distribution is 402.4 mm in southwest monsoon (June - September), 239.1 mm in northeast monsoon (October - December), distribution of rainfall in season wise 56.7 % in south west monsoon, 33.7 % in north east monsoon period.


## Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
LISS IV	2010-11	2011-12	2018-19
SCENE 1			23-Feb-19
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2009-10		
SCENE 1			23-Feb-19
SCENE2			

## Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC ( 1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	525
4	Detailed Project Report		

## Natural Color Composite overlaid with Project boundaries and high detail stream network



### Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

## Natural Color Composite overlaid with Drishti Points



### Drishti Upload Status

## Classification of the Activities

Sr. No	Activity	Drishti Photo	Visible on satellite
1	Agronomic measures	0	0
2	Afforestation	4	4
3	Black planting	0	0
4	Bund Planting/Horticulture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Terrace	0	0
8	Checks & Plugs	16	16
9	New activity (boulder removal, farm ponds, dug out pits etc.)	0	0
10	Farm ponds/Dug out pit	5	5
11	Civil work-Check dams /Rock fill dam	0	0
12	Drainage treatment /Nala Revetment, loose boulder structure, gully check	0	0
13	Land Developments (afforestation, horticulture and bund plantation of teak)	0	0
14	Lm (fodder development, varmi compost)	0	0
15	Soil moisture conservation	0	0
16	Water harvesting structures (recharge pits and check dams)	0	0
17	Entry Point Activity	0	0
18	Others	622	500
	<b>TOTAL</b>	<b>647</b>	<b>525</b>

## MONITORING IN THE PROJECT AREA

### Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2010-11) and T5 is 2018-19 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Monitoring of activities in YSR Kadapa Dt Andhra Pradesh. IWMP-22/2010-11



T0: 2010-11



T1: 01 October 2016



Drishti Sl no. 2371282 MWS :4C3B1t1e

**Afforestation**



T0: 2010-11



T1: 01 October 2016



Drishti Sl no. 2438156 MWS : 4C3B1t1e

**Farm pond**



Monitoring of activities in YSR Kadapa Dt Andhra Pradesh. IWMP-22/2010-11



T0: 2010-11



T1: 01 October 2016



Drishti Sl no. 2438156 MWS : 4C3B1t2b

Farm pond



T0: 2010-11




T1: 01 October 2016



Drishti Sl no. 1787399 MWS : 4C3B1t2b

Horticulture

# Natural Color Composite – 2010-11 to 2018-19





## MONITORING IN THE PROJECT AREA

### Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2010-11) and row represents the T5 (2018-19)



# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2010-11 to 2014-15)

Scale: 1:10000





# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16)

Scale: 1:10000





# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)

Scale: 1:10000





# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000



# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)

Scale: 1:10000





**Table showing change matrix depicting Land cover transitions during study period-2010-11 to 2014-15**

Land cover	Monitoring period (T1)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
<b>Built up</b>	67.32												<b>67.32</b>
<b>Mining/dump</b>													
<b>Agriculture</b>	0.90		1894.67	99.25				5.18		5.43			<b>2005.43</b>
<b>Plantation Horticulture</b>	0.28		7.09	659.49				2.02					<b>668.88</b>
<b>Forest</b>													
<b>Forest Plantation</b>													
<b>Barren Rocky</b>													
<b>Scrub</b>	1.01	3.85	293.40	3.14				1545.70		4.60			<b>1851.72</b>
<b>Waterbody- Streams/River</b>									50.64				<b>50.64</b>
<b>Waterbody – Ponds</b>			13.20							289.08			<b>302.28</b>
<b>Grand Total</b>	<b>69.51</b>	<b>3.85</b>	<b>2208.36</b>	<b>761.89</b>				<b>1552.90</b>	<b>50.64</b>	<b>299.12</b>			<b>4946.27</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 110 ha of the agriculture area has decreased and it is converted into Built-up, plantation, scrubland and water body in T1.
- In T1 313 ha of the agriculture area has increased from plantations and scrubland of T0.
- The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16**

Land cover	Monitoring period (T2)										
	Units in Hectares										
T1	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	69.51										69.51
Mining/dump		3.85									3.85
Agriculture	2.49		1954.11	235.77				8.05		7.95	2208.36
Plantation Horticulture	0.24		5.69	755.96							761.89
Forest											
Forest Plantation											
Barren Rocky											
Scrub	1.01	0.36	68.85					1480.88		1.80	1552.90
Waterbody- Streams/River									50.64		50.64
Waterbody – Ponds			0.27							298.84	299.12
<b>Grand Total</b>	<b>73.25</b>	<b>4.20</b>	<b>2028.92</b>	<b>991.72</b>				<b>1488.93</b>	<b>50.64</b>	<b>308.59</b>	<b>4946.27</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 254 ha of the agriculture area has decreased and it is converted into Built-up, plantation, scrubland and water body in T2.
- In T2 74 ha of the agriculture area has increased from plantations and scrubland of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17**

Land cover	Monitoring period (T3)										
	Units in Hectares										
T2	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	73.25										73.25
Mining/dump		4.20									4.20
Agriculture	0.56		1855.87	169.42				3.01		0.07	2028.92
Plantation Horticulture	0.03		11.22	980.47							991.72
Forest											
Forest Plantation											
Barren Rocky											
Scrub	0.29	0.10	147.51					1337.96		3.07	1488.93
Waterbody- Streams/River									50.64		50.64
Waterbody – Ponds			26.37					0.28		281.94	308.59
<b>Grand Total</b>	<b>74.13</b>	<b>4.30</b>	<b>2040.97</b>	<b>1149.89</b>				<b>1341.25</b>	<b>50.64</b>	<b>285.08</b>	<b>4946.27</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 173 ha of the agriculture area has decreased and it is converted into Built-up, plantation, scrub and water body in T3.
- In T3 185 ha of the agriculture area has increased from plantation, scrubland and water body of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18**

Land cover	Monitoring period (T4)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
<b>Built up</b>	74.13										<b>74.13</b>	
<b>Mining/dump</b>		4.30									<b>4.30</b>	
<b>Agriculture</b>	1.33		1944.72	63.94				30.99			<b>2040.97</b>	
<b>Plantation Horticulture</b>	0.05		25.19	1124.64							<b>1149.89</b>	
<b>Forest</b>												
<b>Forest Plantation</b>												
<b>Barren Rocky</b>												
<b>Scrub</b>	0.93	0.20	71.42					1267.83		0.86	<b>1341.25</b>	
<b>Waterbody- Streams/River</b>									50.64		<b>50.64</b>	
<b>Waterbody – Ponds</b>			3.45							281.63	<b>285.08</b>	
<b>Grand Total</b>	<b>76.44</b>	<b>4.50</b>	<b>2044.79</b>	<b>1188.59</b>				<b>1298.81</b>	<b>50.64</b>	<b>282.49</b>	<b>4946.27</b>	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 96 ha of the agriculture area has decreased and it is converted into Built-up, plantation, scrubland and water body in T4.
- In T4 100 ha of the agriculture area has increased from plantation, scrubland and water body of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19**

Land cover	Monitoring period (T5)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
<b>Built up</b>	76.44										<b>76.44</b>	
<b>Mining/dump</b>		4.50									<b>4.50</b>	
<b>Agriculture</b>	1.11		2042.01	1.66							<b>2044.79</b>	
<b>Plantation Horticulture</b>			56.40	1132.19							<b>1188.59</b>	
<b>Forest</b>												
<b>Forest Plantation</b>												
<b>Barren Rocky</b>												
<b>Scrub</b>	0.27	0.76	50.57					1247.21			<b>1298.81</b>	
<b>Waterbody- Streams/River</b>									50.64		<b>50.64</b>	
<b>Waterbody – Ponds</b>			0.49							282.00	<b>282.49</b>	
<b>Grand Total</b>	<b>77.82</b>	<b>5.27</b>	<b>2149.48</b>	<b>1133.85</b>				<b>1247.21</b>	<b>50.64</b>	<b>282.00</b>	<b>4946.27</b>	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes. built-up and plantation .
- In T3 96 ha of the agriculture area has decreased and it is converted into Built-up and plantation in T4.
- In T5 107 ha of the agriculture area has increased from plantation and scrubland of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

## Land Use and Land Cover changes for Pre and Post treatment dates

### Scrub to Agriculture



T2: 2015-16 (79°20'51.312"E 14°14'10.576"N )



T3: 22 January 2017

### Agriculture to Plantation



T2: 2015-16 (79°20'3.823"E 14°13'34.461"N )



T3: 22 January 2017

## Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Water body




T0: 2009-10




T0: 21 December 2013

Scrub to Agriculture




T0: 2009-10




T0: 21 December 2013

## Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to Agriculture




T0: 2009-10




T1: 21 December 2013

Agriculture to Water body



T0: 2009-10



T1: 21 December 2013



# Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an increase of 3 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
4. There is an increase of 202, 12, 03 & 104 Hectares From T0 to T1, T2-T3, T3 to T4 & T4-T5 respectively and overall increase of 321 Hectares in Crop land area as compared between baseline LU/LC data 2010-11 (T0) & 2018-19 (T5) years.
5. There is an increase of 52 ha of the Plantation/Horticulture area has been increased between 2010-11 (T0) & 2018-19 (T5) years.
6. There is a decrease of 231 Hectares in Scrubland area as compared between 2010-11 (T0) & 2018-19 (T5) years.
7. Farm ponds (0) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (1) verified from the portal.