

MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

YSR KADAPA -04/2009-10
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad
January-2021

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND
WATERSHED MONITORING
DIVISION
Land Resources and Land Use
Mapping and Monitoring Group,
Remote Sensing Application Area,
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

C O N T E N T S

- **EXECUTIVE SUMMARY**

01. STUDY AREA
02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
04. CONCLUSIONS


E X E C U T I V E S U M M A R Y

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely - Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project- IWMP-04/2009-10, YSR Kadapa District of Andhra Pradesh. The total geographical area of the project is 9,456 ha. It comprises of 10 micro watersheds.
- In the project area 137 Drishti photos were uploaded showing 33 check dams/Rock fill dam, 32 farm ponds, 22 New activities of boulder removal, pond/tank etc, and remaining showing other activities.
- Project area as per image analysis has witnessed distinguishable increase in farm ponds, showing 32 new farm ponds or dug out pits and 33 check dams and drainage treatments with 2.57 ha increase in the area.
- Major percentage i.e. 19.30 % is covered by the agriculture, 31.94 % is covered by scrubland, 24.72.88 % is covered by barren/rocky, 21.24 % is covered by forest area and remaining by other land use classes.

PROJECT : YSR KADAPA - IWMP-04/2009-10

DISTRICT : YSR KADAPA , STATE : ANDHRA PRADESH

- The study area falls in Mylavaram Mandal of YSR Kadapa district of Andhra Pradesh state. The total geographical area of the project is 9,456 ha. It comprises of 10 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2009-10 (T0) period (*Batch -1*) projects taking 2017-18 (T5) period satellite images.



- YSR Kadapa has a semi-arid climate, with hot and dry conditions for most of the year. Summers start in late February and peak in May with average high temperatures around the 38 °C range and it reaches around 44 °C to 45 °C .
- The average annual rainfall of the YSR Kadapa District is 710 mm, which ranges from nil rainfall in January to 137 mm in October. October is the wettest month of the year. The mean seasonal rainfall distribution is 402.4 mm in southwest monsoon (June - September), 239.1 mm in northeast monsoon (October - December), distribution of rainfall in season wise 56.7 % in south west monsoon, 33.7 % in north east monsoon period.


Satellite Data and Ancillary Data

Satellite data*	T 1-A**	T 1-B**	T 5
	2013-14	2013-14	2017-18
LISS IV	2013-14		
SCENE 1			30-Mar-18
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2013-14		
SCENE 1			30-Mar-18
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	144
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



Drainage (1:10000 Scale)



MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities

Sr. No	Activity	Drishti Photo	Visible on satellite
1	Agronomic measures	0	0
2	Bunding	6	4
3	Black planting	6	6
4	Bund Planting/Horticulture	2	2
5	Trench	0	0
6	Field Bunds	0	0
7	Vegetation Engineering structure	1	1
8	Checks & Plugs	0	0
9	New activity (boulder removal, farm ponds, dug out pits etc.,)	22	14
10	Farm ponds/Dug out pit	32	30
11	Civil work-Check dams /Rock fill dam	37	33
12	Drainage treatment /Nala Revetment, loose boulder structure, gully check	4	3
13	Land Developments (afforestation, horticulture and bund plantation of teak)	0	0
14	Lm (fodder development, varmi compost)	6	6
15	Soil moisture conservation	0	0
16	Water harvesting structures (recharge pits and check dams)	1	1
17	Entry Point Activity	0	0
18	Others	20	19
	TOTAL	137	119

MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2009-10) and T5 is 2017-18 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.


Natural Color Composite – 2009-10 to 2017-18

Natural Color Composite- 2009-10




Source:Fusen data,NRSC

Natural Color Composite-21st December 2013




Source:Fusen data,NRSC

Natural Color Composite-19th October 2015




Source:LISS-IV,NRSC

Natural Color Composite- 2016




Source:Fusen data,NRSC

Natural Color Composite- 03rd June 2017




Source:Fusen data,NRSC

Changes in Vegetation Cover




NDVI (2013-14)




NDVI (2014-15)

Changes in Vegetation Cover




NDVI (2013-14)



NDVI (2014-15)


Changes in Vegetation Cover



NDVI (2014-15)

NDVI (2015-16)

Monitoring of activities in YSR Kadapa Dt Andhra Pradesh. IWMP-04/2009-10



T1:2013




T2: 24 November 2015



Drishti SI no. 173403 MWS :4C3E4e5f

Dugout sunken pond



T1:2013



T2: 24 November 2015



Drishti SI no. 1809907 MWS : 4C3E4e5e

Check dam

Monitoring of activities in YSR Kadapa Dt Andhra Pradesh. IWMP-04/2009-10



T1



T2



T1: 2009-10

21: 24 November 2015

Drishti Sl no. 2516171 MWS : 4C3E4e5e

Farm pond



T1



T2



T1: 2009-10

T2: 24 November 2015

Drishti Sl no. 1658774 MWS : 4C3E4e4e


New activity Threshing

Monitoring of activities in YSR Kadapa Dt Andhra Pradesh. IWMP-04/2009-10



T1

T1: 2009-10



T2

T2: 21 December 2013



Drishti SI no.1559990 MWS : 4C3E4e4e

Farm pond



T1

T1: 2009-10



T2

T2: 21 December 2013



Drishti SI no. 166044 MWS : 4C3E4e4e

Rockfill dam



MONITORING IN THE PROJECT AREA

Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2009-10) and row represents the T5 (2017-18)



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2009-10 to 2013-14)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2013-14 to 2014-15)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2014-15 to 2015-16)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2015-16 to 2016-17)

Scale: 1:10000



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000



Land Use and Land Cover changes for Pre and Post treatment dates

Scrub to Agriculture



T1


T1: 2013-14



T2

T1: 21 December 2013

Scrub to Agriculture



T1

T1: 2009-10



T2

T2: 21 December 2013

Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Plantation



T1

T1: 2009-10



T2

T2: 21 December 2013

Scrub to Water body



T1

T1: 2009-10



T2

T2: 21 December 2013

Table showing change matrix depicting Land cover transitions during study period-2009-10 to 2013-14

Land cover	Monitoring period (T1)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	69.13												69.13
Mining/dump		97.34											97.34
Agriculture			1734.00	3.74				0.39		0.27			1738.40
Plantation Horticulture				5.27									5.27
Forest					2007.66								2007.66
Forest Plantation													
Barren Rocky							2046.71						2046.71
Scrub			92.32					3238.47					3330.79
Waterbody- Streams/River			3.31						67.28				70.59
Waterbody – Ponds										83.40			83.40
Grand Total	69.13	97.34	1829.63	9.01	2007.66		2046.71	3238.87	67.28	83.67			9449.31

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 4.4 ha of the agriculture area has decreased and it is converted into scrub, plantation and water body in T2.
- In T2 95.6 ha of the agriculture area has increased from scrubland and water body of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2013-14 to 2014-15

Land cover	Monitoring period (T2)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	69.13												69.13
Mining/dump		97.13									0.21		97.34
Agriculture	0.77	0.37	1820.53					2.90			5.07		1829.63
Plantation Horticulture			0.91	8.06							0.05		9.01
Forest					2007.66								2007.66
Forest Plantation													
Barren Rocky							2046.71						2046.71
Scrub	2.33	8.41	114.74					3111.28			2.10		3238.87
Waterbody- Streams/River									67.28				67.28
Waterbody – Ponds			6.54								77.13		83.67
Grand Total	72.23	105.91	1942.72	8.06	2007.66		2046.71	3114.18	67.28		84.57		9449.31

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 9 ha of the agriculture area has decreased and it is converted into Built-up, mining-dump, scrub, plantation and water body in T2.
- In T2 122 ha of the agriculture area has increased from scrubland, plantation, barren rocky and water body of T1. The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2014-15 to 2015-16

Land cover	Monitoring period (T3)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	72.23												72.23
Mining/dump		105.91											105.91
Agriculture	0.13		1940.55	1.81							0.23		1942.72
Plantation Horticulture			0.27	7.79									8.06
Forest					2007.66								2007.66
Forest Plantation													
Barren Rocky		1.93					2044.78						2046.71
Scrub	0.09		15.15					3098.94					3114.18
Waterbody- Streams/River									67.28				67.28
Waterbody – Ponds			0.40								84.16		84.57
Grand Total	72.45	107.84	1956.37	9.60	2007.66		2044.78	3098.94	67.28		84.39		9449.31

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 2.2 ha of the agriculture area has decreased and it is converted into Built-up, plantation and water body in T3.
- In T3 15.8 ha of the agriculture area has increased from plantation, scrubland and water body of T2. The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2015-16 to 2016-17

Land cover	Monitoring period (T4)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	72.45												72.45
Mining/dump		107.84											107.84
Agriculture	0.39	0.36	1928.49	16.60				5.94			4.60		1956.37
Plantation Horticulture			2.51	7.08									9.60
Forest					2007.66								2007.66
Forest Plantation													
Barren Rocky		51.81					1992.97						2044.78
Scrub	0.09	0.14	73.14					3025.40			0.17		3098.94
Waterbody- Streams/River									67.28				67.28
Waterbody – Ponds											84.39		84.39
Grand Total	72.93	160.14	2004.14	23.69	2007.66		1992.97	3031.34	67.28		89.16		9449.31

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 27 ha of the agriculture area has decreased and it is converted into Built-up, mining, plantation and water body in T3.
- In T3 75 ha of the agriculture area has increased from plantation and scrubland of T2. The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitoring period (T5)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	72.93												72.93
Mining/dump		160.14											160.14
Agriculture			2003.08	0.91							0.16		2004.14
Plantation Horticulture				23.69									23.69
Forest					2007.66								2007.66
Forest Plantation													
Barren Rocky		1.79											1991.18
Scrub			4.63										3026.71
Waterbody- Streams/River											67.28		67.28
Waterbody – Ponds												89.16	89.16
Grand Total	72.93	161.94	2007.71	24.59	2007.66		1991.18	3026.71	67.28		89.32		9449.31

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 1.6 ha of the agriculture area has decreased and it is converted into plantation and water body in T3.
- In T3 4.6 ha of the agriculture area has increased from scrubland of T2. The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an increase of 2.6 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
4. There is an increase of 91, 113, 13, 47 & 3 Hectares From T0-T1, T1-T2, T2-T3, T3-T4 & T4-T5 respectively and overall increase of 269 Hectares in Crop land area as compared between baseline LU/LC data 2009-10 (T0) & 2017-18 (T5) years.
5. There is a increase of 19 Hectares in Plantation/Horticulture area as compared between 2009-10 (T0) & 2017-18 (T5) years.
6. There is a decrease of 304 Hectares in Scrubland area as compared between 2009-10 (T0) & 2017-18 (T5) years.
7. Farm ponds (30) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (32) verified from the portal.