

# MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION SUMMARY REPORT

**IWMP-Batch-IV**

ANANTAPURAMU -75/2012-13  
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad  
December-2022

**T 0 - T 1 - T 2 - T 3 - T 4 - T 5**



AGRICULTURE & SOIL  
DIVISION  
Andhra Pradesh Space  
Applications Centre (APSAC)  
ITE&C Department Govt. of  
Andhra Pradesh



RURAL DEVELOPMENT AND  
WATERSHED MONITORING  
DIVISION  
Land Resources and Land Use  
Mapping and Monitoring Group,  
Remote Sensing Application Area,  
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND  
RESOURCES  
Ministry of Rural Development  
Government of India

# C O N T E N T S

- **EXECUTIVE SUMMARY**

01. STUDY AREA

02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS

03. MONITORING IN THE PROJECT AREA : Site wise changes in the project

04. CONCLUSIONS


## EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely - Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project - IWMP-75/2012-13, Anantapuramu District of Andhra Pradesh. The total geographical area of the project is **5,680** ha. It comprises of 8 micro watersheds.
- In the project area 137 Drishti photos were uploaded showing 18 check dams, 53 Farm ponds, 24 Horticulture and remaining showing others.
- Project area as per image analysis has witnessed distinguishable increase in farm ponds, showing 7 new farm ponds or dug out pits with 5.05 Hectares water body area has been increased.
- Major percentage i.e. 42% is covered by the Agriculture, 38.6% is covered by Forest, 9.5 % is covered by Scrubland remaining by other land use classes.

# PROJECT : ANANTAPURAMU - IWMP-75/2012-13

## DISTRICT : ANANTAPURAMU , STATE : ANDHRA PRADESH

The study area falls in Chennekothapalle Mandal of Anantapuramu district of Andhra Pradesh state. The total geographical area of the project is **5,680** ha. It comprises of 8 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2012-13 (T0) period (*Batch -1*) projects taking 2020-21 (T5) period satellite images



- Anantapuram has a semi-arid climate, with hot and dry conditions for most of the year. Summers start in late February and peak in May with average high temperatures around the 37 °C range and it reaches around 44 °C to 45 °C.
- Anantapuram gets pre-monsoon showers starting as early as March, mainly through north-easterly winds blowing in from Kerala. Monsoon arrives in September and lasts until early November with about 250 mm (9.8 in) of precipitation. A dry and mild winter starts in late November and lasts until early February; with little humidity and average temperatures in the 22-23 °C (72-73 °F) range. Total annual rainfall is about 22 in (560 mm).
- Anantapuram district receives moderate to good rainfall from July to October month.


# Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2012-13	2012-13	2020-21
LISS IV	2012-13		
SCENE 1			27-Feb-21
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2012-13		
SCENE 1			27-Feb-21
SCENE2			
SCENE 3			
SCENE 4			

## Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC ( 1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishhti Photographs		
		Total	137
4	Detailed Project Report		

## Natural Color Composite overlaid with Project boundaries and high detail stream network



### Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

## Natural Color Composite overlaid with Drishhti Points



### Drishhti Upload Status

## Classification of the Activities

Sr. No	Activity	Drishti Photo	Visible on satellite
1	Agriculture/Horticulture	0	0
2	Afforestation	12	12
3	Pasture	0	0
4	Trench	0	0
5	Field Bunds	0	0
6	Terrace	0	0
7	Checks & Plugs	12	12
8	Gabion structure	0	0
9	Farm ponds/Dug out pit	7	7
10	Civil work-Check dams/Rock fill dam	0	0
11	Nallah Bunds/Drainage treatment	0	0
12	Percolation tanks / Ground water recharge structure	0	0
13	Production System and Micro-Enterprises	0	0
14	Livelihood Activities	42	42
15	Capacity Building Activities	0	0
16	Entry Point Activity	4	4
17	Others	90	60
	<b>TOTAL</b>	<b>167</b>	<b>137</b>


## MONITORING IN THE PROJECT AREA

### Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2012-13) and T5 is 2020-21 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.



# Natural Colour Composite (NCC)





# Monitoring of activities in Ananthapuram District Andhra Pradesh. IWMP-75/2012-13



T0 Satellite data 2013



T1 Satellite data 2015



T2 Satellite data 2016



T3 Satellite data 2017



T4 Satellite data 2018



T5 Satellite data 2020



Drishti Id. 132167

## Bund Plantation (Horticulture)

Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-75/2012-13



T0

T0:2012-13



T1

T1: 17 Oct 2016



Drishti SI no 131652- - MWS :4C3F5x1c

Check dam



T0:2012-13



T1

T1: 17 Oct 2016



Drishti SI no. 2503570-MWS : 4C3F5w2a

Check dam



Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-75/2010-11



T0

T0: 2012-13



T1

T1: 17 Oct 2016



Drishti SI no2480372- MWS 4C3F5x2c

Farm Pond



T0

T0: 2012-13



T1

T1: 17 Oct 2016



Drishti SI no. 2480546- MWS :4C3F5x2b-

Farm Pond


## MONITORING IN THE PROJECT AREA

### Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2012-13) and row represents the T5 (2020-21)

# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2012-13 to 2016-17)


Scale: 1:10000






# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000



# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)


Scale: 1:10000






# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20)

Scale: 1:10000



# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2019-20 to 2020-21)

Scale: 1:10000




## Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Water body



T0: 2012-13(77°45'55.399"E 14°18'51.621"N )



T1: 17 Oct 2016

Agriculture to Plantation



T0: 2012-13 (77°45'41.935"E 14°17'35.244"N )



T1: 17 Oct 2016

## Land Use and Land Cover changes for Pre and Post treatment dates

### Scrubland to Agriculture



T0: 2012-13(77°45'14.57"E 14°18'19.292"N )



T1: 17 Oct 2016

### Scrubland to Water body



T0: 2012-13(77°46'1.591"E 14°18'55.829"N )



T1: 17 Oct 2016



**Table showing change matrix depicting Land cover transitions during study period-2012-13 to 2016-17**

Land cover	Monitoring period (T1)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
<b>Built up</b>	43.21												<b>43.21</b>
<b>Mining/dump</b>		2.66											<b>2.66</b>
<b>Agriculture</b>	2.90	0.19	1894.36	34.77						0.26			<b>1932.49</b>
<b>Plantation Horticulture</b>			1.29	22.51									<b>23.79</b>
<b>Forest</b>					2197.14								<b>2197.14</b>
<b>Forest Plantation</b>													
<b>Barren Rocky</b>													
<b>Scrub</b>	2.01	10.75	101.79	3.37				1221.62		1.02			<b>1340.54</b>
<b>Waterbody- Streams/River</b>			0.69						70.68				<b>71.38</b>
<b>Waterbody – Ponds</b>			0.87							68.87			<b>69.75</b>
<b>Grand Total</b>	<b>48.11</b>	<b>13.59</b>	<b>1999.01</b>	<b>60.65</b>	<b>2197.14</b>			<b>1221.62</b>	<b>70.68</b>	<b>70.15</b>			<b>5680.95</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 38 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation and water body in T1.
- In T1 104 ha of the agriculture area has increased from plantations, scrubland and water body of T0. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18**

Land cover	Monitoring period (T2)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
<b>T1</b>													
<b>Built up</b>	47.86		0.25										<b>48.11</b>
<b>Mining/dump</b>		13.45	0.14										<b>13.59</b>
<b>Agriculture</b>	7.21		1934.63	50.65				4.67		1.90			<b>1999.07</b>
<b>Plantation Horticulture</b>			1.56	58.79				0.29					<b>60.65</b>
<b>Forest</b>					2196.81								<b>2196.81</b>
<b>Forest Plantation</b>													
<b>Barren Rocky</b>													
<b>Scrub</b>	4.05	1.62	142.39	3.77				1069.08		0.72			<b>1221.64</b>
<b>Waterbody- Streams/River</b>									70.68				<b>70.68</b>
<b>Waterbody – Ponds</b>										70.15			<b>70.15</b>
<b>Grand Total</b>	<b>59.12</b>	<b>15.08</b>	<b>2078.98</b>	<b>113.21</b>	<b>2196.81</b>			<b>1074.04</b>	<b>70.68</b>	<b>72.77</b>			<b>5680.69</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 59 ha of the agriculture area has decreased and it is converted into Built-up , plantations , scrubland and water body in T2.
- In T2 143 ha of the agriculture area has increased from plantations and scrubland of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19**

Land cover	Monitoring period (T3)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
<b>Built up</b>	56.33		2.62					0.13		0.04	<b>59.12</b>		
<b>Mining/dump</b>		15.08									<b>15.08</b>		
<b>Agriculture</b>	2.65	0.18	2073.01	2.26				0.39		0.49	<b>2078.98</b>		
<b>Plantation Horticulture</b>	0.31		1.42	111.46						0.03	<b>113.21</b>		
<b>Forest</b>					2196.81						<b>2196.81</b>		
<b>Forest Plantation</b>													
<b>Barren Rocky</b>													
<b>Scrub</b>	5.21	0.12	150.28	0.29				917.61		0.52	<b>1074.04</b>		
<b>Waterbody- Streams/River</b>									70.68		<b>70.68</b>		
<b>Waterbody – Ponds</b>										72.77	<b>72.77</b>		
<b>Grand Total</b>	<b>64.50</b>	<b>15.37</b>	<b>2227.33</b>	<b>114.01</b>	<b>2196.81</b>			<b>918.13</b>	<b>70.68</b>	<b>73.86</b>	<b>5680.69</b>		

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 05 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations and water body in T3.
- In T3 152 ha of the agriculture area has increased from built-up, plantations and scrubland of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.



**Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20**

Land cover	Monitoring period (T4)										Units in Hectares		
T3	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	63.25		1.25										64.50
Mining/dump		14.68	0.70										15.37
Agriculture	1.46		2037.59	187.84						0.44			2227.33
Plantation Horticulture	1.24		8.23	104.49						0.05			114.01
Forest				0.71	2196.10								2196.81
Forest Plantation													
Barren Rocky													
Scrub		1.99	297.44	8.34				610.15		0.20			918.13
Waterbody- Streams/River									70.68				70.68
Waterbody – Ponds			2.12	0.09						71.65			73.86
<b>Grand Total</b>	<b>65.94</b>	<b>16.67</b>	<b>2347.33</b>	<b>301.48</b>	<b>2196.10</b>			<b>610.15</b>	<b>70.68</b>	<b>72.35</b>			<b>5680.69</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 189 ha of the agriculture area has decreased and it is converted into Built-up, plantations and water body in T4.
- In T4 308 ha of the agriculture area has increased from built-up, plantations, scrubland and water body of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2019-20 to 2020-21**

Land cover	Monitoring period (T5)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
<b>T4</b>												
<b>Built up</b>	65.95										<b>65.95</b>	
<b>Mining/dump</b>		16.67									<b>16.67</b>	
<b>Agriculture</b>			2318.32	25.82						3.14	<b>2347.27</b>	
<b>Plantation Horticulture</b>			10.24	291.23							<b>301.47</b>	
<b>Forest</b>					2196.42						<b>2196.42</b>	
<b>Forest Plantation</b>												
<b>Barren Rocky</b>												
<b>Scrub</b>			66.56	0.50				543.07			<b>610.13</b>	
<b>Waterbody- Streams/River</b>									70.68		<b>70.68</b>	
<b>Waterbody – Ponds</b>										72.36	<b>72.36</b>	
<b>Grand Total</b>	<b>65.95</b>	<b>16.67</b>	<b>2395.11</b>	<b>317.55</b>	<b>2196.42</b>			<b>543.07</b>	<b>70.68</b>	<b>75.49</b>	<b>5680.95</b>	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 28 ha of the agriculture area has decreased and it is converted into plantations and water body area in T5.
- In T5 76.8 ha of the agriculture area has increased from plantations and scrubland of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

# Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an increase of 5.05 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years.
4. There is an increase of 66, 79, 148, 120 & 47 Hectares from T0-T1, T1 to T2, T2-T3, T3-T4 & T4-T5 respectively and overall increase of 462 Hectares in Crop land area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years.
5. **About 293 ha of the plantation/horticulture area has been increased** in during the monitoring period of 2012-13 (T0) & 2020-21 (T5) years.
6. There is a decrease of 797 Hectares in Scrubland area as compared between 2011-12 (T0) & 2020-21 (T5) years.
7. Farm ponds (13) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (13) verified from the portal.