MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

IWMP-Batch-IV

ANANTAPURAMU -78/2012-13
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad December-2022

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND WATERSHED MONITORING DIVISION

Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

CONTENTS

EXECUTIVE SUMMARY


- O1. STUDY AREA
- O2. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA: Site wise changes in the project
- O4. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web
 portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses
 high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of the Project IWMP-78/2012-13, Anantapuramu District of Andhra Pradesh. The total geographical area of the project is **5,802** ha. It comprises of 6 micro watersheds.
- In the project area 181 Drishti photos were uploaded showing check dams, Farm ponds, Horticulture and remaining showing others.
- Project area as per image analysis has witnessed distinguishable increase in farm ponds, showing new farm ponds or dug out pits.
- Major percentage i.e. 81% is covered by the agriculture, 11 % is covered by Water body, 1.3% is covered by Scrubland remaining by other land use classes.

PROJECT: ANANTAPURAMU - IWMP-78/2012-13 DISTRICT: ANANTAPURAMU, STATE: ANDHRA PRADESH

• The study area falls in Amarapuram Mandal of Anantapuramu district of Andhra Pradesh state. The total geographical area of the project is **5,802** ha. It comprises of 6 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2012-13 (T0) period (*Batch -1*) projects taking 2020-21 (T5) period satellite images



- Anantapuram has a semi-arid climate, with hot and dry conditions for most of the year. Summers start in late
 February and peak in May with average high temperatures around the 37 °C range and it reaches around 44 °C to 45
 °C.
- Anantapuram gets pre-monsoon showers starting as early as March, mainly through north-easterly winds blowing in from Kerala. Monsoon arrives in September and lasts until early November with about 250 mm (9.8 in) of precipitation. A dry and mild winter starts in late November and lasts until early February; with little humidity and average temperatures in the 22–23 °C (72–73 °F) range. Total annual rainfall is about 22 in (560 mm).
- Anantapuram district receives moderate to good rainfall from July to October month.

Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2012-13	2012-13	2020-21
LISS IV	2012-13		
SCENE 1			28-Oct-20
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2012-13		
SCENE 1			28-Oct-20
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	The matic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	181
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



MWS Boundary

Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Agriculture/Horticulture	2	2
2	Afforestation	0	0
3	Pasture	0	0
4	Trench	0	0
5	Field Bunds	0	0
6	Terrace	0	0
7	Checks & Plugs	1	1
8	Gabion structure	0	0
9	Farm ponds/Dug out pit	0	0
10	Civil work-Check dams/Rock fill dam	50	20
11	Nallah Bunds/Drainage treatment	0	0
12	Percolation tanks / Ground water recharge structure	0	0
13	Production System and Micro-Enterprises	0	0
14	Livelihood Activities	0	50
15	Capacity Building Activities	0	0
16	Entry Point Activity	8	8
17	Others	227	150
	TOTAL	288	181


MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project


- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- To is the baseline period before implementation (2012-13) and T5 is 2020-21 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images,
 that may match expected activity related impact, even though they don't have
 Drishti report yet.

Natural Colour Composite (NCC)






Monitoring of activities in Ananthapuram District Andhra Pradesh. IWMP-78/2012-13



Farm Ponds

Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-78/2012-13








T0:2012-13


T1: 26 Nov 2016

Drishti SI no 1739097- MWS:4D3D7elc

Farm Pond



T0:2012-13




T1: 26 Nov 2016




Drishti SI no. 2431786-4 MWS : D3D7f1a-

Farm Pond

Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-78/2010-11








T0: 2012-13


T1: 26 Nov 2016

Drishti SI no2433468-

Farm Pond



T0: 2012-13



T1: 26 Nov 2016



Drishti SI no. 2609647-- MWS :4D3D7f1a


Farm Pond

MONITORING IN THE PROJECT AREA


Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2012-13) and row represents the T5 (2020-21)


Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2012-13 to 2016-17)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2019-20 to 2020-21)




Land Use and Land Cover changes for Pre and Post treatment dates






T0: 2012-13(78°15'44.541"E 13°55'23.553"N)




T1: 26 Nov 2016

Agriculture to Plantation




T0: 2012-13 (78°16'21.709"E 13°57'8.73"N)




T1: 26 Nov 2016

Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Water body




T0: 2012-13(78°18'10.751"E 13°56'2.152"N)




T1: 26 Nov 2016

Scrubland to Agriculture



T0: 2012-13(78°16'4.648"E 13°56'3.032"N)



T1: 09 26 Nov 2016

Table showing change matrix depicting Land cover transitions during study period-2012-13 to 2016-17

Land cover	Monitoring period (T1) Units in Hectares									res	
Т0		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	158.91										158.91
Mining/dump		11.51									11.51
Agriculture	12.43	13.26	4503.57	45.71						0.55	4575.53
Plantation Horticulture			1.65	36.01							37.66
Forest											
Forest Plantation											
Barren Rocky							29.64				29.64
Scrub	1.11	2.59	14.29					301.91			319.90
Waterbody- Streams/River									26.93		26.93
Waterbody – Ponds		10.87	11.63							619.85	642.35
Grand Total	172.45	38.23	4531.14	81.72			29.64	301.91	26.93	620.40	5802.42

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In TO 72 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation and water body in T1.
- In T1 27 ha of the agriculture area has increased from plantations, scrubland and water body of T0. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitoring period (T2) Units in Hectares									res	
T1	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	171.41		0.81	0.06							172.28
Mining/dump		37.80	0.43								38.23
Agriculture	3.77	,	4477.22	47.46						4.30	4532.74
Plantation Horticulture	0.09		5.94	72.25							78.29
Forest											
Forest Plantation											
Barren Rocky							32.92	2			32.92
Scrub			125.90	0.31				174.26		0.20	300.67
Waterbody- Streams/River									26.93		26.93
Waterbody – Ponds			11.25							609.03	620.27
Grand Total	175.28	37.80	4621.55	120.08			32.92	174.26	26.93	613.53	5802.34

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 55 ha of the agriculture area has decreased and it is converted into Built-up, plantations and water body in T2.
- In T2 143 ha of the agriculture area has increased from plantations, scrubland and water body of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

Land cover	Monitor	Monitoring period (T3) Units in Hect									res
Т2		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	175.28										175.28
Mining/dump		37.80									37.80
Agriculture	2.16		4616.51	1.88						1.00	4621.55
Plantation Horticulture			15.87	104.21							120.08
Forest											
Forest Plantation											
Barren Rocky							32.92				32.92
Scrub	0.08		12.16					161.78	3	0.24	174.26
Waterbody- Streams/River									26.93		26.93
Waterbody – Ponds			3.05							610.48	613.53
Grand Total	177.51	37.80	4647.60	106.09			32.92	161.78	26.93	611.72	5802.34

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 05 ha of the agriculture area has decreased and it is converted into Built-up, plantations and water body in T3.
- In T3 31 ha of the agriculture area has increased from plantations, scrubland and water body of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20

Land cover	Monitoring period (T4) Units in Hectares										res
Т3		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	177.51										177.51
Mining/dump		37.80									37.80
Agriculture			4639.10	8.15						0.35	4647.60
Plantation Horticulture			1.00	105.08							106.09
Forest											
Forest Plantation											
Barren Rocky							32.92	<u> </u>			32.92
Scrub			10.08					151.63	3	0.07	161.78
Waterbody- Streams/River									26.93		26.93
Waterbody – Ponds			0.18							611.54	611.72
Grand Total	177.51	37.80	4650.36	113.24			32.92	151.63	26.93	611.96	5802.34

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- •In T3 08 ha of the agriculture area has decreased and it is converted into plantations and water body in T4.
- •In T4 11 ha of the agriculture area has increased from plantations, scrubland and water body of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2019-20 to 2020-21

Land cover	Monitoring period (T5)									Units in Hectares		
T 4		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	178.28									0.06	178.34	
Mining/dump		37.80									37.80	
Agriculture	0.71	0.15	4637.69							11.37	4649.91	
Plantation Horticulture				115.84						0.13	115.97	
Forest												
Forest Plantation												
Barren Rocky							29.64	ļ			29.64	
Scrub			75.61					75.43	3	1.55	152.59	
Waterbody- Streams/River									26.93		26.93	
Waterbody – Ponds										611.24	611.24	
Grand Total	178.99	37.95	4713.2 9	115.84			29.64	 75.43	26.93	624.34	5802.42	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- •In T4 12 ha of the agriculture area has decreased and it is converted into built-up, mining/dump, plantation and water body area in T5.
- •In T5 75.6 ha of the agriculture area has increased from scrubland area of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- 3. There is an decrease of 18 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years.
- 4. There is an increase of 88, 26, 2.7 & 63 Hectares from T1-T2, T2-T3, T3-T4 & T4-T5 respectively and there is a decrease of 44 Hectares from T0-T1 and overall increase of 137 Hectares in Crop land area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years.
- 5. About **78 Hectares of the plantation/horticulture** has been increased in during the monitoring period of 2012-13 (T0) to 2020-21 (T5) years.
- 6. There is a decrease of 244 Hectares in Scrubland area as compared between 2012-13 (T0) & 2020-21 (T5) years.
- 7. Farm ponds (0) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (0) verified from the portal.