

# MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION SUMMARY REPORT

**IWMP-Batch-IV**

ANANTAPURAMU -81/2012-13

Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad  
December-2022

**T 0 - T 1 - T 2 - T 3 - T 4 - T 5**



AGRICULTURE & SOIL  
DIVISION  
Andhra Pradesh Space  
Applications Centre (APSAC)  
ITE&C Department Govt. of  
Andhra Pradesh



RURAL DEVELOPMENT AND  
WATERSHED MONITORING  
DIVISION  
Land Resources and Land Use  
Mapping and Monitoring Group,  
Remote Sensing Application Area,  
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND  
RESOURCES  
Ministry of Rural Development  
Government of India

# C O N T E N T S

- **EXECUTIVE SUMMARY**


01. STUDY AREA
02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
04. CONCLUSIONS



# PROJECT : ANANTAPURAMU - IWMP-81/2012-13

## DISTRICT : ANANTAPURAMU , STATE : ANDHRA PRADESH

The study area falls in Kothacheruvu Mandal of Anantapuramu district of Andhra Pradesh state. The total geographical area of the project is 6,139 ha. It comprises of 6 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2012-13 (T0) period (*Batch -1*) projects taking 2020-21 (T5) period satellite images.



- Anantapuram has a semi-arid climate, with hot and dry conditions for most of the year. Summers start in late February and peak in May with average high temperatures around the 37 °C range and it reaches around 44 °C to 45 °C.
- Anantapuram gets pre-monsoon showers starting as early as March, mainly through north-easterly winds blowing in from Kerala. Monsoon arrives in September and lasts until early November with about 250 mm (9.8 in) of precipitation. A dry and mild winter starts in late November and lasts until early February; with little humidity and average temperatures in the 22–23 °C (72–73 °F) range. Total annual rainfall is about 22 in (560 mm).
- Anantapuram district receives moderate to good rainfall from July to October month.


# Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2012-13	2012-13	2020-21
LISS IV	2012-13		
SCENE 1			10-Sep-20
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2012-13		
SCENE 1			10-Sep-20
SCENE2			
SCENE 3			
SCENE 4			

## Ancillary Data

Category	Sub category	Status	
1	Thematic maps		
	LULC ( 1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
	ROADS/RAILS	No	
LULC (1: 50 000)			
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishiti Photographs		
		Total	31
4	Detailed Project Report		

# Natural Color Composite overlaid with Project boundaries and high detail stream network



## Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

# Natural Color Composite overlaid with Drishiti Points



Drishiti Upload Status

## Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Agriculture/Horticulture	11	9
2	Afforestation	0	0
3	Pasture	0	0
4	Trench	0	0
5	Field Bunds	0	0
6	Terrace	0	0
7	Checks & Plugs	0	0
8	Gabion structure	0	0
9	Farm ponds/Dug out pit	0	0
10	Civil work-Check dams/Rock fill dam	22	17
11	Nallah Bunds/Drainage treatment	0	0
12	Percolation tanks / Ground water recharge structure	0	0
13	Production System and Micro-Enterprises	0	0
14	Livelihood Activities	0	0
15	Capacity Building Activities	0	0
16	Entry Point Activity	4	4
17	Others	1	1
	<b>TOTAL</b>	<b>38</b>	<b>31</b>

## MONITORING IN THE PROJECT AREA

### Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2012-13) and T5 is 2020-21 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

# Natural Colour Composite (NCC)






# Monitoring of activities in Ananthapuram District Andhra Pradesh. IWMP-81/2012-13




T0 Satellite data 2013



T1 Satellite data 2015



T2 Satellite data 2016



T3 Satellite data 2017



T4 Satellite data 2018



T5 Satellite data 2020



Drishti Id. 1747996


## Horticulture

# Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-81/2012-13



T0

T0:2012-13



T1

T1: 08 Feb 2016




Drishti SI no. 1748001- MWS :4C3F6d2b

Dugout Pond



T0

T0:2012-13



T1

T1: 08 Feb 2016




Drishti SI no. 1748072- MWS : 4C3F6d2b

Farm pond

# Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-81/2010-11



T0: 2012-13



T1: 08 Feb 2016



Drishti Sl no. 1743695- MWS :4C3F6d2b

## Plantation



T0: 2012-13



T1: 08 Feb 2016



Drishti Sl no. 1748195-- MWS :4C3F6d2a

## Plantation



## MONITORING IN THE PROJECT AREA

### Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2012-13) and row represents the T5 (2020-21).



# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2012-13 to 2016-17)

Scale: 1:10000





# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000





# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)

Scale: 1:10000



# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20)



Scale: 1:10000





# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2019-20 to 2020-21)

Scale: 1:10000



## Land Use and Land Cover changes for Pre and Post treatment dates

### Agriculture to Plantation



T0: 2012-13(77°44'9.502"E 14°14'42.499"N )



T1: 08 February 2016

### Plantation to Agriculture



T0: 2012-13 (77°42'6.351"E 14°13'31.802"N )



T1: 08 February 2016

## Land Use and Land Cover changes for Pre and Post treatment dates

### Scrubland to Built-up



T0: 2012-13(77°42'17.821"E 14°12'25.389"N )



T1: 08 February 2016

### Scrubland to Agriculture




T0: 2012-13(77°43'42.932"E 14°12'54.582"N)




T1: 08 February 2016

## Land Use and Land Cover changes for Pre and Post treatment dates

Scrubland to Water body



T0: 2012-13(77°43'32.457"E 14°12'10.177"N )



T1: 08 February 2016

**Table showing change matrix depicting Land cover transitions during study period-2012-13 to 2016-17**

Land cover	Monitoring period (T1)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
<b>Built up</b>	94.57												<b>94.57</b>
<b>Mining/dump</b>		10.16											<b>10.16</b>
<b>Agriculture</b>			3639.48	21.95									<b>3661.43</b>
<b>Plantation Horticulture</b>			28.65	34.79									<b>63.44</b>
<b>Forest</b>					584.81								<b>584.81</b>
<b>Forest Plantation</b>													
<b>Barren Rocky</b>							94.63						<b>94.63</b>
<b>Scrub</b>			48.54	1.13				1287.95					<b>1337.63</b>
<b>Waterbody- Streams/River</b>									114.81				<b>114.81</b>
<b>Waterbody – Ponds</b>											178.36		<b>178.36</b>
<b>Grand Total</b>	<b>94.57</b>	<b>10.16</b>	<b>3716.67</b>	<b>57.87</b>	<b>584.81</b>		<b>94.63</b>	<b>1287.95</b>	<b>114.81</b>		<b>178.36</b>		<b>6139.84</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 21 ha of the agriculture area has decreased and it is converted into plantations in T1.
- In T1 77 ha of the agriculture area has increased from plantations and scrubland of T2. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18**

Land cover	Monitoring period (T2)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
<b>T1</b>													
<b>Built up</b>	90.29												<b>90.29</b>
<b>Mining/dump</b>		11.52											<b>11.52</b>
<b>Agriculture</b>	0.49		3655.78	41.09							21.74		<b>3719.09</b>
<b>Plantation Horticulture</b>			31.94	25.93									<b>57.87</b>
<b>Forest</b>					584.81								<b>584.81</b>
<b>Forest Plantation</b>													
<b>Barren Rocky</b>							103.17						<b>103.17</b>
<b>Scrub</b>			137.83	1.08				1130.64			11.63		<b>1281.18</b>
<b>Waterbody- Streams/River</b>									114.81				<b>114.81</b>
<b>Waterbody – Ponds</b>											177.11		<b>177.11</b>
<b>Grand Total</b>	<b>90.78</b>	<b>11.52</b>	<b>3825.55</b>	<b>68.09</b>	<b>584.81</b>		<b>103.17</b>	<b>1130.64</b>	<b>114.81</b>		<b>210.48</b>		<b>6139.84</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 63 ha of the agriculture area has decreased and it is converted into Built-up , plantations and water body in T2.
- In T2 169 ha of the agriculture area has increased from plantations and scrubland of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19**

Land cover	Monitoring period (T3)										
	Units in Hectares										
T2	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	90.78										90.78
Mining/dump		11.52									11.52
Agriculture			3551.39	274.09						0.07	3825.55
Plantation Horticulture			46.91	21.19							68.09
Forest					584.81						584.81
Forest Plantation											
Barren Rocky							103.17				103.17
Scrub			273.01	2.05				855.58			1130.64
Waterbody- Streams/River									114.81		114.81
Waterbody – Ponds										210.48	210.48
<b>Grand Total</b>	<b>90.78</b>	<b>11.52</b>	<b>3871.30</b>	<b>297.32</b>	<b>584.81</b>		<b>103.17</b>	<b>855.58</b>	<b>114.81</b>	<b>210.55</b>	<b>6139.84</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 274 ha of the agriculture area has decreased and it is converted into plantations and water body in T3.
- In T3 319 ha of the agriculture area has increased from plantations and scrubland of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20**

Land cover	Monitoring period (T4)										Units in Hectares		
T3	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	177.51												177.51
Mining/dump		37.80											37.80
Agriculture			4639.10	8.15							0.35		4647.60
Plantation Horticulture			1.00	105.08									106.09
Forest													
Forest Plantation													
Barren Rocky							32.92						32.92
Scrub			10.08					151.63			0.07		161.78
Waterbody- Streams/River									26.93				26.93
Waterbody – Ponds			0.18								611.54		611.72
<b>Grand Total</b>	<b>177.51</b>	<b>37.80</b>	<b>4650.36</b>	<b>113.24</b>			<b>32.92</b>	<b>151.63</b>	<b>26.93</b>		<b>611.96</b>		<b>5802.34</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 166 ha of the agriculture area has decreased and it is converted into plantations and water body in T4.
- In T4 519 ha of the agriculture area has increased from plantations, scrubland and water body of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.



**Table showing change matrix depicting Land cover transitions during study period-2019-20 to 2020-21**

Land cover	Monitoring period (T5)										Units in Hectares		
T4	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	95.06												95.06
Mining/dump		10.16											10.16
Agriculture			4326.55										4326.55
Plantation Horticulture				295.68									295.68
Forest					478.79								478.79
Forest Plantation													
Barren Rocky							94.63						94.63
Scrub			60.94					450.47					511.41
Waterbody- Streams/River									114.81				114.81
Waterbody – Ponds											212.74		212.74
<b>Grand Total</b>	<b>95.06</b>	<b>10.16</b>	<b>4387.50</b>	<b>295.68</b>	<b>478.79</b>		<b>94.63</b>	<b>450.47</b>	<b>114.81</b>		<b>212.74</b>		<b>6139.84</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T5 60.9 ha of the agriculture area has increased from scrubland and water body of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

# Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an increase of 34 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years.
4. There is an increase of 55, 106, 45, 458 & 60 Hectares from T0-T1, T1-T2, T2-T3, T3-T4 & T4-T5 respectively and overall increase of 726 Hectares in Crop land area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years.
5. There is a **increase of 232 Hectares in plantation/horticulture** area as compared between 2012-13 (T0) & 2020-21 (T5) years.
6. There is a decrease of 887 Hectares in Scrubland area as compared between 2012-13 (T0) & 2020-21 (T5) years.
7. Farm ponds (0) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (0) verified from the portal.