MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

IWMP-Batch-IV

ANANTAPURAMU -85/2012-13
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad
December-2022

T0-T1-T2-T3-T4-T5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND WATERSHED MONITORING DIVISION

Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

CONTENTS

EXECUTIVE SUMMARY


- O1. STUDY AREA
- O2. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA: Site wise changes in the project
- O4. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-85/2012-13, Anantapuramu District of Andhra Pradesh. The total geographical area of the project is **8,605** ha. It comprises of 11 micro watersheds.
- In the project area 71 Drishti photos were uploaded showing check dams, Farm ponds, Horticulture and remaining showing others.
- Project area as per image analysis has witnessed distinguishable increase in farm ponds, showing 5 new farm ponds or dug out pits with 3.2 ha increase in the area.
- Major percentage i.e. 64% is covered by the agriculture, 15 % is covered by Forest, 11.4 % is covered by Barren/Rocky remaining by other land use classes.

PROJECT: ANANTAPURAMU - IWMP-85/2012-13 DISTRICT: ANANTAPURAMU, STATE: ANDHRA PRADESH

• The study area falls in Rayadurg Mandal of Anantapuramu district of Andhra Pradesh state. The total geographical area of the project is **8,605**. It comprises of 11micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2012-13 (T0) period (*Batch -1*) projects taking 2020-21 (T5) period satellite images



- Anantapuram has a semi-arid climate, with hot and dry conditions for most of the year. Summers start in late
 February and peak in May with average high temperatures around the 37 °C range and it reaches around 44 °C to 45
 °C.
- Anantapuram gets pre-monsoon showers starting as early as March, mainly through north-easterly winds blowing in from Kerala. Monsoon arrives in September and lasts until early November with about 250 mm (9.8 in) of precipitation. A dry and mild winter starts in late November and lasts until early February; with little humidity and average temperatures in the 22–23 °C (72–73 °F) range. Total annual rainfall is about 22 in (560 mm).
- Anantapuram district receives moderate to good rainfall from July to October month.

Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	Т5
	2012-13	2012-13	2020-21
LISS IV	2012-13		
SCENE 1			25-Feb-21
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2012-13		
SCENE 1			25-Feb-21
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

1	Category	Sub category	Status
1	Thomaticmans		Status
	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	71
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend






MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Agriculture/Horticulture	2	2
2	Afforestation	0	0
3	Pasture	0	0
4	Trench	0	0
5	Field Bunds	0	0
6	Terrace	0	0
7	Checks & Plugs	0	0
8	Gabion structure	0	0
9	Farm ponds/Dug out pit	15	5
10	Civil work-Check dams/Rock fill dam	90	60
11	Nallah Bunds/Drainage treatment	0	0
12	Percolation tanks / Ground water recharge structure	0	0
13	Production System and Micro-Enterprises	0	0
14	Livelihood Activities	0	0
15	Capacity Building Activities	0	0
16	Entry Point Activity	4	4
17	Others	0	0
	TOTAL	111	71


MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project


- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- To is the baseline period before implementation (2012-13) and T5 is 2020-21 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images,
 that may match expected activity related impact, even though they don't have
 Drishti report yet.


Natural Colour Composite (NCC)





Monitoring of activities in Ananthapuram District Andhra Pradesh. IWMP-85/2012-13






Farm Ponds

Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-85/2012-13







T0:2012-13


T1: 03 Feb 2017

Drishti SI no 1089664-MWS :4D3C6c2d

Check dam



T0:2012-13



T1: 03 Feb 2017



Checkdam

Monitoring of activities in Anantapuram Dt Andhra Pradesh. IWMP-85/2010-11







T0: 2012-13

T1: 03 Feb 2017


Drishti SI no1019409-

MWS:4D3C6d1b

Farm pond



T0: 2012-13



T1: 03 Feb 2017



Drishti SI no. 2483689- MWS :4D3C6b2b

Farm pond


MONITORING IN THE PROJECT AREA

Land use and Land cover Changes in the Project


- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody-ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2012-13) and row represents the T5 (2020-21)

Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2012-13 to 2016-17)


Scale: 1:10000



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20)

Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2019-20 to 2020-21)

Scale: 1:10000



Land Use and Land Cover changes for Pre and Post treatment dates





TO: 2012-13(77°29'25.683"E 14°24'23.529"N)



T1: 03 Feb 2017

Agriculture to Plantation





T0: 2012-13 (77°29'6.827"E 14°25'16.257"N)




T1: 03 Feb 2017

Land Use and Land Cover changes for Pre and Post treatment dates








T0: 2012-13(77°29'15.558"E 14°25'5.669"N)

T1: 03 Feb 2017

Scrub to Water body



T0: 2012-13(77°28'1.727"E 14°25'50.695"N)



T1: 03 Feb 2017

Table showing change matrix depicting Land cover transitions during study period-2012-13 to 2016-17

Land cover	Monitoring period (T1) Units in Hectares										res
Т0	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	138.23	3									138.23
Mining/dump		41.77									41.77
Agriculture			4904.56	12.11						0.53	4917.20
Plantation Horticulture			10.32	156.68							167.00
Forest			23.09		 1395.88						1418.97
Forest Plantation											
Barren Rocky							981.87	,			981.87
Scrub		0.19	129.79					736.15			866.13
Waterbody- Streams/River											
Waterbody – Ponds			0.05							74.53	74.58
Grand Total	138.23	41.96	5067.82	168.79	1395.88		981.87	736.15		74.55	8605.75

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents the changes in between the classes.
- In T0 12 ha of the agriculture area has decreased and it is converted into plantation and water body in T1.
- In T1 163 ha of the agriculture area has increased from plantations, forest, scrubland and water body of T2. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitoring period (T2) Units in Hectares										res
T1	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	136.55		0.64								137.19
Mining/dump		42.27	0.19								42.47
Agriculture		0.41	5004.68	57.88				6.02			5069.99
Plantation Horticulture			15.89	152.91							168.79
Forest			36.99	0.56	1358.42						1395.96
Forest Plantation											
Barren Rocky							981.83	3			981.83
Scrub			194.13	6.53				542.50)	0.21	743.36
Waterbody- Streams/River											
Waterbody – Ponds			0.07	0.79						64.96	65.83
Grand Total	136.55	42.69	5252.59	218.66	1358.42		982.83	548.52		65.17	8605.42

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 65 ha of the agriculture area has decreased and it is converted into mining/dump, plantations and scrubland in T2.
- In T2 247 ha of the agriculture area has increased from built-up, mining/dump, plantations, forest and scrubland of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

Land cover	Monitoring period (T3) Units in Hecta										res
Т2		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	136.55										136.55
Mining/dump		42.27	0.41								42.69
Agriculture			5242.25	10.35							5252.59
Plantation Horticulture			46.82	171.84							218.66
Forest					1358.42						1358.42
Forest Plantation											
Barren Rocky							981.83	3			982.83
Scrub			203.50					343.19)	1.83	548.52
Waterbody- Streams/River											
Waterbody – Ponds										65.17	65.17
Grand Total	136.55	42.27	5493.97	182.19	1358.42		981.83	343.19		67.00	8605.42

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 10 ha of the agriculture area has decreased and it is converted into plantations in T3.
- In T3 251 ha of the agriculture area has increased from plantations and scrubland of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20

Land cover	Monitor	ing period	Units in Hecta	Units in Hectares							
Т3	Built up	Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	136.55										136.55
Mining/dump		42.27									42.27
Agriculture			5474.10	19.87							5493.97
Plantation Horticulture			0.40	181.79							182.19
Forest					1358.42						1358.42
Forest Plantation											
Barren Rocky							981.83				981.83
Scrub			11.15					332.00)	0.04	343.19
Waterbody- Streams/River											
Waterbody – Ponds										67.00	67.00
Grand Total	136.55	42.27	5485.65	201.66	1358.42		981.83	332.00		67.04	8605.42

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- •In T3 19 ha of the agriculture area has decreased and it is converted into plantations area in T4.
- •In T4 11 ha of the agriculture area has increased from plantations and scrubland of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2019-20 to 2020-21

Land cover	Monitor	Monitoring period (T5) Units in He										
Т4	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	137.56									0.02	137.58	
Mining/dump		41.65									41.65	
Agriculture			5471.55	5.40						0.46	5477.40	
Plantation Horticulture			29.19	172.47							201.66	
Forest			3.09		1355.25						1358.34	
Forest Plantation												
Barren Rocky							981.87	,			981.87	
Scrub			18.79					311.10		0.13	330.02	
Waterbody- Streams/River												
Waterbody – Ponds										77.2 3	77.23	
Grand Total	137.56	41.65	5522.63	177.87	1355.25		981.87	311.10		77.84	8605.75	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- •In T4 05 ha of the agriculture area has decreased and it is converted into plantations & water body area in T5.
- •In T5 51 ha of the agriculture area has increased from plantations, forest and scrubland of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- 3. There is an increase of 3.2 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years.
- 4. There is an increase of 150, 182, 241 & 45 Hectares from T0-T1, T1-T2, T2-T3 & T4-T5 respectively and there is a decrease of 8 Hectares from T3-T4 and overall increase of 605 Hectares in Crop land area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years.
- 5. There is an increase of 10 Hectares in plantation/horticulture area from 2012-13 (T0) & 2020-21 (T5) years.
- 6. There is a decrease of 555 Hectares in Scrubland area as compared between 2012-13 (T0) & 2020-21 (T5) years.
- 7. Farm ponds (05) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (15) verified from the portal.