

MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION SUMMARY REPORT

IWMP-Batch-IV

Chittoor -51/2012-13
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad
December-2022

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND
WATERSHED MONITORING
DIVISION
Land Resources and Land Use
Mapping and Monitoring Group,
Remote Sensing Application Area,
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

C O N T E N T S

- **EXECUTIVE SUMMARY**

01. STUDY AREA
02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
04. CONCLUSIONS


E X E C U T I V E S U M M A R Y

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely – Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2 (2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project- IWMP-51/2012-13, Chittoor District of Andhra Pradesh. The total geographical area of the project is **5,616** ha. It comprises of 12 micro watersheds.
- In the project area 237 Drishti photos were uploaded showing all water harvesting structures of check dams/Rock fill dam, recharge pits etc,.
- Project area as per image analysis has witnessed distinguishable increase in farm ponds, showing new farm ponds or dug out pits and check dams and drainage treatments.
- Major percentage i.e. 79.3 % is covered by the agriculture, 5.7 % is covered by scrub land and 6.2 % is covered by plantation and remaining by other land use classes.

PROJECT : CHITTOOR – IWMP-51/2012-13

DISTRICT : CHITTOOR , STATE : ANDHRA PRADESH

- The study area falls in Venkatagirikota Mandal of Chittoor district of Andhra Pradesh state. The total geographical area of the project is **5,616** ha. It comprises of 12 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2012-13 (T0) period (*Batch -1*) projects taking 2020-21 (T5) period satellite images.



- The climate of the district is dry and healthy. Out of 66 mandals in the district, 31 are upland mandals which are located in Madanapalle division and are comparatively cooler than the eastern mandals except Chittoor mandal where the climate is moderate. December and January are the coldest months when the mean maximum temperature will be around 26.40 °C, May is the hottest month with the mean daily maximum temperature rising above 40 °C.
- The district receive 83.62 percent of rainfall during South-West monsoon and North-West monsoon period, the rainfall is nominal in summer. On an average the district receives more than 50 percent of rainfall during North- East monsoon.


Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2012-13	2011-12	2020-21
LISS IV	2012-13		
SCENE 1			27-Feb-21
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2012-13		
SCENE 1			27-Feb-21
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	237
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities

Sr. No	Activity	Drishti Photo	Visible on satellite
1	Agriculture	53	40
2	Bunding	0	0
3	Black planting	0	0
4	Bund Planting/Horticulture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Existing activity	0	0
8	Checks & Plugs	11	11
9	Entry point Activity	0	0
10	Farm ponds/Dug out pit	7	7
11	Civil work-Check dams /Rock fill dam	111	80
12	Drainage treatment /Nala Revetment, loose boulder structure, gully check	0	0
13	Land Developments (afforestation, horticulture and bund plantation of teak)	0	0
14	Lm (fodder development, varmi compost)	0	0
15	Livelihood Activities (Horticulture)	2	2
16	Production system and micro-enterprises	2	2
17	Entry Point Activity (Cattle thought)	15	15
18	Others	128	80
	TOTAL	329	237

MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2012-13) and T5 is 2020-21 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Natural Colour Composite (NCC)

Natural Color Composite-08th November 2012



Source:LISS-IV,NRSC

Natural Color Composite- 2016



Source:NCC,NRSC,

Natural Color Composite- 22nd February 2018



Source:LISS-IV,NRSC

Natural Color Composite- 23rd February 2019



Source:NCC,NRSC,

Natural Color Composite- 29th February 2020



Source:LISS-IV,NRSC

Natural Color Composite- 27th February 2021



Source:Sentinel

Monitoring of activities in Chittoor District Andhra Pradesh. IWMP-51/2012-13



T0 Satellite data 2013



T1 Satellite data 2014




T2 Satellite data 2016



T3 Satellite data 2017



T4 Satellite data 2018



T5 Satellite data 2020



Drishti Id. 7042875

Monitoring of activities in Chittoor Dt Andhra Pradesh. IWMP-51/2012-13



T0



T1



T0:2012-13

T1: 05 January 2017

Drishti Sl no. 7020226 MWS : 4C2B4c4d

Check dam



T0:2012-13



T1




Drishti Sl no. 7020681

MWS :4C2B2d5b

Check dam

Monitoring of activities in Chittoor Dt Andhra Pradesh. IWMP-51/2010-11



T0: 2012-13



T1: 05 January 2017



Drishti Sl no. 1638240 MWS : 4C2A8k2c

Farm pond



T0: 2012-13



T1: 05 January 2017



Drishti Sl no. 7029933 MWS :4C2B4c4b

Horticulture



MONITORING IN THE PROJECT AREA

Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2012-13) and row represents the T5 (2020-21)



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2012-13 to 2016-17)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)


Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20)

Scale: 1:10000


**Land Use and Land Cover
2018-19**




Red Circles indicate change areas mapped



**Land Use and Land Cover-Fourth Monitoring
2019-20**





Red Circles indicate change areas mapped




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2019-20 to 2020-21)

Scale: 1:10000



Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Plantation




T0: 2012-13 (78°29'15.357"E 12°56'36.795"N)




T1: 22 January 2017

Scrub to Agriculture



T0: 2012-13(78°28'32.648"E 12°57'51.436"N)



T1: 22 January 2017

Table showing change matrix depicting Land cover transitions during study period-2012-13 to 2016-17

Land cover	Monitoring period (T1)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	67.99									0.11	68.09	
Mining/dump		13.15	0.74								13.89	
Agriculture	9.66	0.21	4064.87	27.45						4.16	4106.36	
Plantation Horticulture	0.05		134.32	189.34						0.21	323.92	
Forest												
Forest Plantation												
Barren Rocky		2.24					102.37				104.61	
Scrub		30.12	250.24	0.89				552.90		8.81	842.95	
Waterbody- Streams/River									13.42		13.42	
Waterbody – Ponds			26.65							116.86	143.51	
Grand Total	77.70	45.72	4476.82	217.68			102.37	552.90	13.42	130.16	5616.75	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 41 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation and water body in T1.
- In T1 384 ha of the agriculture area has increased from mining/dump, plantations, scrubland and water body of T2. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitoring period (T2)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
T1												
Built up	77.64										77.64	
Mining/dump		45.72									45.72	
Agriculture	22.47	23.97	4326.02	100.86						6.21	4479.53	
Plantation Horticulture	0.34	2.86	45.28	168.92						0.13	217.53	
Forest												
Forest Plantation												
Barren Rocky		8.57					93.67				102.24	
Scrub	2.79	1.34	3.85	1.27				542.35		0.28	551.88	
Waterbody- Streams/River									13.42		13.42	
Waterbody – Ponds										128.78	128.78	
Grand Total	103.24	82.46	4375.15	271.05			93.67	542.35	13.42	135.40	5616.73	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 153 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations and water body in T2.
- In T2 49 ha of the agriculture area has increased from plantations and scrubland of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

Land cover	Monitoring period (T3)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	103.24										103.24	
Mining/dump		82.46									82.46	
Agriculture	8.96	2.48	4186.55	176.31						0.84	4375.15	
Plantation Horticulture			65.75	205.30							271.05	
Forest												
Forest Plantation												
Barren Rocky		60.98					32.68				93.67	
Scrub	1.25	32.81	101.28	0.84				405.92		0.25	542.35	
Waterbody- Streams/River									13.42		13.42	
Waterbody – Ponds			11.34							124.06	135.40	
Grand Total	113.45	178.74	4364.93	382.45			32.68	405.92	13.42	125.15	5616.73	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 188 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations and water body in T3.
- In T3 167 ha of the agriculture area has increased from plantations, scrubland and water body of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20

Land cover	Monitoring period (T4)										Units in Hectares	
T3	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	113.45											113.45
Mining/dump		178.74										178.74
Agriculture	0.12	3.23	4329.21	30.93						1.44		4364.93
Plantation Horticulture			99.54	282.72						0.19		382.45
Forest												
Forest Plantation												
Barren Rocky							32.68					32.68
Scrub			62.99	0.33				342.60				405.92
Waterbody- Streams/River									13.42			13.42
Waterbody – Ponds										125.15		125.15
Grand Total	113.57	181.97	4491.73	313.97			32.68	342.60	13.42	126.78		5616.73

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 35 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations and water body in T4.
- In T4 162 ha of the agriculture area has increased from plantations and scrubland of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2019-20 to 2020-21

Land cover	Monitoring period (T5)										Units in Hectares		
T4	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	113.62												113.62
Mining/dump		182.06											182.06
Agriculture	0.69	0.85	4432.64	37.14							13.12		4484.44
Plantation Horticulture	0.06		2.30	315.51							0.14		318.01
Forest													
Forest Plantation													
Barren Rocky		4.89					27.92						32.81
Scrub		0.58	18.95	0.44				323.55			0.10		343.62
Waterbody- Streams/River									13.42				13.42
Waterbody – Ponds			3.90								124.86		128.76
Grand Total	114.37	188.38	4457.79	353.10			27.92	323.55	13.42		138.22		5616.75

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 51 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations and water body in T5.
- In T5 21 ha of the agriculture area has increased from plantations, scrubland and water body of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an decrease of 5.2 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years.
4. There is an increase of 370 & 126 Hectares from T0-T1 & T3-T4, there is a decrease of 104, 10 & 26 Hectares from T1-T2, T2-T3 & T4-T5 respectively and overall increase of 351 Hectares in Crop land area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years. .
5. There is a increase of 29 Hectares in plantation/horticulture area as compared between 2012-13 (T0) & 2020-21 (T5) years.
6. There is a decrease of 519 Hectares in Scrubland area as compared between 2012-13 (T0) & 2020-21 (T5) years.
7. Farm ponds (07) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (07) verified from the portal.