

# MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION SUMMARY REPORT

**IWMP-Batch-V**

EAST GODAVARI -01/2013-14  
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad  
January-2023

**T 0 - T 1 - T 2 - T 3 - T 4 - T 5**



AGRICULTURE & SOIL  
DIVISION  
Andhra Pradesh Space  
Applications Centre (APSAC)  
ITE&C Department Govt. of  
Andhra Pradesh



RURAL DEVELOPMENT AND  
WATERSHED MONITORING  
DIVISION  
Land Resources and Land Use  
Mapping and Monitoring Group,  
Remote Sensing Application Area,  
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND  
RESOURCES  
Ministry of Rural Development  
Government of India

# C O N T E N T S

- **EXECUTIVE SUMMARY**

01.           STUDY AREA

02.           SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS

03.           MONITORING IN THE PROJECT AREA : Site wise changes in the project

04.           CONCLUSIONS


## **E X E C U T I V E   S U M M A R Y**

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely - Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project - IWMP-01/2013-14, East Godavari District of Andhra Pradesh. The total geographical area of the project is **7,120 ha**. It comprises of 19 micro watersheds.
- In the project area 55 Drishti photos were uploaded showing check dams/Rock fill dam, livelihood activities, and remaining showing other activities.
- Water bodies have shown an increased by 1.8 ha , which correspond to the other land use classes that have been converted into various water bodies in this period.
- Major percentage i.e. 19 % is covered by the agriculture, 51 % is covered by forest, 22 % is covered by scrubland and remaining by other land use classes.

# PROJECT : EAST GODAVARI - IWMP-01/2013-14

## DISTRICT : EAST GODAVARI , STATE : ANDHRA PRADESH

- The study area falls in Y.Ramavaram Mandal of East Godavari district of Andhra Pradesh state. The total geographical area of the project is **7,120 ha**. It comprises of 19 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2013-14 (T0) period (*Batch -1*) projects taking 2017-18 (T1) period satellite images



- The Climate is Comparatively moderate throughout the year except during the months of April to June when the temperature reaches a maximum of 48 deg. Centigrade.
- The normal rainfall of the district is 1280 mm. More than half of the rainfall is brought by south-west monsoon while a large portion of the rest of the district receives rainfall from the North-East Monsoon also, during October and November.


# Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2013-14	2011-12	2021-22
LISS IV	2013-14		
SCENE 1			6-Jan-22
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2013-14		
SCENE 1			6-Jan-22
SCENE2			
SCENE 3			
SCENE 4			




## Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC ( 1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	55
4	Detailed Project Report		


## Natural Color Composite overlaid with Project boundaries and high detail stream network



### Legend

-  Drainage (1:10000 Scale)
-  MWS Boundary
-  Project Boundary

## Natural Color Composite overlaid with Drishti Points



### Drishti Upload Status

## Classification of the Activities







Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	0	0
2	Horticulture	0	0
3	Agriculture	1	1
4	Pasture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Terrace	0	0
8	Checks & Plugs	17	17
9	Gabion structure	0	0
10	Farm ponds/Dug out pit	0	0
11	Civil work-Check dams/Rock fill dam	1	1
12	Nallah Bunds/Drainage treatment	0	0
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities-Plantation/Horticulture	0	0
16	Capacity Building Activities	0	0
17	Entry Point Activity	4	4
18	Others	32	32
	<b>TOTAL</b>	<b>55</b>	<b>55</b>

## MONITORING IN THE PROJECT AREA

### Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2013-14) and T5 is 2021-22 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

# Natural Colour Composite (NCC)





Monitoring of activities in East Godavari District, Andhra Pradesh. IWMP-01/2013-14



T0 Satellite data 2013



T1 Satellite data 2015



T2 Satellite data 2016



T3 Satellite data 2017



T4 Satellite data 2018




T5 Satellite data 2020



Drishti Id. 1704995

Horticulture

Monitoring of activities in East Godavari Dt Andhra Pradesh. IWMP-01/2013-14



T0:2013-14



T1: 14 January 2019



Drishti SI no. 7023650 MWS : 4F1A5n2b

Percolation tank



T0:2013-14



T1: 14 January 2019



Drishti SI no. 7035488 MWS : 4F1A5h1c

Percolation tank

Monitoring of activities in East Godavari Dt Andhra Pradesh. IWMP-01/2013-14



T0

T0:2013-14



T1

T1: 14 January 2019




Drishti Sl no. 1722948 MWS : 4F1A5n2b

Vegetative Engineering Structure



T0

T0:2013-14



T1

T1: 14 January 2019



Drishti Sl no. 1732419 MWS : 4F1A5h1a

Vegetative Engineering Structure


## MONITORING IN THE PROJECT AREA

### Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2013-14) and row represents the T5 (2021-22)


# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2013-14 to 2017-18)

Scale: 1:10000




# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)

Scale: 1:10000




# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20)

Scale: 1:10000



# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2019-20 to 2020-21)


Scale: 1:10000






# Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2020-21 to 2021-22)

Scale: 1:10000




## Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Water body




T0: 2013-14 (81°57'22.306"E 17°40'52.658"N)




T1: 06 January 2018

Scrubland to Agriculture




T0: 2013-14 (81°58'37.398"E 17°40'41.353"N)



T1: 06 January 2018


## Land Use and Land Cover changes for Pre and Post treatment dates

### Agriculture to Plantation



T0


T0: 2013-14 (81°56'38.62"E 17°40'49.098"N)



T1


T1: 06 January 2018

### Scrubland to Agriculture



T0

T0: 2013-14 (81°56'25.531"E 17°39'29.811"N)



T1

T1: 06 January 2018

**Table showing change matrix depicting Land cover transitions during study period-2013-14 to 2017-18**

Land cover	Monitoring period (T1)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
<b>Built up</b>	92.33												<b>92.33</b>
<b>Mining/dump</b>													
<b>Agriculture</b>	0.79		833.43	39.56				0.59			0.05		<b>874.43</b>
<b>Plantation Horticulture</b>			5.04	103.11									<b>108.15</b>
<b>Forest</b>			6.37		3670.11								<b>3676.48</b>
<b>Forest Plantation</b>													
<b>Barren Rocky</b>													
<b>Scrub</b>	1.94		111.27	16.16				2095.85			0.66		<b>2225.87</b>
<b>Waterbody- Streams/River</b>									136.00				<b>136.00</b>
<b>Waterbody – Ponds</b>											6.26		<b>6.26</b>
<b>Grand Total</b>	<b>95.06</b>		<b>956.11</b>	<b>158.83</b>	<b>3670.11</b>			<b>2096.44</b>	<b>136.00</b>		<b>6.98</b>		<b>7119.52</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents the changes in between the classes.
- In T0 41 ha of the agriculture area has decreased and it is converted into Built-up, plantation and water body in T1.
- In T1 122 ha of the agriculture area has increased from plantations, forest and scrubland of T0. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19**

Land cover	Monitoring period (T2)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
<b>T1</b>												
<b>Built up</b>	95.06										<b>95.06</b>	
<b>Mining/dump</b>												
<b>Agriculture</b>	1.19		923.52	30.40						1.01	<b>956.11</b>	
<b>Plantation Horticulture</b>			11.45	147.38							<b>158.83</b>	
<b>Forest</b>			2.46		3667.65						<b>3670.11</b>	
<b>Forest Plantation</b>												
<b>Barren Rocky</b>												
<b>Scrub</b>			216.12	3.56				1876.63		0.13	<b>2096.44</b>	
<b>Waterbody- Streams/River</b>								136.00			<b>136.00</b>	
<b>Waterbody – Ponds</b>										6.98	<b>6.98</b>	
<b>Grand Total</b>	<b>96.24</b>		<b>1153.54</b>	<b>181.34</b>	<b>3667.65</b>			<b>1876.63</b>	<b>136.00</b>	<b>8.11</b>	<b>7119.52</b>	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 32 ha of the agriculture area has decreased and it is converted into Built-up , plantations and water body in T2.
- In T2 230 ha of the agriculture area has increased from plantations, forest and scrubland of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20**

Land cover	Monitoring period (T3)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
<b>Built up</b>	96.24										<b>96.24</b>	
<b>Mining/dump</b>												
<b>Agriculture</b>	0.38		1088.94	62.65				0.85	0.72		<b>1153.54</b>	
<b>Plantation Horticulture</b>			6.36	174.94						0.04	<b>181.34</b>	
<b>Forest</b>	0.09		0.82		3666.74						<b>3667.65</b>	
<b>Forest Plantation</b>												
<b>Barren Rocky</b>												
<b>Scrub</b>	0.12		100.86	2.58				1773.05			<b>1876.63</b>	
<b>Waterbody- Streams/River</b>									136.00		<b>136.00</b>	
<b>Waterbody – Ponds</b>			0.22							7.89	<b>8.11</b>	
<b>Grand Total</b>	<b>96.83</b>		<b>1197.21</b>	<b>240.18</b>	<b>3666.74</b>			<b>1773.90</b>	<b>136.72</b>	<b>7.93</b>	<b>7119.52</b>	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 63 ha of the agriculture area has decreased and it is converted into Built-up, plantations, scrub and water body in T3.
- In T3 108 ha of the agriculture area has increased from plantations , forest, scrubland and water body of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2019-20 to 2020-21**

Land cover	Monitoring period (T4)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
<b>Built up</b>	96.83										<b>96.83</b>	
<b>Mining/dump</b>												
<b>Agriculture</b>			1188.95	8.03						0.22	<b>1197.21</b>	
<b>Plantation Horticulture</b>			13.79	226.39							<b>240.18</b>	
<b>Forest</b>			6.33		3660.41						<b>3666.74</b>	
<b>Forest Plantation</b>												
<b>Barren Rocky</b>												
<b>Scrub</b>			80.24					1693.66			<b>1773.90</b>	
<b>Waterbody- Streams/River</b>									136.72		<b>136.72</b>	
<b>Waterbody – Ponds</b>										7.93	<b>7.93</b>	
<b>Grand Total</b>	<b>96.83</b>		<b>1289.31</b>	<b>234.42</b>	<b>3660.41</b>			<b>1693.66</b>	<b>136.72</b>	<b>8.15</b>	<b>7119.52</b>	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 8.2 ha of the agriculture area has decreased and it is converted into plantations and water body in T4.
- In T4 100 ha of the agriculture area has increased from plantations, forest and scrubland area of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

**Table showing change matrix depicting Land cover transitions during study period-2020-21 to 2021-22**

Land cover	Monitoring period (T5)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
<b>Built up</b>	96.83												<b>96.83</b>
<b>Mining/dump</b>													
<b>Agriculture</b>			1289.31										<b>1289.31</b>
<b>Plantation Horticulture</b>				234.42									<b>234.42</b>
<b>Forest</b>					3660.41								<b>3660.41</b>
<b>Forest Plantation</b>													
<b>Barren Rocky</b>													
<b>Scrub</b>			78.14					1615.52					<b>1693.66</b>
<b>Waterbody- Streams/River</b>									136.72				<b>136.72</b>
<b>Waterbody – Ponds</b>											8.15		<b>8.15</b>
<b>Grand Total</b>	<b>96.83</b>		<b>1367.45</b>	<b>234.42</b>	<b>3660.41</b>			<b>1615.52</b>	<b>136.72</b>		<b>8.15</b>		<b>7119.52</b>

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T5 78 ha of the agriculture area has increased from scrubland area of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.



# Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an increase of 1.8 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2013-14 (T0) & 2021-22 (T5) years.
4. There is an increase of 81, 197, 43, 92 & 78 Hectares from T0-T1, T1-T2, T2-T3, T3-T4 & T4-T5 respectively and overall increase of 493 Hectares in Crop land area as compared between baseline LU/LC data 2013-14 (T0) & 2021-22 (T5) years.
5. About **126 ha of the plantation/horticulture area has been increased** in during the monitoring period of 2013-14 (T0) to 2021-22 (T5) years.
6. There is a decrease of 610 Hectares in Scrubland area as compared between 2013-14 (T0) & 2021-22 (T5) years.
7. Farm ponds (0) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (0) verified from the portal.