MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION

SUMMARY REPORT

IWMP-Batch-IV

Prakasam-54/2012-13 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad December-2022

ГО-Т1-Т2-Т3-Т4-Т5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND WATERSHED MONITORING DIVISION

Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

CONTENTS

EXECUTIVE SUMMARY


- O1. STUDY AREA
- O2. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA: Site wise changes in the project
- O4. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-54/2012-13, Prakasam District of Andhra Pradesh. The total geographical area of the project is **10,570** ha. It comprises of 25 micro watersheds.
- In the project area 130 Drishti photos were uploaded showing 42 check dams/Checks & plugins, 53 Farm ponds/Percolation tanks, 8 livelihood activities, 6 Afforestation, and 21 others.
- Major percentage i.e. 69 % is covered by the agriculture, 13 % is covered by forest, 11 % by scrub land and remaining by other land use classes.

PROJECT: PRAKASAM - IWMP-54/2012-13 DISTRICT: PRAKASAM, STATE: ANDHRA PRADESH

• The study area falls in Pullalacheruvu Mandal of Prakasam district of Andhra Pradesh state. The total geographical area of the project is **10,570** ha. It comprises of 25 micro watersheds. Location Map of the study area is shown in Figure below Analysis is done for 2012-13 (T0) period (*Batch -1*) projects taking 2020-21 (T5) period satellite images.



- Project area witnesses tropical wet and dry climate characterized by year round high temperatures. Prakasam has a record of reaching more than 46°C.
- The average annual rainfall of the district is 798.6 mm, monthly rainfall ranges from nil in March to 182.9 mm in October. October is the wettest month of the year. Southwest monsoon contributes significant rainfall in southern part of the district and Northeast monsoon contributes more than 70% of the rainfall.
- December is the coldest month with normal mean maximum temperature of about 27.1°c and mean minimum temperature of 19.2°C. Temperature begins to rise after February. May is the hottest month with mean daily maximum temperature of about 36.1°C and the mean daily minimum temperature of about 27.7°C. During May and early June the maximum temperature rises occasionally to 46°C and with the onset of SW monsoon by about second week of June, temperature begins to drop rapidly.

Satellite Data and Ancillary Data

Catallita data*	TO 4**	T0 D**	Τ.ε.
Satellite data*	T0-A**	T0-B**	T5
	2012-13	2011-12	2020-21
LISS IV	2012-13		
SCENE 1			30-Oct-20
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2012-13		
SCENE 1			30-Oct-20
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	130
4	Detailed Project Report		
	*		

Natural Color Composite overlaid with Project boundaries and high detail stream network




Legend





Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	6	6
	Horticulture/Agriculture		
2		0	0
3	Block planting	0	0
4	Pasture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Terrace	0	0
8	Checks & Plugs	9	9
9	Gabion structure	0	0
10	Farm ponds	53	53
11	Check dams	33	33
12	Nallah Bunds	0	0
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities	8	8
16	Production system and Micro-Enterprises	0	0
17	Entry Point Activity	0	0
18	Others	44	21
	TOTAL	153	130

MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project


- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures
- To is the baseline period before implementation (2012-13) and T4 is 2020-21 period for monitoring
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Natural Color Composite (NCC)






Monitoring of activities in Prakasam Dt Andhra Pradesh. IWMP-54/2012-13



Percolation tanks or Ground Water Recharge Structure

Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-54/2012-13








T1:2012-13


T2: 22 January 2017

Drishti SI no. 7031683

MWS:4C4C4f1c

Check dam








T1:2012-13


T2: 22 January 2017

Drishti Sl no. 1781542 MWS :4C4C4g1j

Horticulture

Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-54/2012-13








T0: 2012-13 T1: 2

T1: 22 January 2017

Drishti SI no. 7016044 MWS :4C4C4g1j

Horticulture



T0: 2012-13



T2: 22 January 2017



Drishti SI no. 7036789 MWS :4C4C4g1m


Percolation tank

MONITORING IN THE PROJECT AREA


Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody-ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the pre implementation period as T0 (2012-13) and row represents the post implementation period as T5 (2020-21).


Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2012-13 to 2016-17)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20)



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2019-20 to 2020-21)



Land Use and Land Cover changes for Pre and Post treatment dates








T0: 2012-13(79°18'16.27"E 16°7'57.63"N)

T2: 22 January 2017

Scrub to Agriculture



T0: 2012-13(79°17'47.259"E 16°8'26.579"N)



T2: 22 January 2017

Table showing change matrix depicting Land cover transitions during study period-2012-13 to 2016-17

Land cover	Monitor	Monitoring period (T1) Units in Hectares									
Т0	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	125.67	,									125.67
Mining/dump											
Agriculture	11.62		6271.93	100.21				55.35		0.65	6439.76
Plantation Horticulture				17.40							17.40
Forest			97.64		 1445.14	2.34	l L			2.16	1547.27
Forest Plantation											
Barren Rocky							7.16				7.16
Scrub	3.81		535.35	3.61				1461.60		3.09	2007.46
Waterbody- Streams/River									112.90		112.90
Waterbody – Ponds			24.49							288.59	313.08
Grand Total	141.10		6929.41	121.22	 1445.14	2.34	7.16	 1516.95	112.90	294.49	10570.69

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 167 ha of the agriculture area has decreased and it is converted into Built-up, plantation, scrubland and water body in T1.
- In T1 657 ha of the agriculture area has increased from forest, scrubland and water body of T2. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitor	Monitoring period (T2) Units in Hectares										
T 1		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	141.10										141.10	
Mining/dump												
Agriculture	2.67	0.24	6862.68	11.79				47.44	ļ	3.73	6928.55	
Plantation Horticulture				121.22							121.22	
Forest			1.48		1444.29						1445.77	
Forest Plantation						2.34					2.34	
Barren Rocky							7.16	5			7.16	
Scrub	1.49		28.76					1485.24	ļ.	1.41	1516.90	
Waterbody- Streams/River									112.90		112.90	
Waterbody – Ponds			2.56							291.92	294.48	
Grand Total	145.25	0.24	6895.48	133.01	1444.29	2.34	7.16	1532.69	112.90	297.06	10570.41	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 65 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations, scrub and water body in T2.
- In T2 32 ha of the agriculture area has increased from forest, scrubland and water body of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

Land cover	Monitor	ing period	Units in Hecta	Units in Hectares							
Т2		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	145.25										145.25
Mining/dump			0.24								0.24
Agriculture	2.09		6859.04	7.92		8.80		1.68	5.45	10.50	6895.48
Plantation Horticulture			31.28	101.73							133.01
Forest			34.56		1409.73						1444.29
Forest Plantation						2.34					2.34
Barren Rocky							7.16	,			7.16
Scrub	0.60		150.86					1375.56		5.67	1532.69
Waterbody- Streams/River									112.90		112.90
Waterbody – Ponds			5.02							292.04	297.06
Grand Total	147.95		7080.98	109.66	1409.73	11.14	7.16	1377.24	118.35	308.22	10570.41

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 36 ha of the agriculture area has decreased and it is converted into Built-up, plantations, forest, plantation, scrubland and water body in T3.
- In T3 221 ha of the agriculture area has increased from mining/dump, plantations, forest, scrubland and water body of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20

Land cover	Monitoring period (T4) Units in Hectares										res
Т3		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	147.95										147.95
Mining/dump											
Agriculture	1.75		7062.19	15.77						1.27	7080.98
Plantation Horticulture	0.18		4.43	105.04							109.66
Forest			2.58		1407.15						1409.73
Forest Plantation						11.14					11.14
Barren Rocky							7.16	5			7.16
Scrub	0.23		89.19					1287.82			1377.24
Waterbody- Streams/River									118.35		118.35
Waterbody – Ponds			3.61							304.61	308.22
Grand Total	150.11		7162.00	120.81	1407.15	11.14	7.16	 1287.82	118.35	305.88	10570.41

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- •In T3 18 ha of the agriculture area has decreased and it is converted into Built-up, plantations and water body in T4.
- •In T4 97 ha of the agriculture area has increased from plantations, forest, scrubland and water body of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2019-20 to 2020-21

Land cover	Monitor	ing period	Units in Hectares								
T 4		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	150.11										150.11
Mining/dump											
Agriculture	0.61		7158.28	4.15						1.03	7164.08
Plantation Horticulture			46.07	72.49							118.56
Forest			18.87		1387.64						1406.52
Forest Plantation						11.14					11.14
Barren Rocky							7.16	5			7.16
Scrub			91.92					1195.26		0.70	1287.87
Waterbody- Streams/River									118.35		118.35
Waterbody – Ponds			2.93							303.98	306.90
Grand Total	150.72		7318.08	76.65	1387.64	11.14	7.16	 1195.26	118.35	305.71	10570.69

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- •In T4 5.8 ha of the agriculture area has decreased and it is converted into Built-up, plantations and water body in T5.
- •In T5 113 ha of the agriculture area has increased from plantations, forest, scrubland and water body of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- 3. There is an decrease of 1.9 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years.
- 4. There is an increase of 489, 185, 81 & 53 Hectares from T0-T1, T2-T3, T3-T4 & T4-T5 respectively there is a decrease of 33 Hectares from T1-T2 and overall increase of 878 Hectares in Crop land area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years.
- 5. About 59 Hectares of the plantation/horticulture area has been increased in during the monitoring period of 2012-13 (T0) & 2020-21 (T5) years.
- 6. There is a decrease of 812 Hectares in Scrubland area as compared between 2012-13 (T0) & 2020-21 (T5) years.
- 7. Farm ponds (53) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (53) verified from the portal.