# MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION SUMMARY REPORT

## IWMP-Batch-IV

Prakasam-55/2012-13 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad December-2022

# T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL DIVISION Andhra Pradesh Space Applications Centre (APSAC) ITE&C Department Govt. of Andhra Pradesh



RURAL DEVELOPMENT AND WATERSHED MONITORING DIVISION Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND RESOURCES Ministry of Rural Development Government of India

# $\textbf{C} \ \textbf{O} \ \textbf{N} \ \textbf{T} \ \textbf{E} \ \textbf{N} \ \textbf{T} \ \textbf{S}$

#### • EXECUTIVE SUMMARY

- 01. STUDY AREA
- **02**. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
- 04. CONCLUSIONS

#### EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web
  portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses
  high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-55/2012-13, Prakasam District of Andhra Pradesh. The total geographical area of the project is **8,518** ha. It comprises of 17 micro watersheds.
- In the project area 278 Drishti photos were uploaded showing 80 check dams/Checks & plugins, 6 Farm ponds/Percolation tanks, 9 agriculture/horticulture, 3 Afforestation, and remaining others.
- Project area as per image analysis has witnessed distinguishable increase in farm ponds, showing 30 new farm ponds or dug out pits with 14.4 ha increase in the area.
- Major percentage i.e. 80 % is covered by the agriculture, 7 % is covered by scrub land, 6.6 % by plantation/horticulture and remaining by other land use classes.

# PROJECT : PRAKASAM - IWMP-55/2012-13 DISTRICT : PRAKASAM , STATE : ANDHRA PRADESH

• The study area falls in Mundlamuru Mandal of Prakasam district of Andhra Pradesh state. The total geographical area of the project is **8,518** ha. It comprises of 17 micro watersheds. Location Map of the study area is shown in Figure below Analysis is done for 2012-13 (T0) period (*Batch -1*) projects taking 2020-21 (T5) period satellite images.



- Project area witnesses tropical wet and dry climate characterized by year round high temperatures. Prakasam has a record of reaching more than 46°C.
- The average annual rainfall of the district is 798.6 mm, monthly rainfall ranges from nil in March to 182.9 mm in October. October is the wettest month of the year. Southwest monsoon contributes significant rainfall in southern part of the district and Northeast monsoon contributes more than 70% of the rainfall.
- December is the coldest month with normal mean maximum temperature of about 27.1°c and mean minimum temperature of 19.2°C. Temperature begins to rise after February. May is the hottest month with mean daily maximum temperature of about 36.1°C and the mean daily minimum temperature of about 27.7°C. During May and early June the maximum temperature rises occasionally to 46°C and with the onset of SW monsoon by about second week of June, temperature begins to drop rapidly.


# Satellite Data and Ancillary Data

T0-A**	T0-B**	Т5
2012-13	2011-12	2020-21
2012-13		
		30-Oct-20
2012-13		
		30-Oct-20
	2012-13	2012-13 2011-12 2012-13

## Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC ( 1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	278
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend




Drainage (1:10000 Scale)

**MWS Boundary** 



Project Boundary

# Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

# Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Afforestation	3	3
	Horticulture/Agriculture		
2		9	9
3	Block planting	0	0
4	Pasture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Terrace	0	0
8	Checks & Plugs	110	80
9	Gabion structure	0	0
10	Farm ponds	6	6
11	Check dams	0	0
12	Nallah Bunds	0	0
13	Percolation tanks / Ground water recharge structure	0	0
14	Production System and Micro-Enterprises	0	0
15	Livelihood Activities	0	0
16	Production system and Micro-Enterprises	0	0
17	Entry Point Activity	0	0
18	Others	281	180
	TOTAL	409	278


### MONITORING IN THE PROJECT AREA

# Site Wise Changes in the Project


- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures
- T0 is the baseline period before implementation (2012-13) and T5 is 2020-21 period for monitoring
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

## Natural Color Composite (NCC)






#### Monitoring of activities in Prakasam Dt Andhra Pradesh. IWMP-55/2012-13




#### **Check Dam**

#### Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-55/2012-13



#### Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-55/2012-13




#### MONITORING IN THE PROJECT AREA


#### Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody –ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the pre implementation period as T0 (2012-13) and row represents the post implementation period as T5 (2020-21).


#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2012-13 to 2016-17) Scale: 1:10000




#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18) Scale: 1:10000




#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19) Scale: 1:10000




#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20) Scale: 1:10000




#### Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2019-20 to 2020-21) Scale: 1:10000



#### Land Use and Land Cover changes for Pre and Post treatment dates





Land cover	Monitoring period (T1) Units in Hect										
ТО		Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total
Built up	137.20										137.20
Mining/dump											
Agriculture	5.87	1.96	6149.62	317.23				50.90		25.66	6551.24
Plantation Horticulture			8.16	37.00							45.15
Forest											
Forest Plantation											
Barren Rocky											
Scrub	1.55		438.74	2.70				967.66	5	16.13	1426.78
Waterbody- Streams/River			4.86						143.46	0.66	148.98
Waterbody – Ponds			13.45						22.49	173.14	209.08
Grand Total	144.62	1.96	6614.82	356.93				1018.55	165.95	215.60	8518.42

#### Table showing change matrix depicting Land cover transitions during study period-2012-13 to 2016-17

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In T0 350 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation, scrub and water body in T1.

• In T1 460 ha of the agriculture area has increased from plantations, scrubland and water body of T2. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Land cover	Monitor	Monitoring period (T2) Units in Hecta										
<u>T1</u>	Built up	Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	144.62										144.62	
Mining/dump		1.96									1.96	
Agriculture	4.27		6119.56	489.69						1.31	6614.82	
Plantation Horticulture	0.05		124.51	232.31						0.06	356.93	
Forest												
Forest Plantation												
Barren Rocky												
Scrub	0.44		324.28	5.12				687.66		1.06	1018.55	
Waterbody- Streams/River			0.69						164.74	0.51	165.95	
Waterbody – Ponds			1.62							213.98	215.60	
Grand Total	149.38	1.96	6570.66	727.12				687.66	164.74	216.91	8518.42	

#### Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

- In T1 495 ha of the agriculture area has decreased and it is converted into Built-up, plantations and water body in T2.
- In T2 450 ha of the agriculture area has increased from plantations, scrubland and water body of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Land cover	Monitoring period (T3) Units in Hecta											
T2	Built up	Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	149.38										149.38	
Mining/dump		1.96									1.96	
Agriculture			6564.23	6.42							6570.66	
Plantation Horticulture			170.17	556.63						0.32	727.12	
Forest												
Forest Plantation												
Barren Rocky												
Scrub	0.96	0.28	45.79	4.43				636.19			687.66	
Waterbody- Streams/River									164.74		164.74	
Waterbody – Ponds			1.06							215.85	216.91	
Grand Total	150.34	2.24	6781.25	567.49				636.19	164.74	216.17	8518.42	

#### Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

- In T2 6.4 ha of the agriculture area has decreased and it is converted into plantations in T3.
- In T3 217 ha of the agriculture area has increased from plantations and scrubland of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Land cover	Monitor	Anitoring period (T4) Units in Hectares											
Т3	Built up	Mining/ dump		Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	150.34										150.34		
Mining/dump		2.24									2.24		
Agriculture	2.94		6722.00	55.16						1.15	6781.25		
Plantation Horticulture			60.95	506.54							567.49		
Forest													
Forest Plantation													
Barren Rocky													
Scrub			27.40	1.68				600.77	,	6.34	636.19		
Waterbody- Streams/River									164.57	0.17	164.74		
Waterbody – Ponds			0.79					15.13		200.25	216.17		
Grand Total	153.28	2.24	6811.14	563.38				615.90	164.57	207.91	8518.42		

#### Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20

- •In T3 59 ha of the agriculture area has decreased and it is converted into Built-up, plantations and water body in T4.
- •In T4 89 ha of the agriculture area has increased from plantations, scrubland and water body of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Land cover	Monitor	Monitoring period (T5) Units in Hectar											
Т4		Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation		Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	153.27										153.27		
Mining/dump		2.82									2.82		
Agriculture	1.31	0.46	6713.14	53.81					34.86	9.54	6813.12		
Plantation Horticulture		0.52	62.91	488.09							551.52		
Forest													
Forest Plantation													
Barren Rocky													
Scrub			72.91					490.59	17.50	12.29	593.29		
Waterbody- Streams/River									210.88		210.88		
Waterbody – Ponds										193.16	193.16		
Grand Total	154.58	3.80	6848.96	541.90				490.59	263.24	214.99	8518.06		

#### Table showing change matrix depicting Land cover transitions during study period-2019-20 to 2020-21

- •In T4 99 ha of the agriculture area has decreased and it is converted into Built-up, plantations and water body in T5.
- •In T5 135 ha of the agriculture area has increased from plantations and scrubland of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

# Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- There is an increase of 14.4 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years.
- 4. There is an increase of 63, 210, 29 & 35 Hectares from T0 to T1, T2-T3, T3-T4 & T4-T5 respectively and there is a decrease of 44 Hectares from T1 to T2 and overall increase of 259 Hectares in Crop land area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years.
- There is an increase of 518 Hectares of plantation/horticulture area has been increased from 2012-13
   (T0) to 2020-21 (T5) years.
- 6. There is a decrease of 810 Hectares in Scrubland area as compared between 2012-13 (T0) & 2020-21 (T5) years.
- Farm ponds (6) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (6) verified from the portal.