MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION SUMMARY REPORT

IWMP-Batch-IV

Prakasam-56/2012-13 Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad December-2022

Г 0 - Т 1 - Т 2 - Т 3 - Т 4 - Т 5



AGRICULTURE & SOIL DIVISION Andhra Pradesh Space Applications Centre (APSAC) ITE&C Department Govt. of Andhra Pradesh



RURAL DEVELOPMENT AND WATERSHED MONITORING DIVISION Land Resources and Land Use Mapping and Monitoring Group, Remote Sensing Application Area, National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND RESOURCES Ministry of Rural Development Government of India

$\textbf{C} \ \textbf{O} \ \textbf{N} \ \textbf{T} \ \textbf{E} \ \textbf{N} \ \textbf{T} \ \textbf{S}$

• EXECUTIVE SUMMARY

- 01. STUDY AREA
- **02**. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
- 03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
- 04. CONCLUSIONS

EXECUTIVE SUMMARY

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m), LISS-IV(5.8 m color).
- Current summary report gives details of Project IWMP-56/2012-13, Prakasam District of Andhra Pradesh. The total geographical area of the project is 7,718 ha. It comprises of 17 micro watersheds.
- In the project area 155 Drishti photos were uploaded showing 30 check dams/Checks & plugins, 3 Farm ponds/Percolation tanks, 2 Afforestation, and remaining others.
- Water bodies have shown an increase by 298 ha, which correspond to the other land use classes that have been converted into various water bodies in this period.
- Major percentage i.e. 68 % is covered by the agriculture, 6.2 % is covered by plantation/horticulture, 10
 % by water body and remaining by other land use classes.

PROJECT : PRAKASAM - IWMP-56/2012-13 DISTRICT : PRAKASAM , STATE : ANDHRA PRADESH

The study area falls in Addanki Mandal of Prakasam district of Andhra Pradesh state. The total geographical area of the project is 7,718 ha. It comprises of 17 micro watersheds. Location Map of the study area is shown in Figure below Analysis is done for 2012-13 (T0) period (*Batch -1*) projects taking 2020-21 (T5) period satellite images.



- Project area witnesses tropical wet and dry climate characterized by year round high temperatures. Prakasam has a record of reaching more than 46°C.
- The average annual rainfall of the district is 798.6 mm, monthly rainfall ranges from nil in March to 182.9 mm in October. October is the wettest month of the year. Southwest monsoon contributes significant rainfall in southern part of the district and Northeast monsoon contributes more than 70% of the rainfall.
- December is the coldest month with normal mean maximum temperature of about 27.1°c and mean minimum temperature of 19.2°C. Temperature begins to rise after February. May is the hottest month with mean daily maximum temperature of about 36.1°C and the mean daily minimum temperature of about 27.7°C. During May and early June the maximum temperature rises occasionally to 46°C and with the onset of SW monsoon by about second week of June, temperature begins to drop rapidly.

Satellite Data and Ancillary Data

| Satellite data* | T0-A** | T0-B** | Τ5 |
|-----------------|---------|---------|-----------|
| | 2012-13 | 2011-12 | 2020-21 |
| LISS IV | 2012-13 | | |
| SCENE 1 | | | 30-Oct-20 |
| SCENE2 | | | |
| SCENE 3 | | | |
| SCENE 4 | | | |
| | | | |
| CARTO | 2012-13 | | |
| SCENE 1 | | | 30-Oct-20 |
| SCENE2 | | | |
| SCENE 3 | | | |
| SCENE 4 | | | |

Ancillary Data

| | Category | Sub category | Status |
|---|-------------------------|--------------|--------|
| 1 | Thematic maps | | |
| | LULC (1: 10 000) | | |
| | | DRAIANGE | YES |
| | | SETTLEMENT | YES |
| | | ROADS/RAILS | No |
| | LULC (1: 50 000) | | |
| | | 2005-06 | |
| | | 2008-09 | |
| | | | |
| 2 | Activity Plan Maps | | |
| | | | |
| 3 | Drishti Photographs | | |
| | | Total | 130 |
| 4 | Detailed Project Report | | |
| | | | |
| | | | |

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend




Drainage (1:10000 Scale)

MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities


| Sr. No | Activity | Drishti Photo | Visible on satellite |
|--------|---|---------------|----------------------|
| 1 | Afforestation | 2 | 2 |
| | Horticulture/Agriculture | | |
| 2 | | 0 | 0 |
| 3 | Block planting | 0 | 0 |
| 4 | Pasture | 0 | 0 |
| 5 | Trench | 0 | 0 |
| 6 | Field Bunds | 0 | 0 |
| 7 | Terrace | 0 | 0 |
| 8 | Checks & Plugs | 39 | 30 |
| 9 | Gabion structure | 0 | 0 |
| 10 | Farm ponds | 3 | 3 |
| 11 | Check dams | 0 | 0 |
| 12 | Nallah Bunds | 0 | 0 |
| 13 | Percolation tanks / Ground water recharge structure | 0 | 0 |
| 14 | Production System and Micro-Enterprises | 0 | 0 |
| 15 | Livelihood Activities | 0 | 0 |
| 16 | Production system and Micro-Enterprises | 0 | 0 |
| 17 | Entry Point Activity | 0 | 0 |
| 18 | Others | 200 | 120 |
| | TOTAL | 244 | 155 |

MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project


- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures
- T0 is the baseline period before implementation (2012-13) and T5 is 2020-21 period for monitoring
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.

Natural Color Composite (NCC)






Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-56/2012-13




Farm pond

Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-56/2012-13



Monitoring of activities in Prakasam District Andhra Pradesh. IWMP-56/2012-13




MONITORING IN THE PROJECT AREA


Land use and Land cover Changes in the Project

- Change in land use and land cover form T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody –ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the pre implementation period as T0 (2012-13) and row represents the post implementation period as T5 (2020-21).


Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2012-13 to 2016-17) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20) Scale: 1:10000




Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2019-20 to 2020-21) Scale: 1:10000



Land Use and Land Cover changes for Pre and Post treatment dates





| Land cover | Monitor | Monitoring period (T1) Units in Hectar | | | | | | | | | | |
|-----------------------------|----------|--|-------------|----------------------------|--------|----------------------|--|--------|-----------------------------|---------------------|-------------|--|
| то | Built up | Mining/ dump | Agriculture | Plantation Horticulture | Forest | Forest Plantation | | Scrub | Waterbody- Streams/River | Water body Ponds | Grand Total | |
| Built up | 422.45 | | | | | | | | | | 422.45 | |
| Mining/dump | | 108.71 | 12.51 | | | | | | | | 121.22 | |
| Agriculture | 20.19 | 22.63 | 5189.55 | 267.35 | | | | 117.53 | 3 | 1 | 5618.25 | |
| Plantation Horticulture | | | 70.14 | 37.78 | | | | | | | 107.92 | |
| Forest | | | | | | | | | | | | |
| Forest Plantation | | | | | | | | | | | | |
| Barren Rocky | | | | | | | | | | | | |
| Scrub | 1.19 | 0.73 | 237.46 | 0.81 | | | | 526.37 | 0.84 | 3.61 | 771.01 | |
| Waterbody- Streams/River | | | | | | | | | 584.01 | | 584.01 | |
| Waterbody – Ponds | | | | | | | | | | 93.33 | 93.33 | |
| Grand Total | 443.83 | 132.07 | 5509.66 | 305.94 | | | | 643.9 | 584.85 | 97.94 | 7718.19 | |

Table showing change matrix depicting Land cover transitions during study period-2012-13 to 2016-17

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

• In TO 428 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantation, scrubland and water body in T1.

• In T1 320 ha of the agriculture area has increased from mining/dump, plantations and scrubland of T2. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

| Land cover | Monitor | Monitoring period (T2) Units in Hecta | | | | | | | | | | |
|-----------------------------|---------|---------------------------------------|---------|----------------------------|--------|----------------------|--|--------|-----------------------------|---------------------|-------------|--|
| T1 | | Mining/ dump | | Plantation Horticulture | Forest | Forest Plantation | | Scrub | Waterbody- Streams/River | Water body Ponds | Grand Total | |
| Built up | 443.83 | | | | | | | | | | 443.83 | |
| Mining/dump | | 106.51 | 25.56 | | | | | | | | 132.07 | |
| Agriculture | 6.45 | 1.39 | 5230.06 | 212.89 | | | | 8.39 | | 50.48 | 5509.66 | |
| Plantation Horticulture | 0.6 | | 1.64 | 303.7 | | | | | | | 305.94 | |
| Forest | | | | | | | | | | | | |
| Forest Plantation | | | | | | | | | | | | |
| Barren Rocky | | | | | | | | | | | | |
| Scrub | 3.6 | 4.23 | 42.31 | | | | | 593.13 | | 0.63 | 643.9 | |
| Waterbody- Streams/River | | | | | | | | | 584.85 | | 584.85 | |
| Waterbody – Ponds | | | | | | | | | | 97.94 | 97.94 | |
| Grand Total | 454.48 | 112.13 | 5299.57 | 516.59 | | | | 601.52 | 584.85 | 149.05 | 7718.19 | |

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

- In T1 279 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations, scrubland and water body in T2.
- In T2 69 ha of the agriculture area has increased from mining/dump, plantations and scrubland of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

| Land cover | Monitor | Monitoring period (T3) Units in Hecta | | | | | | | | | | |
|-----------------------------|----------|---------------------------------------|---------|----------------------------|--------|----------------------|--|-------|-----------------------------|---------------------|-------------|--|
| T2 | Built up | Mining/ dump | | Plantation Horticulture | Forest | Forest Plantation | | Scrub | Waterbody- Streams/River | Water body Ponds | Grand Total | |
| Built up | 454.48 | | | | | | | | | | 454.48 | |
| Mining/dump | | 112.13 | | | | | | | | | 112.13 | |
| Agriculture | 2.78 | | 5294.59 | | | | | | | 2.2 | 5299.57 | |
| Plantation Horticulture | | | 79.52 | 437.07 | | | | | | | 516.59 | |
| Forest | | | | | | | | | | | | |
| Forest Plantation | | | | | | | | | | | | |
| Barren Rocky | | | | | | | | | | | | |
| Scrub | 0.05 | 1.91 | 45.9 | | | | | 552.5 | 5 | 1.16 | 601.52 | |
| Waterbody- Streams/River | | | | | | | | | 584.85 | | 584.85 | |
| Waterbody – Ponds | | | | | | | | | | 149.05 | 149.05 | |
| Grand Total | 457.31 | 114.04 | 5420.01 | 437.07 | | | | 552.5 | 584.85 | 152.41 | 7718.19 | |

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

- In T2 4.9 ha of the agriculture area has decreased and it is converted into Built-up and water body in T3.
- In T3 125 ha of the agriculture area has increased from plantations and scrubland of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

| Land cover | Monitor | Monitoring period (T4) Units in Hectares | | | | | | | | | | |
|-----------------------------|---------|--|---------|----------------------------|--------|----------------------|--|--------|-----------------------------|---------------------|-------------|--|
| Т3 | | Mining/ dump | | Plantation Horticulture | Forest | Forest Plantation | | Scrub | Waterbody- Streams/River | Water body Ponds | Grand Total | |
| Built up | 457.31 | | | | | | | | | | 457.31 | |
| Mining/dump | | 114.04 | | | | | | | | | 114.04 | |
| Agriculture | 2.47 | 0.18 | 5165.38 | 138.85 | | | | | 99.94 | 13.19 | 5420.01 | |
| Plantation Horticulture | | | 35.46 | 398.87 | | | | | 2.71 | 0.03 | 437.07 | |
| Forest | | | | | | | | | | | | |
| Forest Plantation | | | | | | | | | | | | |
| Barren Rocky | | | | | | | | | | | | |
| Scrub | 0.4 | | 19.55 | 0.25 | | | | 443.93 | 82.71 | 5.66 | 552.5 | |
| Waterbody- Streams/River | | | | | | | | | 584.85 | | 584.85 | |
| Waterbody – Ponds | | | | | | | | | | 152.41 | 152.41 | |
| Grand Total | 460.18 | 114.22 | 5220.39 | 537.97 | | | | 443.93 | 770.21 | 171.29 | 7718.19 | |

Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

•In T3 254 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations and water body in T4.

•In T4 55 ha of the agriculture area has increased from plantations and scrubland of T3.

• The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

| Land cover | Monitor | Monitoring period (T5) Units in Hec | | | | | | | | | | | |
|-----------------------------|----------|-------------------------------------|---------|----------------------------|--------|----------------------|--|-------|-----------------------------|---------------------|-------------|--|--|
| T4 | Built up | Mining/ dump | | Plantation Horticulture | Forest | Forest Plantation | | Scrub | Waterbody- Streams/River | Water body Ponds | Grand Total | | |
| Built up | 460.18 | | | | | | | | | | 460.18 | | |
| Mining/dump | | 112.49 | 1.73 | | | | | | | | 114.22 | | |
| Agriculture | 4.07 | 3.34 | 5172.77 | 7.38 | | | | | 13.76 | 19.07 | 5220.39 | | |
| Plantation Horticulture | 3.76 | | 61.03 | 473.08 | | | | | | 0.1 | 537.97 | | |
| Forest | | | | | | | | | | | | | |
| Forest Plantation | | | | | | | | | | | | | |
| Barren Rocky | | | | | | | | | | | | | |
| Scrub | 2.08 | 0.08 | 15.81 | 1.92 | | | | 422.6 | | 1.44 | 443.93 | | |
| Waterbody- Streams/River | | | | | | | | | 770.21 | | 770.21 | | |
| Waterbody – Ponds | | | | | | | | | | 171.29 | 171.29 | | |
| Grand Total | 470.09 | 115.91 | 5251.34 | 482.38 | | | | 422.6 | 783.97 | 191.9 | 7718.19 | | |

Table showing change matrix depicting Land cover transitions during study period-2019-20 to 2020-21

• In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.

•In T4 47 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations, scrub and water body in T5.

•In T5 78 ha of the agriculture area has increased from mining/dump, plantations and scrubland of T4.

• The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

- 1. DPR of the project is uploaded on to Bhuvan Portal.
- 2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
- There is an increase of 298 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years.
- 4. There is an increase of 120 & 30 Hectares from T2-T3 & T4-T5 there is a decrease of 108, 210 & 199 Hectares from T0-T1, T1-T2 & T3-T4 respectively and overall decrease of 366 Hectares in Crop land area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years.
- 5. About 374 Hectares of **plantation/horticulture area has been increased** in during the monitoring period of 2012-13 (T0) to 2020-21 (T5) years.
- 6. There is a decrease of 348 Hectares in Scrubland area as compared between 2012-13 (T0) & 2020-21 (T5) years.
- Farm ponds (3) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (3) verified from the portal.