

MONITORING OF IWMP WATERSHED PROJECTS USING GEO-INFORMATION SUMMARY REPORT

IWMP-Batch-IV

Srikakulam -14/2012-13
Andhra Pradesh

Submitted to NRSC, Balanagar, Hyderabad
December-2022

T 0 - T 1 - T 2 - T 3 - T 4 - T 5



AGRICULTURE & SOIL
DIVISION
Andhra Pradesh Space
Applications Centre (APSAC)
ITE&C Department Govt. of
Andhra Pradesh



RURAL DEVELOPMENT AND
WATERSHED MONITORING
DIVISION
Land Resources and Land Use
Mapping and Monitoring Group,
Remote Sensing Application Area,
National Remote Sensing Centre, ISRO



DEPARTMENT OF LAND
RESOURCES
Ministry of Rural Development
Government of India

C O N T E N T S

- **EXECUTIVE SUMMARY**

01. STUDY AREA
02. SATELLITE & ANCILLARY DATA INCLUDING DRISHTI STATUS
03. MONITORING IN THE PROJECT AREA : Site wise changes in the project
04. CONCLUSIONS


E X E C U T I V E S U M M A R Y

- Integrated Watersheds Management Project (IWMP) is a flagship programme of Department of Land Resources (DoLR), Ministry of Rural Development (MRD).
- National Remote Sensing Centre (NRSC), ISRO has designed and developed Bhuvan Geo-ICT Web portal tools namely – Srishti and Drishti for monitoring and evaluation of IWMP watersheds. It uses high spatial and temporal resolution sensors viz., Carto-1/2(2.5 m) , LISS-IV(5.8 m color).
- Current summary report gives details of Project – IWMP-14/2012-13, Srikakulam District of Andhra Pradesh. The total geographical area of the project is 12,144 ha. It comprises of 26 micro watersheds.
- In the project area 269 Drishti photos were uploaded showing agriculture/horticulture, afforestation, check dams/checks & plugs, Drainage treatments of Nala Revetment, loose boulder structures etc, and remaining showing other activities.
- Project area as per image analysis has witnessed distinguishable increase in farm ponds, showing 1 new farm ponds or dug out pits and 39 check dams and drainage treatments.
- Water bodies have shown an increase by 119 ha , which correspond to the various water bodies that have been converted into other land use classes in this period.
- Major percentage i.e. 45 % is covered by the agriculture, 24 % is covered by forest , 17 % is covered by scrubland, 5.5 % by plantation and remaining by other land use classes.

PROJECT : SRIKAKULAM - IWMP-14/2012-13

DISTRICT : SRIKAKULAM , STATE : ANDHRA PRADESH

- The study area falls in Meliaputti Mandal of Srikakulam district of Andhra Pradesh state. The total geographical area of the project is 12,144 ha. It comprises of 26 micro watersheds. Location Map of the study area is shown in Figure below. Analysis is done for 2012-13 (T0) period (*Batch -1*) projects taking 2020-21 (T5) period satellite images



- The climate of the region is generally tropical, the mean maximum temperature is 30-40°C April-May and the mean minimum temperature is 17.4°C December-January during the summer season till the onset of the South-West monsoon the heat is oppressive and the day temperature is May sometimes go about 43°C.
- The rainfall in the region is considerably more in the hilly areas as compared to the plains, the annual normal rainfall is 1131 mm (i.e., 61% from South West monsoon and 2.2% from Northeast monsoon) is shared by summer showers and winter rains.


Satellite Data and Ancillary Data

Satellite data*	T0-A**	T0-B**	T5
	2012-13	2011-12	2020-21
LISS IV	2012-13		
SCENE 1			12-Jan-21
SCENE2			
SCENE 3			
SCENE 4			
CARTO	2012-13		
SCENE 1			12-Jan-21
SCENE2			
SCENE 3			
SCENE 4			

Ancillary Data

	Category	Sub category	Status
1	Thematic maps		
	LULC (1: 10 000)		
		DRAIANGE	YES
		SETTLEMENT	YES
		ROADS/RAILS	No
	LULC (1: 50 000)		
		2005-06	
		2008-09	
2	Activity Plan Maps		
3	Drishti Photographs		
		Total	269
4	Detailed Project Report		

Natural Color Composite overlaid with Project boundaries and high detail stream network



Legend



Drainage (1:10000 Scale)




MWS Boundary



Project Boundary

Natural Color Composite overlaid with Drishti Points



Drishti Upload Status

Classification of the Activities


Sr. No	Activity	Drishti Photo	Visible on satellite
1	Agriculture/Horticulture	155	120
2	Afforestation	25	20
3	Black planting	0	0
4	Bund Planting/Horticulture	0	0
5	Trench	0	0
6	Field Bunds	0	0
7	Terrace	0	0
8	Gabion structure	0	0
9	Checks & Plugs	33	30
10	Farm ponds/Dug out pit	0	0
11	Civil work-Check dams /Rock fill dam	9	9
12	Drainage treatment /Nala Revetment, loose boulder structure, gully check	0	0
13	Land Developments (afforestation, horticulture and bund plantation of teak)	0	0
14	Lm	0	0
15	Soil moisture conservation	0	0
16	Production system and micro-enterprises	0	0
17	Entry Point Activity	0	2
18	Others	93	60
	TOTAL	348	269

MONITORING IN THE PROJECT AREA

Site Wise Changes in the Project

- Impacts of the activities carried out are presented through combination of Drishti and Srishti captures.
- T0 is the baseline period before implementation (2012-13) and T5 is 2020-21 period for monitoring.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.


Natural Color Composite



NDVI (2012-13)

NDVI (04 March 2016)

Monitoring of activities in Srikakulam Dt Andhra Pradesh. IWMP-14/2012-13



T0 Satellite data 2010



T1 Satellite data 2013



T2 Satellite data 2015



T3 Satellite data 2016



T4 Satellite data 2018




T5 Satellite data 2020



Drishti Id. 145429


Farm pond

Monitoring of activities in Srikakulam Dt Andhra Pradesh. IWMP-14/2012-13



T0

T0: 2012-13



T1

T1: 13 February 2017




Drishti SI no. 145384 MWS : 4F2B1t2i

Block planting



T0

T0: 2012-13



T1

T1: 13 February 2017



Drishti SI no. 2560185 MWS : 4F2B1t2i

Land development

Monitoring of activities in Srikakulam Dt Andhra Pradesh. IWMP-14/2012-13



T0

T0:2012-13



T1


T1: 13 February 2017



Drishti Sl no. 2290339

MWS : 4F2B1t2d

Mini Percolation tank



T0:2012-13



T1

T1: 13 February 2017



Drishti Sl no. 7059573

MWS : 4F2B1t2d

Percolation tank



MONITORING IN THE PROJECT AREA

Land use and Land cover Changes in the Project

- Change in land use and land cover from T0 to T5 are analyzed in terms of built up, mining/dump, agriculture, plantation- horticulture, forest, barren rocky waterbody-streams/river/reservoir and waterbody -ponds.
- Captures are also provided wherever changes are observed in satellite images, that may match expected activity related impact, even though they don't have Drishti report yet.
- The result obtained for the period T0 to T5 are given in the change matrix table.
- In matrix table column represents the T0 (2012-13) and row represents the T5 (2020-21)



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2012-13 to 2016-17)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2016-17 to 2017-18)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2017-18 to 2018-19)

Scale: 1:10000





Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2018-19 to 2019-20)

Scale: 1:10000



Comparative assessment of Land Use and Land Cover for Pre and Post IWMP implementation (2019-20 to 2020-21)

Scale: 1:10000



Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Plantation



T0


T0: 2012-13(84°14'55.486"E
18°44'57.56"N)



T1

T1: 13 January 2017

Scrub to water body



T0

T0: 2012-13 (84°9'29.17"E
18°42'58.043"N)



T1

T1: 13 January 2017

Land Use and Land Cover changes for Pre and Post treatment dates

Agriculture to Water body



T0: 2012-13(84°14'21.899"E
18°45'33.32"N)



T1: 13 January 2017

Scrub to Agriculture



T0: 2012-13(84°15'32.896"E
18°46'47.112"N)



T1: 13 January 2017

Table showing change matrix depicting Land cover transitions during study period-2012-13 to 2016-17

Land cover	Monitoring period (T1)										Units in Hectares		
T0	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	157.28												157.28
Mining/dump		40.51											40.51
Agriculture	14.46		4732.34	50.34				68.77	33.3	19.69			4918.9
Plantation Horticulture	1.56	0.15	1.1	266.2						0.12			269.13
Forest	0.51		116.29		3171.37	98.09				0.54			3386.8
Forest Plantation	0.2					56.24				1.16			57.6
Barren Rocky							12.6						12.6
Scrub	7.51	15.11	160.87	308.94				2437.81	0.2	8.98			2939.42
Waterbody- Streams/River									57.89				57.89
Waterbody – Ponds										303.11			303.11
Grand Total	181.52	55.77	5010.6	625.48	3171.37	154.33	12.6	2506.58	91.39	333.6			12,143.24

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T0 186 ha of the agriculture area has decreased and it is converted into Built-up, plantation, scrub and water body in T1.
- In T1 278 ha of the agriculture area has increased from plantations, forest and scrubland of T2. The additional agriculture are coming from waterbody in T1 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2016-17 to 2017-18

Land cover	Monitoring period (T2)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
T1													
Built up	181.52												181.52
Mining/dump		55.77											55.77
Agriculture	4.94	0.39	4978.11	6.27				11.14	1.51		8.24		5010.6
Plantation Horticulture	0.78		9.4	615.3									625.48
Forest	1.9	0.29	127.92		3040.89						0.37		3171.37
Forest Plantation			0.38			153.95							154.33
Barren Rocky							12.6						12.6
Scrub	1.6	36.24	87.65	2.44				2367.84	8.2		2.61		2506.58
Waterbody- Streams/River									91.39				91.39
Waterbody – Ponds											333.6		333.6
Grand Total	190.74	92.69	5203.46	624.01	3040.89	153.95	12.6	2378.98	101.1		344.82		12,143.24

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T1 32 ha of the agriculture area has decreased and it is converted into Built-up , mining/dump, plantations, scrub and water body in T2.
- In T2 225 ha of the agriculture area has increased from plantations, forest, forest plantation and scrubland of T1.
- The additional agriculture are coming from waterbody in T2 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2017-18 to 2018-19

Land cover	Monitoring period (T3)										Units in Hectares		
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total		
Built up	190.74												190.74
Mining/dump		92.38									0.31		92.69
Agriculture	1.36		5167.47	25.85				1.52	0.58		6.68		5203.46
Plantation Horticulture	0.3		8.34	615.15							0.22		624.01
Forest	0.12		11.45		3028.82			0.3			0.2		3040.89
Forest Plantation			0.51			153.44							153.95
Barren Rocky							12.6						12.6
Scrub	1.79	1.72	15.78					2358.05	0.24		1.4		2378.98
Waterbody- Streams/River									101.1				101.1
Waterbody – Ponds											344.82		344.82
Grand Total	194.31	94.1	5203.55	641	3028.82	153.44	12.6	2359.87	101.92	353.63			12,143.24

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T2 36 ha of the agriculture area has decreased and it is converted into Built-up, plantations, scrub and water body in T3.
- In T3 36 ha of the agriculture area has increased from plantations, forest and scrubland of T2.
- The additional agriculture are coming from waterbody in T3 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2018-19 to 2019-20

Land cover	Monitoring period (T4)										Units in Hectares	
T3	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	194.31											194.31
Mining/dump		94.1										94.1
Agriculture	6.19	2.59	5180.31							14.46		5203.55
Plantation Horticulture	3.03		3.74	633.99						0.24		641
Forest			8.49		3019.61					0.72		3028.82
Forest Plantation						153.44						153.44
Barren Rocky							12.6					12.6
Scrub	1.63	0.64	190.33					2161.01		6.26		2359.87
Waterbody- Streams/River									101.92			101.92
Waterbody – Ponds										353.63		353.63
Grand Total	205.16	97.33	5382.87	633.99	3019.61	153.44	12.6	2161.01	101.92	375.31		12,143.24

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T3 23 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations and water body in T4.
- In T4 202 ha of the agriculture area has increased from plantations, forest and scrubland of T3.
- The additional agriculture are coming from waterbody in T4 represents seasonal agriculture.

Table showing change matrix depicting Land cover transitions during study period-2019-20 to 2020-21

Land cover	Monitoring period (T5)										Units in Hectares	
	Built up	Mining/ dump	Agriculture	Plantation Horticulture	Forest	Forest Plantation	Barren Rocky	Scrub	Waterbody- Streams/River	Water body Ponds	Grand Total	
Built up	205.16										205.16	
Mining/dump		97.33									97.33	
Agriculture	11.04	1.01	5359.46	1.65				8.32		1.39	5382.87	
Plantation Horticulture	0.32		21.57	611.3						0.8	633.99	
Forest			102.38		2917.23						3019.61	
Forest Plantation	0.27		0.38			152.79					153.44	
Barren Rocky							12.6				12.6	
Scrub	8.84	4.21	21.02					2125.76		1.18	2161.01	
Waterbody- Streams/River									101.92		101.92	
Waterbody – Ponds										375.31	375.31	
Grand Total	225.63	102.55	5504.81	612.95	2917.23	152.79	12.6	2134.08	101.92	378.68	12,143.24	

- In matrix table diagonal elements represent the both periods in the same class and off diagonal elements represents change in between the classes.
- In T4 23 ha of the agriculture area has decreased and it is converted into Built-up, mining/dump, plantations, scrub and water body in T5.
- In T5 145 ha of the agriculture area has increased from plantations, forest, forest plantation, scrubland and water body of T4.
- The additional agriculture are coming from waterbody in T5 represents seasonal agriculture.

Conclusion

1. DPR of the project is uploaded on to Bhuvan Portal.
2. The LULC shows that there is an increase in Crop land, Built up area, Reservoir / Tanks & decrease in Scrubland as presented in the change matrix for different years.
3. There is an increase of 119 Hectares in Reservoir / Tanks area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years.
4. There is an increase of 91, 192, 179 & 121 Hectares from T0 to T1, T1 to T2, T3-T4 & T4-T5 respectively and overall increase of 585 Hectares in Crop land area as compared between baseline LU/LC data 2012-13 (T0) & 2020-21 (T5) years
5. There is a **increase of 343 Hectares in plantation area** as compared between 2012-13 (T0) & 2020-21 (T5) years.
6. There is a decrease of 805 Hectares in Scrubland area as compared between 2012-13 (T0) & 2020-21 (T5) years
7. Farm ponds (13) is visible on IWMP Bhuvan Srishti portal out of Bhuvan Drishti photo of Farm ponds (13) verified from the portal.